

Ultracoat™

Wood-floor finishing systems



INSTALLATION GUIDE IGF1213

MAPEI's *Ultracoat* line of wood-flooring products supplies every aspect of your needs for wood-floor finishing – surface preparation, sealers, finishes, polishes and cleaners. Use these charts as a guideline for products and waiting intervals when applying finishing systems. For complete information on an individual product, see its associated Technical Data Sheet or contact MAPEI's Technical Services Department.

| 2-Coat Systems | | |
|----------------------------|----------------------------------|--------------------------------------------------------------------------------|
| | Residential and Light Commercial | Residential and Commercial |
| 1st coat | <i>Ultracoat Universal Base</i> | <i>Ultracoat Premium Base, Ultracoat High Traffic or Ultracoat Toning Base</i> |
| Wait time | 1 to 2 hours | 12 hours |
| Action | Screen and apply next coat | Screen and apply next coat |
| 2nd coat | <i>Ultracoat High Traffic</i> | <i>Ultracoat High Traffic</i> |

| Performance Level | 3-Coat Systems | | | | | |
|----------------------------|---------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|--------------------------------------------------------|
| | Residential | Residential and Light Commercial | Residential and Light Commercial | Residential and Light Commercial | Heavy Residential and Commercial | Heavy Commercial |
| 1st coat | <i>Ultracoat Universal Base</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Universal Base</i> | <i>Ultracoat Universal Base</i> | <i>Ultracoat Universal Base</i> | <i>Ultracoat Premium Base or Ultracoat Toning Base</i> |
| Wait time | 1 to 2 hours | 2 to 3 hours | 1 to 2 hours | 1 to 2 hours | 1 to 2 hours | 12 hours |
| Action | Apply next coat | Apply next coat | Screen and apply next coat | Apply next coat | Screen and apply next coat | Screen and apply next coat |
| 2nd coat | <i>Ultracoat Universal Base</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat High Traffic</i> | <i>Ultracoat High Traffic</i> |
| Wait time | 2 to 3 hours | 2 to 3 hours | 2 to 3 hours | 2 to 3 hours | 2 to 3 hours | 2 to 3 hours |
| Action | Screen and apply next coat | Screen and apply next coat | Apply next coat | Screen and apply next coat | Apply next coat | Apply next coat |
| 3rd coat | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat Easy Plus</i> | <i>Ultracoat High Traffic</i> | <i>Ultracoat High Traffic</i> |



MKT: 13-0372
© 2014 MAPEI Corporation.
All Rights Reserved. Printed in the USA

MAPEI Headquarters of the Americas
1144 East Newport Center Drive
Deerfield Beach, Florida 33442
Phone: 1-888-US-MAPEI
(1-888-876-2734)

Technical Services
1-800-992-6273 (U.S. and Puerto Rico)
1-800-361-9309 (Canada)

Customer Service
1-800-42-MAPEI (1-800-426-2734)

Document Number: IGF1213
Edition Date: January 6, 2014