

## Safety Data Sheet

### MAPEI ULTRALITE MORTAR WHITE (NA)

Safety Data Sheet dated: 08/05/2024 - version 3

Date of first edition: 06/10/2022



## 1. IDENTIFICATION

### Product identifier

Mixture identification:

Trade name: MAPEI ULTRALITE MORTAR WHITE (NA)

Trade code: 9024263

### Recommended use of the chemical and restrictions on use

Recommended use: Cement based powder adhesive

Restrictions on use: Not available

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA

Phone: 954-246-8888

Responsible: RDProductSafety@mapei.com

### Emergency 24 hour numbers:

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887

Emergency Transport CANUTEC (Canada) 1-613-996-6666

## 2. HAZARD(S) IDENTIFICATION



### Classification of the chemical

Skin corrosion, Category 1A

Causes severe skin burns and eye damage.

Serious eye damage, Category 1

Causes serious eye damage.

Skin Sensitization, Category 1

May cause an allergic skin reaction.

Carcinogenicity, Category 1A

May cause cancer if inhaled.

Specific target organ toxicity following single exposure, Category 3

May cause respiratory irritation.

### Label elements

#### Hazard pictograms and Signal Word



Danger

### Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H350 May cause cancer if inhaled.

### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

1

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
3

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
8

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with applicable regulations.

**Ingredient(s) with unknown acute toxicity:**

None

**Hazards not otherwise classified identified during the classification process:**

None

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Substances**

Not Relevant

**Mixtures**

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

**List of components**

Qty	Name	Ident. Numb.	Classification	Registration Number
50-75 %	portland cement; cement, portland, chemicals	CAS:65997-15-1 EC:266-043-4	STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314	
1-2.5 %	calcium formate; Formic acid, calcium salt	CAS:544-17-2 EC:208-863-7	Eye Dam. 1, H318; Comb. Dust, USH003	
1-2.5 %	calcium oxide; quicklime	CAS:1305-78-8 EC:215-138-9	STOT SE 3, H335; Skin Irrit. 2, H315; Eye Dam. 1, H318	01-2119475325-36-XXXX
0.1-0.25 %	silica sand; quartz	CAS:14808-60-7 EC:238-878-4	STOT RE 1, H372; Carc. 1A, H350	

---

### 4. FIRST AID MEASURES

**Description of first aid measures**

In case of skin contact:

- Immediately take off all contaminated clothing.
- OBTAIN IMMEDIATE MEDICAL ATTENTION.
- Obtain medical attention if skin related symptoms persist.
- Remove contaminated clothing immediately and dispose of safely.
- After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

- After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.
- Protect uninjured eye.

In case of Ingestion:

- Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

- In case of inhalation, consult a doctor immediately and show him packing or label.

**Most important symptoms/effects, acute and delayed**

- Eye irritation
- Eye damages
- Skin Irritation
- Erythema

**Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:  
(see paragraph 4.1)

---

## 5. FIRE-FIGHTING MEASURES

### Extinguishing media

Suitable extinguishing media:

- Water.
- Carbon dioxide (CO<sub>2</sub>).

### Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

- Do not inhale explosion and combustion gases.
- Burning produces heavy smoke.
- Hazardous combustion products: Not available
- Explosive properties: Not Relevant
- Oxidizing properties: Not Relevant

### Special protective equipment and precautions for fire-fighters

- Use suitable breathing apparatus.
  - Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
  - Move undamaged containers from immediate hazard area if it can be done safely.
- 

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- Wear personal protection equipment.
- Wear breathing apparatus if exposed to vapours/dusts/aerosols.
- Provide adequate ventilation.
- Use appropriate respiratory protection.
- Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
- Limit leakages with earth or sand.

### Methods and material for containment and cleaning up

- Take up mechanically and dispose of according to local/state/federal regulations
  - Scoop into containers and seal for disposal.
  - Retain contaminated washing water and dispose it.
- 

## 7. HANDLING AND STORAGE

### Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists.
- Exercise the greatest care when handling or opening the container.
- Do not use on extensive surface areas in premises where there are occupants.
- Use localized ventilation system.
- Don't use empty container before they have been cleaned.
- Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
- Contaminated clothing should be changed before entering eating areas.
- Do not eat or drink while working.
- See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

- Store cool and dry.
- Always keep in a well ventilated place.
- Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature: Not available

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Community Occupational Exposure Limits (OEL)

OEL	Country	Occupational Exposure Limit
-----	---------	-----------------------------

portland cement; cement, portland, chemicals CAS: 65997-15-1	<b>Type</b>	
	OSHA	Long Term: 15 mg/m3
	OSHA	Long Term: 5 mg/m3
	ACGIH	Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
	ACGIH AUSTRALIA	Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
calcium oxide; quicklime CAS: 1305-78-8	MAK AUSTRIA	Long Term: 5 mg/m3
	MAK SWITZERLAND	Long Term: 5 mg/m3
	ACGIH	Long Term: 2 mg/m3 URT irr
	MAK GERMANY	Long Term: 1 mg/m3
	OSHA	Long Term: 5 mg/m3
	ACGIH	Long Term: 2 mg/m3 upper respiratory tract irritation
	MAK AUSTRIA	Long Term: 1 mg/m3; Short Term: 4 mg/m3
silica sand; quartz CAS: 14808-60-7	MAK SWITZERLAND	Long Term: 2 mg/m3
	ACGIH	Long Term: 0.025 mg/m3 A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	MAK AUSTRIA	Long Term: 0.15 mg/m3
	ACGIH	Long Term: 0.025 mg/m3 (R), A2 - Pulm fibrosis, lung cancer
	MAK SWITZERLAND	Long Term: 0.15 mg/m3
	EU	Long Term: 0.1 mg/m3 Behaviour Binding

#### Predicted No Effect Concentration (PNEC) values

calcium oxide; quicklime Exposure Route: Fresh Water; PNEC Limit: 0.49 mg/l  
CAS: 1305-78-8

Exposure Route: Marine water; PNEC Limit: 0.32 mg/l

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 3 mg/l

Exposure Route: Soil; PNEC Limit: 1080 mg/kg

Exposure Route: Soil; PNEC Limit: 816 mg/l

#### Derived No Effect Level (DNEL) values

calcium oxide; quicklime Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects  
CAS: 1305-78-8 Worker Industry: 4 mg/m3; Consumer: 4 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects  
Worker Industry: 1 mg/m3; Consumer: 1 mg/m3

Appropriate engineering controls: Not available

#### Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0,35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0,5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluorinated rubber - FKM: thickness  $\geq 0,4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment.

Use adequate protective respiratory equipment.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Solid

Appearance and colour: powder white

Odour: characteristic

Odour threshold: Not Relevant

pH: Not Relevant

pH (water dispersion, 10%): 12.50

Melting point / freezing point: Not Relevant

Initial boiling point and boiling range: Not Relevant

Flash point: Not Relevant

Evaporation rate: Not Relevant

Upper/lower flammability or explosive limits: Not Relevant

Vapour density: Not Relevant

Vapour pressure: Not Relevant

Relative density: 1.20 g/cm<sup>3</sup>

Solubility in water: dispersible

Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant

Auto-ignition temperature: Not Relevant

Decomposition temperature: Not Relevant

Viscosity: Not Relevant

Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

Solid/gas flammability: Not Relevant

### Other information

Substance Groups relevant properties Not Relevant

Miscibility: Not Relevant

Fat Solubility: Not Relevant

Conductivity: Not Relevant

---

## 10. STABILITY AND REACTIVITY

### Reactivity

Stable

### Chemical stability

Data not available.

### Possibility of hazardous reactions

None.

### Conditions to avoid

No data available

### Incompatible materials

Data not available.

### Hazardous decomposition products

Data not available.

---

## 11. TOXICOLOGICAL INFORMATION

### Information on toxicological effects

#### Toxicological Information of the Preparation

- |                                  |  |
|----------------------------------|--|
| a) acute toxicity                | Not classified<br>Based on available data, the classification criteria are not met |
| b) skin corrosion/irritation     | The product is classified: Skin corrosion, Category 1A(H314)                       |
| c) serious eye damage/irritation | The product is classified: Serious eye damage, Category 1(H318)                    |

d) respiratory or skin sensitisation	The product is classified: Skin Sensitization, Category 1(H317)
e) germ cell mutagenicity	Not classified Based on available data, the classification criteria are not met
f) carcinogenicity	The product is classified: Carcinogenicity, Category 1A(H350)
g) reproductive toxicity	Not classified Based on available data, the classification criteria are not met
h) STOT-single exposure	The product is classified: Specific target organ toxicity following single exposure, Category 3(H335)
i) STOT-repeated exposure	Not classified Based on available data, the classification criteria are not met
j) aspiration hazard	Not classified Based on available data, the classification criteria are not met

**Toxicological information on main components of the mixture:**

calcium formate; Formic acid, calcium salt    a) acute toxicity    LD50 Oral Rat = 2650 mg/kg

calcium oxide; quicklime    a) acute toxicity    LD50 Oral Rat > 2000 mg/kg  
LD50 Skin Rat > 2500 mg/kg

silica sand; quartz    a) acute toxicity    LD50 Oral > 2000 mg/kg  
LD50 Skin > 2000 mg/kg

**Substance(s) listed on the IARC Monographs:**

silica sand; quartz    Group 1

**Substance(s) listed as OSHA Carcinogen(s):**

silica sand; quartz

**Substance(s) listed as NIOSH Carcinogen(s):**

silica sand; quartz

**Substance(s) listed on the NTP report on Carcinogens:**

silica sand; quartz

**12. ECOLOGICAL INFORMATION**

**Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

**List of Eco-Toxicological properties of the product**

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

**List of Eco-Toxicological properties of the components**

Component	Ident. Numb.	Ecotox Data
calcium formate; Formic acid, calcium salt	CAS: 544-17-2 - EINECS: 208- 863-7	a) Aquatic acute toxicity : LC50 Fish Brachydanio rerio >= 1000 mg/L 96h IUCLID
calcium oxide; quicklime	CAS: 1305-78-8 - EINECS: 215- 138-9	a) Aquatic acute toxicity : LC50 Fish = 457 mg/L 96  a) Aquatic acute toxicity : EC50 Daphnia = 49.1 mg/L 48 b) Aquatic chronic toxicity : NOEC Daphnia = 32 mg/L - 14 d a) Aquatic acute toxicity : LC50 Fish = 50.6 mg/L 96 a) Aquatic acute toxicity : LC50 Daphnia = 158 mg/L 96 a) Aquatic acute toxicity : EC50 Algae = 184.57 mg/L 72 b) Aquatic chronic toxicity : NOEC Algae = 48 mg/L 72

**Persistence and degradability**

N.A.

**Bioaccumulative potential**

N.A.

**Mobility in soil**

N.A.

**Other adverse effects**

N.A.

---

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

---

**14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

**UN number**

DOT-UN Number: Not Applicable

ADR-UN number: Not Applicable

IATA-Un number: Not Applicable

IMDG-Un number: Not Applicable

**UN proper shipping name**

DOT-Proper Shipping Name: Not Applicable

ADR-Shipping Name: Not Applicable

IATA-Technical name: Not Applicable

IMDG-Technical name: Not Applicable

**Transport hazard class(es)**

DOT-Hazard Class: Not Applicable

ADR-Class: Not Applicable

IATA-Class: Not Applicable

IMDG-Class: Not Applicable

**Packing group**

DOT Packing Group: Not Applicable

ADR-Packing Group: Not Applicable

IATA-Packing group: Not Applicable

IMDG-Packing group: Not Applicable

**Environmental hazards**

Marine pollutant: No

Environmental Pollutant: Not Applicable

DOT-RQ: No

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not Applicable

**Special precautions**

Department of Transportation (DOT):  
Not Applicable  
Road and Rail ( ADR-RID ) :  
Not Applicable  
Air ( IATA ) :  
Not Applicable  
Sea ( IMDG ) :  
Not Applicable

---

## 15. REGULATORY INFORMATION

### USA - Federal regulations

#### TSCA - Toxic Substances Control Act

All the components are listed on the TSCA inventory

##### TSCA listed substances:

portland cement; cement, portland, chemicals is listed in TSCA Section 8b

calcium formate; Formic acid, calcium salt is listed in TSCA Section 8b

calcium oxide; quicklime is listed in TSCA Section 8b

silica sand; quartz is listed in TSCA Section 8b

#### SARA - Superfund Amendments and Reauthorization Act

##### Section 302 - Extremely Hazardous Substances:

No substances listed

##### Section 304 - Hazardous substances:

No substances listed

##### Section 313 - Toxic chemical list:

No substances listed

#### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

##### Substance(s) listed under CERCLA:

No substances listed

#### CAA - Clean Air Act

##### CAA listed substances:

No substances listed

#### CWA - Clean Water Act

##### CWA listed substances:

No substances listed

### USA - State specific regulations

#### California Proposition 65

##### Substance(s) listed under California Proposition 65:

silica sand; quartz Listed as carcinogen

#### Massachusetts Right to know

##### Substance(s) listed under Massachusetts Right to know:

portland cement; cement, portland, chemicals

calcium oxide; quicklime

silica sand; quartz

#### Pennsylvania Right to know

##### Substance(s) listed under Pennsylvania Right to know:

portland cement; cement, portland, chemicals

calcium oxide; quicklime

silica sand; quartz

#### New Jersey Right to know

##### Substance(s) listed under New Jersey Right to know:

portland cement; cement, portland, chemicals

calcium oxide; quicklime

silica sand; quartz



## Canada - Federal regulations

### DSL - Domestic Substances List

All the substances are listed in the DSL.

### NDSL - Non Domestic Substances List

This product complies with NDSL inventory

### NPRI - National Pollutant Release Inventory

#### NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## 16. OTHER INFORMATION

Safety Data Sheet dated: 8/5/2024 - version 3

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
USH003	May form combustible dust concentrations in air.

Code	Hazard class and hazard category	Description
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A
A.2/2	Skin Irrit. 2	Skin irritation, Category 2
A.3/1	Eye Dam. 1	Serious eye damage, Category 1
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A
A.8/3	STOT SE 3	Specific target organ toxicity following single exposure, Category 3
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1
US-ADD/CD	Comb. Dust	Combustible dust

### Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

**Paragraphs modified from the previous revision:**

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION