



KERAQUICK EASY S1

Rapid set flexible tile adhesive





Keraquick Easy S1

DESCRIPTION **Rapid setting, high performance, flexible floor tile adhesive.**

For the interior and exterior installation of ceramic, porcelain and moisture stable natural stone tiles and mosaics on floors. Perfect for large format tiles due to its excellent wetting out capabilities.


POT LIFE OF THE MIX	30 minutes	READY FOR USE	24 hours (3 days for swimming pools)
OPEN TIME	15 - 20 minutes	STORAGE	12 months
SET TO LIGHT FOOT TRAFFIC	2 - 3 hours	CONSUMPTION	2 - 5 kg/m ²
COLOURS	Grey or white	PACKAGING	20 kg bags




RAPID SETTING
grouting after only 2 hours, light foot traffic after only 2 hours



UNDERFLOOR HEATING
suitable for use over underfloor heating systems



LARGE FORMAT
suitable for use with large format tiles



DEFORMABLE
S1 flexible suitable for use over timber substrates

AREAS OF USE



WHERE TO USE

- Ceramic and porcelain tiles and mosaics.
- Non-moisture sensitive natural stone.
- Interior and exterior use.
- Floors.
- Swimming pools and balconies.
- Areas subject to intense traffic (airports, shopping centres, restaurants, etc.).

CERTIFICATIONS & TECHNOLOGIES





MAPEI UK LTD

Mapei House
Steel Park Road
Halesowen
West Midlands. B62 8HD
0121 508 6970
info@mapei.co.uk

MAPEI WORLD LONDON CITY

6 Great Sutton Street
Clerkenwell
London
ECTV 0BX
020 3302 9610
clerkenwell@mapei.co.uk