

# ULTRABOND ECO TACK TX+

CARPET TILE TACKIFIER ALLOWING THE  
REMOVAL AND REPLACEMENT OF  
CARPET TILES



# PROVIDES A PERMANENTLY TACKY FILM WHEN DRY, WHICH PREVENTS LOOSE LAY TILES FROM MOVING.



CARPET TILES,  
LOOSE-LAY LVT



ROLLER



www.emicode.com



[www.blauer-engel.de/uz113](http://www.blauer-engel.de/uz113)



\* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)

# Ultrabond Eco Tack TX+



## APPLICATIONS:

- dimensionally stable carpet tiles backed with bitumen/felt, non-woven fabric, PVC, polypropylene and other polymer backings;
- carpet underlay;
- loose lay textile floorings;
- loose lay LVT.

## Permanently tacky carpet adhesive.

Ultrabond Eco Tack TX+ is an acrylic-based adhesive designed to provide a permanently tacky film when dry, to allow the removal and replacement of carpet tiles when required.

## PROPERTIES OF THE PRODUCT:

- Very easy to apply
- Very low consumption
- Fast drying
- Easy removal or replacement of individual, damaged or worn tiles and coverings
- Non-flammable
- Suitable for use with castor wheel chairs

## TECHNICAL DATA: (AT +23°C - 50% R.H.)

Product identity	
Consistency:	Liquid
Colour:	White/transparent
Waiting time:	10-20 mins, when the adhesive becomes transparent
Open time:	Permanent tack
Set to foot traffic:	Immediately
Ready for use:	Immediately
Storage:	12 months. Do not expose to freezing weather for long periods
Consumption:	50-100 g/m <sup>2</sup>
Packaging:	15 kg buckets & 5kg bottle

**MAPEI WORLD LONDON CITY**

6 Great Sutton Street  
Clerkenwell  
London  
EC1V 0BX  
020 3302 9610  
clerkenwell@mapei.co.uk

**MAPEI UK LTD**

Mapei House  
Steel Park Road  
Halesowen  
West Midlands. B62 8HD  
0121 508 6970  
info@mapei.co.uk



0121 508 6970 | mapei.co.uk

