# ULTRABOND ECO TX3

## EXCELLENT WET GRAB ADHESIVE WITH EARLY BUILD UP STRENGTH FOR TEXTILE AND LINOLEUM FLOORING

MAPEI®
ADHESIVES · SEALANTS · CHEMICAL PRODUCTS FOR BUILDING

# HIGH GRAB, EASY TO USE, READY MIXED ADHESIVE FOR TEXTILE AND LINOLEUM FLOOR COVERINGS

* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)

# Ultrabond Eco TX3

Excellent wet grab adhesive with early build up of a tough strength, suitable for bonding textile floor coverings with all types of backing materials (jute, polypropylene, Action-Bac®, woven, latex, foam, needle-punched etc.) and on all kinds of internal, absorbent substrates stable in the presence of humidity.

## PROPERTIES OF THE PRODUCT:

- Very easy to apply
- Suitable for double-stick installation
- Fast development of set
- High and tough final strength
- Exposure to castor wheels in accordance with EN 12529

## TECHNICAL DATA: (AT +23°C - 50% R.H.)

| Product identity | |
|---|---|
| Consistency: | creamy paste |
| Colour: | light beige |
| Waiting time: | 0 - 10 minutes |
| Open time: | 10 - 30 minutes |
| Set to light foot traffic: | 3 - 5 hours |
| Ready for use: | 24 - 48 hours |
| Storage: | 12 months |
| Consumption: | 350 - 500 g/m² |
| Packaging: | 15 kg bucket |

## APPLICATIONS:

- textile floor coverings with all types of backing materials;
- linoleum with natural jute back;
- residential and commercial areas;
- areas subject to castor wheel traffic;
- areas with underfloor heating systems;

C.P. MK8104330 (UK) 03/2021

**MAPEI WORLD LONDON CITY**
6 Great Sutton Street
Clerkenwell
London
EC1V 0BX
020 3302 9610
clerkenwell@mapei.co.uk

**MAPEI UK LTD**
Mapei House
Steel Park Road
Halesowen
West Midlands. B62 8HD
0121 508 6970
info@mapei.co.uk