



Mapesil AC

Sealing Strip

Verge Trim

Suitable Fixings recommended by the manufacturer

Top Hat Section (Minimum 15mm)

Mapetherm EPS

Mapetherm Steel & Timber Fixing into Top Hat Profile

Mapetherm AR1 GG incorporating Mapetherm NET

Mapei Topcoat

Mapetherm Top Hat Fixings

Versapanel or an approved sheathing board

Steel Frame by others

**Drawing Details:**

**Mapetherm AR1 GG** - One component cementitious mortar for bonding, levelling and reinforcing thermal-insulating panels and thermal insulation systems.

**Mapetherm EPS** - Expanded sintered polystyrene insulating panels for thermal insulation systems.

**Mapetherm Net** - Glass fibre mesh resistant to alkalis, ideal for reinforcing skim coats for repairing façades and installing Mapetherm thermal insulation systems.

**STATUS:** APPROVED - REV 1

**Project:** EWI Verge Trim - Steel

**Drawing Ref:** MAEPS87

**Date:** 09/07/2019 12:37:47

**Drawn by:** LPR

**Checked by:** GB

**Approved by:** SP

**EWI VERGE TRIM - STEEL**

*These standard details are provided for guidance only and should not be considered as comprehensive for design or construction purposes. It is the responsibility of the appointed principal designer to ensure that these details are appropriated adapted for specific projects.*



Mapei House, Steel Park Road,  
Halesowen, B62 8HD  
Website: [www.mapei.co.uk](http://www.mapei.co.uk),  
Email: [technical-uk@mapei.co.uk](mailto:technical-uk@mapei.co.uk)