




HARDWARE CATALOGUE

2024



INDEX

	ADHESIVES FOR CERAMIC AND STONE MATERIAL	5		CONSTRUCTION GROUTS AND ANCHORS	61
	GROUTS FOR CERAMIC TILES, STONE MATERIAL AND MOSAICS	13		LEVELLING COMPOUNDS	67
	ADHESIVES FOR RESILIENT, LVT AND TEXTILE COVERINGS	25		SCREEDS	71
	PRIMERS AND COATINGS	29		CLEANING AND PROTECTIVE PRODUCTS	75
	PRODUCTS FOR WATERPROOFING	37		TOOLS AND ACCESSORIES	81
	CONCRETE REPAIR AND SMOOTHING COMPOUNDS	47			
	PRODUCTS FOR STRUCTURAL BONDING, SCREED REPAIRING AND INJECTING INTO CRACKED CONCRETE	55			



ADHESIVES FOR CERAMIC AND STONE MATERIAL

Adeflex Trade

Rubber modified, cement based adhesive for bonding most types of interior tiles.

- KEY POINTS**
- mix with **Isolastic 50** for tiling in wet areas or over wood/tiled surfaces
 - once mixed, can be used for 8 hours
 - easy to use

CONSUMPTION 20 kg covers 7.5–8.5m²

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 1537120
BARCODE 8022452113826

Adesilex P4

Rapid setting tile adhesive and levelling compound.

- KEY POINTS**
- mix with **Latex Plus** to improve adhesion and deformability
 - applied between 3 to 20 mm thick
 - can be used externally

APPLICATION no. 6 or 10 rounded notched trowel

CONSUMPTION Flooring: 3–10 kg/m²
Levelling: 1.4 kg/m² per mm of thickness

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 218220
BARCODE 8022452024672

Adesilex P9

Tile adhesive with high workability and tile slip resistance.

- KEY POINTS**
- internal/external and floor/wall tiling
 - bond ceramics, stone, and mosaics

APPLICATION notched trowel to be selected depending on the format of the tiles

CONSUMPTION 4–7.5m² per 20 kg bag

COLOUR off-white

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 005520
BARCODE 8022452019524

Isolastic

Mixed with **Kerabond Plus** to become a high performance, highly deformable and strong adhesive.

- KEY POINTS**
- improves adhesion
 - improves deformability

APPLICATION notched trowel to be selected depending on the format of the tiles

CONSUMPTION 1–2 kg/m²

PACKAGING 25 and 6.6 kg drums

CERTIFICATIONS AND MARKINGS



SIZE 25 kg
ITEM CODE 097125
BARCODE 8022452034817

SIZE 6.6 kg
ITEM CODE 097106
BARCODE 8022452480102

Isolastic 50

Latex additive to mix with **Kerabond Plus** and to impart elasticity.

- KEY POINTS**
- perfect for swimming pools
 - improves durability

APPLICATION notched trowel to be selected depending on the format of the tiles

CONSUMPTION 1–2 kg/m²

PACKAGING 25 and 6.6 kg drums

CERTIFICATIONS AND MARKINGS



SIZE 25 kg
ITEM CODE 097525
BARCODE 8022452033360

SIZE 6.6 kg
ITEM CODE 097506
BARCODE 8022452094859

Kerabond Plus

Slip resistant tile adhesive.

- KEY POINTS**
- can be mixed with **Isolastic** to improve performance
 - internal/external and floor/wall tiling

APPLICATION notched trowel to be selected depending on the format of the tiles

CONSUMPTION 4.0–7.5m² per 20 kg bag

PACKAGING 20 Kg bag

CERTIFICATIONS AND MARKINGS






COLOUR grey
ITEM CODE 003520
BARCODE 8022452029974

COLOUR white
ITEM CODE 003720
BARCODE 8022452030086

Keraflex

High performance adhesive with no vertical slip.






KEY POINTS	<ul style="list-style-type: none"> · suitable over Mapei waterproofing membranes · internal/external and floor/wall tiling
APPLICATION	notched trowel to be selected depending on the format of the tiles
CONSUMPTION	20 kg bag covers 4.0–7.5 m ²
COLOUR	grey or white
PACKAGING	20 kg bags and boxes of 4 x 5 kg Alupack bags
CERTIFICATIONS AND MARKINGS	  



COLOUR	grey – 20 kg
ITEM CODE	119120
BARCODE	8022452019555
COLOUR	grey – 5 kg
ITEM CODE	119105A
BARCODE	8022452095825
COLOUR	white – 20 kg
ITEM CODE	119520
BARCODE	8022452019562
COLOUR	white – 5 kg
ITEM CODE	119505A
BARCODE	8022452095801

Lightweight S1 Tile Adhesive

High performance lightweight tile adhesive.



KEY POINTS	<ul style="list-style-type: none"> · 13.5 kg bag provides same coverage as a 20 kg traditional adhesive · internal/external and floor/wall tiling
APPLICATION	notched trowel
CONSUMPTION	5m ² to 6m ² per bag with 10 mm trowel
COLOUR	grey
PACKAGING	13.5 kg bag
CERTIFICATIONS AND MARKINGS	    



ITEM CODE	2430920
BARCODE	9345490002945

Kerapoxy Adhesive

Epoxy tile adhesive.


KEY POINTS	<ul style="list-style-type: none"> · no vertical slip, high strength and can be applied up to 10 mm · can be used with any tile and substrate
APPLICATION	notched trowel to be selected depending on the format of the tiles
CONSUMPTION	1.5 kg/m ² per mm of thickness
COLOUR	grey or white
PACKAGING	10 kg units
CERTIFICATIONS AND MARKINGS	 



ITEM CODE	2511210
BARCODE	8022452047992

Mapemastic Easy

Ready-to-use paste adhesive for the installation of ceramic and porcelain tiles.



KEY POINTS	<ul style="list-style-type: none"> · no tile slip and long workability time · interior walls and floors
APPLICATION	notched trowel n. 4, 5 or 6
COLOUR	white
PACKAGING	20 kg bucket
CERTIFICATIONS AND MARKINGS	



ITEM CODE	0115720
BARCODE	9345490000545

Large Format Tile Adhesive

High performance adhesive ideal for large format tiles.

KEY POINTS	<ul style="list-style-type: none"> · internal/external and floor/wall tiling
APPLICATION	notched trowel
CONSUMPTION	5m ² to 6m ² per bag with 10 mm trowel
COLOUR	white
PACKAGING	20 kg bags
CERTIFICATIONS AND MARKINGS	 



ITEM CODE	1194920
BARCODE	9345490002969

Mapestone PFS 2 Visco

Pre-blended high performance fluid grout for external stone paving.

KEY POINTS	<ul style="list-style-type: none"> · used with Mapestone TFB 60 · ideal for heavy vehicle traffic · highly durable and resistant
APPLICATION	pour directly in joints using suitable containers
CONSUMPTION	depending on the thickness of the stone elements and the width and depth of the joints
PACKAGING	20 kg bags



ITEM CODE	5AA029520
BARCODE	9345490000750

Mapestone TFB 60

Pre-blended high performance mortar bedding for external stone paving.

- KEY POINTS**
- used with **Mapestone PFS 2 Visco**
 - ideal for heavy vehicle traffic
 - highly durable and resistant

CONSUMPTION 20 kg/m² per cm of thickness

PACKAGING 25 kg bags



ITEM CODE 024520
BARCODE 9345490000743

Rapid S1 Tile Adhesive

High performance, rapid setting tile adhesive.

- KEY POINTS**
- internal/external and floor/wall tiling
 - bond ceramics, stone, and mosaics

APPLICATION notched trowel

CONSUMPTION 5m² to 6m² per bag with 10 mm trowel

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 0126520
BARCODE 9345490002976

Ultramastic III

High performance ready-to-use paste adhesive for ceramic and porcelain tiles.

- KEY POINTS**
- no tile slip and long workability time
 - interior walls and floors

APPLICATION notched trowel to be selected depending on the format of the tiles

CONSUMPTION 1.5–2.5 kg/m² on walls or 3–4 kg/m² on floors


COLOUR white

PACKAGING 1 and 5 kg buckets

CERTIFICATIONS AND MARKINGS



SIZE 1 kg
ITEM CODE 010301
BARCODE 8022452007293
SIZE 5 kg
ITEM CODE 010305
BARCODE 8022452002830





GROUTS FOR CERAMIC TILES, STONE MATERIAL AND MOSAICS

Keracolor FF

Cement based tile grout.

- KEY POINTS**
- range of colours. Internal and external
 - water-repellent and mould resistant
 - joint widths up to 6 mm

APPLICATION rubber trowel

CONSUMPTION according to the size of the joints and tiles

COLOURS 14

PACKAGING 20 kg, 5 kg and 2 kg bags

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 19

Keracolor SF

Cement based sand free tile grout.

- KEY POINTS**
- bright white colour. Internal and external
 - perfect for polished porcelain or stone
 - joint widths up to 4 mm

APPLICATION rubber trowel

CONSUMPTION according to the size of the joints and tiles

COLOUR white

PACKAGING 20 kg bags and 5 kg Alupack boxes

CERTIFICATIONS AND MARKINGS



SIZE 5 kg
ITEM CODE 4B10005A
BARCODE 8022452076435

SIZE 20 kg
ITEM CODE 4B10020AUS
BARCODE 9345490000675

Kerapoxy Easy Design

Decorative epoxy grout.

- KEY POINTS**
- can also be use as an adhesive
 - perfect for glass mosaics
 - joint widths up to 15 mm

APPLICATION rubber trowel

CONSUMPTION • used as grout: according to the size of the joints and tiles;
 • used as adhesive: 2-4 kg/m²

COLOUR 41

PACKAGING 3 kg units

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 20

Mapeflex MS 45

Flexible sealant and adhesive.

- KEY POINTS**
- bonds to most building materials
 - suitable for damp substrates
 - paintable

APPLICATION extrusion gun

CONSUMPTION 3.0 meters per 300 ml cartridge (10 x 10 mm section)

COLOUR white, 113 grey, 111 grey, black

PACKAGING 300 ml cartridge

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 21

Mapeflex MS Crystal

Transparent flexible sealant and adhesive.

- KEY POINTS**
- bonds to most types of building materials
 - suitable for damp substrates
 - internal and external use

APPLICATION extrusion gun

CONSUMPTION 3.0 meters per 300 ml cartridge (10 x 10 mm section)

COLOUR crystal clear

PACKAGING 300 ml cartridges

CERTIFICATIONS AND MARKINGS



ITEM CODE 1956553
BARCODE 8022452066849

Mapeflex PU 40

Polyurethane sealant.

- KEY POINTS**
- up to 25% movement
 - long service life
 - paintable

APPLICATION extrusion gun

CONSUMPTION • 3.0 meters per 300 ml cartridge
 • 6 meters per 600 ml sausage (10 x 10 mm section)

COLOUR white, grey 111, grey 112

PACKAGING 300 ml cartridge, 600 ml sausage

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 22



Mapeflex PU 45 FT

Polyurethane sealant.

- KEY POINTS**
- up to 20% movement and strong
 - long service life
 - paintable

APPLICATION extrusion gun

CONSUMPTION

- 3.0 metres per 300 ml cartridge
- 6.0 metres per 600 ml sausage (10 x 10 mm section)

COLOUR white, 111 grey, 113 grey, black

PACKAGING 300 ml cartridge, 600 ml sausage

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 22

Mapepur Universal Foam M

Expanding polyurethane foam.

- KEY POINTS**
- ideal for insulating and soundproofing door and window frames
 - can be cut, sanded, drilled, and painted
 - resistant to mould

YIELD up to 45 litres

COLOUR yellow

PACKAGING 750 ml spray can



ITEM CODE 1669757
BARCODE 8022452082214

Mapesil AC

Mould resistant acetic silicone sealant.

- KEY POINTS**
- ideal for sealing glass, ceramics, porcelain and anodised aluminium
 - ideal for bathrooms, showers and wet areas
 - up to 34 colours available

APPLICATION extrusion gun

CONSUMPTION 3.1 meters per 310 ml cartridge (10 x 10 mm section)

COLOUR see colour chart on page 20

PACKAGING 310 ml cartridges

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 21

Mapesil LM

Neutral cure silicone sealant for stone and marble.

- KEY POINTS**
- odourless and safe
 - mould resistant
 - durable

APPLICATION extrusion gun

CONSUMPTION 3.1 meters per 310 ml cartridge (10 x 10 mm section)

COLOUR see colour chart on page 20

PACKAGING 310 ml cartridges

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODE, SEE COLOUR CHART ON PAGE 21

Ultracare Fuga Fresca

Grout paint for refreshing existing grout joints.

- KEY POINTS**
- change the grout colour or refresh existing colour
 - suitable for bathrooms
 - easy to use

APPLICATION brush or from the bottle

CONSUMPTION according to the size of the joints and tiles

COLOURS 40

PACKAGING 1 kg drums and 160 g bottle



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 18

Ultracolor Plus

High performance quick drying tile grout.

- KEY POINTS**
- water-repellent and mould resistant
 - joint widths up to 20 mm
 - produces no efflorescence

APPLICATION rubber trowel

CONSUMPTION according to the size of the joints and tiles

COLOUR 40

PACKAGING 4 x 5 kg or 8 x 2 kg Alupack boxes

CERTIFICATIONS AND MARKINGS



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 18





UltracolorPlus 2 kg			UltracolorPlus 5 kg		UltraCare Fuga Fresca	
ITEM CODE	BARCODE		ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 6010002A	8022452093418	● 6010005A	8022452092824	● 5LF010042	8022452140631
103	● 6010302A	8022452093449	● 6010305A	8022452092848	● 5LF010342	8022452144189
110	● 6011002A	8022452093456	● 6011005A	8022452092855	● 5LF011042	8022452140679
111	● 6011102A	8022452093487	● 6011105A	8022452092886	● 5LF011142	8022452140693
112	● 6011202A	8022452093494	● 6011205A	8022452092893	● 5LF011242	8022452140716
113	● 6011302A	8022452093524	● 6011305A	8022452092923	● 5LF011342	8022452140730
114	○ 6011402A	8022452093531	○ 6011405A	8022452092930	○ 5LF011442	8022452140754
119	○ 6011902A	8022452101229	○ 6011905A	8022452101243	○ 5LF011942	8022452140815
120	○ 6012002A	8022452093562	○ 6012005A	8022452092961	○ 5LF012042	8022452140839
123	● 60012302A	8022452131424	● 60012305A	8022452131912	● 5LF012342	8022452140853
125	● 60012502A	8022452131462	● 60012505A	8022452131936		
127	● 60012702A	8022452131486	● 60012705A	8022452131950		
130	● 6013002A	8022452093579	● 6013005A	8022452092992	● 5LF013042	8022452140914
131			● 6013105A	8022452093005		
132			● 6013205A	8022452093012	● 5LF013242	8022452140952
133			● 6013305A	8022452093043	● 5LF013342	8022452140976
134	● 6013402A	8022452093654	● 6013405A	8022452093050	● 5LF013442	8022452140990
135			● 6013505A	8022452093081		
136			○ 6013605A	8022452093098		
137	● 6013702A	8022452101267	● 6013705A	8022452101250	● 5LF013742	8022452141058
138	● 6013802A	8022452101304	● 6013805A	8022452101311		
141			● 6014105A	8022452093135		
142			● 6014205A	8022452093166		
143	○ 6014302A	8022452093784	○ 6014305A	8022452093173		
144	○ 6014402A	8022452093791	○ 6014405A	8022452093203		
145	○ 6014502A	8022452093821	○ 6014505A	8022452093210		
147						
149	○ 6014902A	8022452093838	○ 6014905A	8022452093241		
150			● 6015005A	8022452093258		
152	● 6015202A	8022452101397	● 6015205A	8022452101380		
163	● 60016302A	8022452131509	● 60016305A	8022452131974		
167	● 60016702A	8022452131523	● 60016705A	8022452131998		
168	● 60016802A	8022452131547	● 60016805A	8022452132018		
169	○ 60016902A	8022452131561	○ 60016905A	8022452132032		
170						
172	● 6017202A	8022452093968	● 6017205A	8022452093364		
174	○ 6017402A	8022452093975	○ 6017405A	8022452093371		
176	● 60017602A	8022452131585	● 60017605A	8022452132056		
177	● 60017702A	8022452131608	● 60017705A	8022452132070		
187	● 60018702A	8022452131622	● 60018705A	8022452132094		
188	● 60018802A	8022452131646	● 60018805A	8022452132117		
189	● 60018902A	8022452131660	● 60018905A	8022452132131		
999						

KeracolorFF 2 kg			KeracolorFF 5 kg		KeracolorFF 20 kg	
ITEM CODE	BARCODE		ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 5QA010002AUS	9345490001078	● 5QA010005AUS	9345490001085	● 5QA010020AUS	9345490000026
103	● 5QA010302AUS	9345490001276	● 5QA010305AUS	9345490001283	● 5QA010320AUS	9345490001597
110	● 5QA011002AUS	9345490001092	● 5QA011005AUS	9345490001108	● 5QA011020AUS	9345490001115
111	● 5QA011102AUS	9345490000279	● 5QA011105AUS	9345490001139	● 5QA011120AUS	9345490001146
112	● 5QA011202AUS	9345490001153	● 5QA011205AUS	9345490001160	● 5QA011220AUS	9345490000033
113	● 5QA011302AUS	9345490001191	● 5QA011305AUS	9345490001207	● 5QA011320AUS	9345490001214
114	○ 5QA011402AUS	9345490001177	○ 5QA011405AUS	9345490001184	○ 5QA011420AUS	9345490000842
119	○ 5QA011902AUS	9345490001290	○ 5QA011905AUS	9345490001306		
120					○ 5QA012020AUS	9345490000859
123						
125						
127						
130	● 5QA013002AUS	9345490001221	● 5QA013005AUS	9345490001238	● 5QA013020AUS	9345490000040
131						
132					● 5QA013220AUS	9345490001122
133	● 5QA013302AUS	9345490001313	● 5QA013305AUS	9345490001320		
134	● 5QA013402AUS	9345490001337	● 5QA013405AUS	9345490001344	● 5QA013420AUS	9345490001603
135						
136						
137						
138						
141						
142						
143						
144						
145						
147						
149						
150						
152						
163						
167						
168						
169						
170					○ 5QA017020AUS	9345490000866
172						
174						
176						
177						
187						
188						
189						
999						




Kerapoxy 5 kg		Kerapoxy 10 kg		Kerapoxy Easy Design	
ITEM CODE	BARCODE	ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 4510005 8022452011214	● 4510010 8022452011474	● 5KB010003 8022452132940		
103			● 5KB010303 8022452132957		
110	● 4511005 8022452011245	● 4511010 8022452011504	● 5KB011003 8022452132919		
111	● 4511105 8022452011238	● 4511110 8022452011498	● 5KB011103 8022452132964		
112	● 4511205 8022452011252	● 4511210 8022452011511	● 5KB011203 8022452132971		
113	● 4511305 8022452011269	● 4511310 8022452011528	● 5KB011303 8022452132988		
114	○ 4511405 8022452011276	○ 4511410 8022452011535	○ 5KB011403 8022452132995		
119			○ 5KB011903 8022452133008		
120	○ 4512005 8022452011283	○ 4512010 8022452011542	○ 5KB012003 8022452133015		
123			● 5KB012303 8022452133022		
125			● 5KB012503 8022452133039		
127			● 5KB012703 8022452133046		
130	● 4513005 8022452011221	● 4513010 8022452011481	● 5KB013003 8022452133053		
131		● 4513110 8022452011566	● 5KB013103 8022452133060		
132	● 4513205 8022452011290	● 4513210 8022452011559	● 5KB013203 8022452133077		
133			● 5KB013303 8022452133084		
134			● 5KB013403 8022452133091		
135			● 5KB013503 8022452133107		
136			○ 5KB013603 8022452133114		
137			● 5KB013703 8022452133121		
138			● 5KB013803 8022452133138		
141	● 4514105 8022452011313	● 4514110 8022452011573	● 5KB014103 8022452133145		
142					
143		● 4514310 8022452011597			
144	○ 4514405 8022452011344	○ 4514410 8022452011603			
145	● 4514505 8022452011450				
147					
149					
150					
152					
163					
167					
168					
169					
170	○ 4517005 8022452011399	● 4517010 8022452011658			
172					
174					
176					
177					
187					
188					
189					
999					

Mapeflex MS 45		Mapesil AC		Mapesil LM	
ITEM CODE	BARCODE	ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 6PB010053 8022452057076	● 4810091IT 8022452010149	● 5810091 8022452024269		
103		● 4810391IT 8022452074448			
110		● 4811091IT 8022452010170	● 5811091 8022452024276		
111		● 4811191IT 8022452010163	● 5811191 8022452043673		
112		● 4811291IT 8022452010187	● 5811291 8022452024283		
113	● 6PB011353 8022452085048	● 4811391IT 8022452010194	● 5811391 8022452043680		
114		● 4811491IT 8022452010200	○ 5811491 8022452024290		
119		○ 4811991IT 8022452102813			
120	○ 6PB012053 8022452057113	○ 4812091IT 8022452010217	○ 5812091 8022452043703		
123					
125					
127					
130		● 4813091IT 8022452010156	● 5813091 8022452057687		
131		● 4813191IT 8022452010231			
132		● 4813291IT 8022452010224	● 5813291 8022452024313		
133		● 4813391IT 8022452074462			
134		● 4813491IT 8022452074486			
135		● 4813591IT 8022452074509			
136		○ 4813691IT 8022452074523			
137		● 4813791IT 8022452102837			
138		● 4813891IT 8022452102851			
141		● 4814191IT 8022452010248			
142		● 4814291IT 8022452010255			
143		○ 4814391IT 8022452010262			
144		○ 4814491IT 8022452010279			
145		○ 4814591IT 8022452010385			
147					
149		○ 4814991IT 8022452074547			
150		● 4815091IT 8022452010378			
152		○ 4815291IT 8022452102899			
163					
167					
168					
169					
170					
172		● 4817291IT 8022452010361			
174		○ 4817491IT 8022452074561			
176					
177					
187					
188					
189					
999		● 489991IT 8022452010408			



Maeflex PU 40 300ml		Maeflex PU 40 600ml	
ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 1952153 8022452053825	● 1952156 8022452100727	
111	● 195253 8022452053801	● 195256 8022452079887	

Maeflex PU 45 300ml		Maeflex PU 45 600ml	
ITEM CODE	BARCODE	ITEM CODE	BARCODE
100	● 6PG000053 8022452105692		
111	● 6PG011153 8022452105715	● 6PG011156 8022452113079	
120	○ 6PG012053 8022452105753		





ADHESIVES FOR RESILIENT, LVT AND TEXTILE COVERINGS

Adesilex G19

Epoxy-polyurethane flooring adhesive.

- KEY POINTS**
- ideal universal adhesive for all types of rubber, PVC, carpet floorings
 - external grade and resistant to extreme conditions
 - easy to use

APPLICATION trowel

CONSUMPTION see TDS

COLOUR beige

PACKAGING 5 kg bucket



ITEM CODE 410306
BARCODE 8022452006241

Ultrabond Eco S955 1K

High performance timber adhesive.

- KEY POINTS**
- for all types of timber flooring and pre-finished timber boards
 - can be used for acoustic underlays
 - solvent free

APPLICATION n. 2 or 4 notched trowel for wood

CONSUMPTION 800–1200 g/m²

COLOUR beige

PACKAGING 15 kg bucket and 600 ml sausage

CERTIFICATIONS AND MARKINGS



SIZE 15 kg
ITEM CODE 074315
BARCODE 8022452044892

SIZE 600 ml
ITEM CODE 074356
BARCODE 8022452127908

Ultrabond Eco V4SP

Universal water-based adhesive for resilient flooring.

- KEY POINTS**
- can be used as a pressure-sensitive adhesive or for wet bonding
 - walls and floor
 - durable

APPLICATION n. 1, 2, or 3 Mapei notched trowel

CONSUMPTION Consumption varies with uniformity of substrate, the back of the flooring and type of trowel used.

COLOUR pale beige

PACKAGING 14 kg bucket

CERTIFICATIONS AND MARKINGS



ITEM CODE 067214
BARCODE 8022452130021

Ultrabond P990 1K

Polyurethane timber adhesive.

- KEY POINTS**
- suitable for tongue and groove floorings
 - easy to apply and high open time
 - free of solvents

APPLICATION n. 2 or 4 notched trowel for wood

CONSUMPTION 0.8–1 kg/m²

COLOUR beige

PACKAGING 15 kg bucket and 600 ml sausage

CERTIFICATIONS AND MARKINGS



SIZE 15 kg
ITEM CODE 244415
BARCODE 8022452022265

SIZE 600 ml
ITEM CODE 244440
BARCODE 8022452026706

Ultrabond Turf PU 1K

Polyurethane adhesive for bonding synthetic grass surfaces.

- KEY POINTS**
- free of solvent and unpleasant odours
 - ready to use, no mixing
 - external grade

APPLICATION n. 3 or 4 Mapei notched trowel

CONSUMPTION 0.23–0.26 kg per metre of 30 cm wide jointing strip

COLOUR green

PACKAGING 15 kg buckets and 600 ml sausages



SIZE 15 kg
ITEM CODE 233315
BARCODE 8022452043062

SIZE 600 ml
ITEM CODE 233356
BARCODE 8022452064159

Ultrabond Turf Tape Pro

Seaming tape for installing synthetic grass.

- KEY POINTS**
- complies with the new FIFA requirements
 - high strength and durability

THICKNESS 0.36 mm

HEIGHT 300 mm roll

LENGTH 300 m roll



ITEM CODE 1788260
BARCODE 8022452121081



PRIMERS AND COATINGS

Eco Prim Grip

Multi-purpose bonding primer.

- KEY POINTS**
- provides a mechanically keyed surface
 - ready to use, no mixing required
 - dries in 30 minutes

APPLICATION brush or roller

CONSUMPTION varies between 0.20 and 0.30 kg/m² according to substrate

COLOUR grey

PACKAGING 5 and 10 kg buckets

CERTIFICATIONS AND MARKINGS



SIZE 5 kg
ITEM CODE 1560005
BARCODE 8022452052705

SIZE 10 kg
ITEM CODE 1560010
BARCODE 8022452052712

Mapeproof 1K Turbo

Polyurethane moisture vapour barrier.

- KEY POINTS**
- moisture vapour barrier for cementbased substrates up to 95% RH
 - bond flooring directly to it with Mapei resin-based adhesives
 - ready to use, no mixing required

APPLICATION roller or brush

CONSUMPTION 0.1–0.4 kg/m² per coat

COLOUR brown

PACKAGING 10 kg drums

CERTIFICATIONS AND MARKINGS



ITEM CODE 2821810
BARCODE 8022452152842

Eco Prim T Plus

Acrylic bonding primer.

- KEY POINTS**
- excellent bonding, flexibility, water and ageing resistant characteristics
 - ideal for priming before levelling compounds
 - water-based and odourless

APPLICATION roller or brush

CONSUMPTION 0.03–0.15 kg/m²

COLOUR light blue

PACKAGING 5 and 20 kg drums

CERTIFICATIONS AND MARKINGS



www.blauer-engel.de/uz113



SIZE 5 kg
ITEM CODE 1558205
BARCODE 8022452070853

SIZE 20 kg
ITEM CODE 1558220
BARCODE 8022452091018

Planiseal MR

Epoxy primer and moisture barrier.

- KEY POINTS**
- suitable for direct application on green concrete and damp substrates
 - exhibits resistance to positive and negative hydrostatic pressure
 - ideal as a barrier coating on substrates prone to efflorescence

APPLICATION roller or brush

CONSUMPTION 300 – 400 ml/m²

COLOUR light grey

PACKAGING 20 litre kit (component A: 10 litre + component B: 10 litre) and 10 litre kit (component A: 5 litre + component B: 5 litre)



COMPONENT 10 l kit (Part A)
ITEM CODE 1666210
BARCODE 9345490000798

COMPONENT 10 l kit (Part B)
ITEM CODE 1666310
BARCODE 9345490000781

COMPONENT 15 kg units (Part A)
ITEM CODE 1666220
BARCODE 9345490000774

COMPONENT 15 kg units (Part B)
ITEM CODE 1666320
BARCODE 9345490000767

Mapecoat I 24

Epoxy paint for anti-acid coating of concrete surfaces.

- KEY POINTS**
- chemical and mechanical protection of industrial floors
 - protection of floors, reservoirs and concrete pipes in contact with aggressive chemical agents.

APPLICATION brush, roller or airless spray gun

CONSUMPTION 400 – 600 g/m per coat

COLOUR RAL colours e neutral to be coloured with **Mapecolor Paste**

PACKAGING 5 kg units (component A: 4 kg + Component B: 1 kg) and 15 kg units (component A: 12 kg + component B: 3 kg)

CERTIFICATIONS AND MARKINGS



COMPONENT 5 kg units (Part A)
ITEM CODE 5C211905
BARCODE 9345490000934

COMPONENT 5 kg units (Part B)
ITEM CODE 5C99905
BARCODE 8022452032196

COMPONENT 15 kg units (Part A)
ITEM CODE 5C90015
BARCODE 8022452091285

COMPONENT 15 kg units (Part B)
ITEM CODE 5C99915
BARCODE 8022452091278

Primer MF

Epoxy moisture vapour barrier.

- KEY POINTS**
- bond flooring directly to it with Mapei resin-based adhesives
 - for cementbased substrates up to 100% RH
 - simply mix together and apply

APPLICATION roller or brush

CONSUMPTION 0.20–0.40 kg/m²

COLOUR yellow transparent

PACKAGING 6 kg (A+B) units



COMPONENT Part A
ITEM CODE 241104
BARCODE 8022452124006

COMPONENT Part B
ITEM CODE 241504
BARCODE 8022452124013



Primer G

Resin based primer for absorbent substrates.

- KEY POINTS**
- ideal for priming plasterboard, chipboard, cement fibre boards, foamed concrete and renders prior to applying wallpaper, paint, or adhesives
 - diluted with water
 - easy to use and odourless

APPLICATION	roller or brush
CONSUMPTION	0.1–0.2 kg/m ² depending on the use
COLOUR	light blue
PACKAGING	25 and 5 drums and 12 x 1 kg bottles

CERTIFICATIONS AND MARKINGS



SIZE	25 kg
ITEM CODE	020125
BARCODE	8022452002588
SIZE	5 kg
ITEM CODE	020105
BARCODE	8022452002564
SIZE	1 kg
ITEM CODE	020101
BARCODE	8022452002557

Primer SN

Epoxy primer.

- KEY POINTS**
- for priming surfaces prior to the application of resin flooring systems, waterproofing membranes, and levelling compounds
 - can be mixed with sand to be used for filling cracks

APPLICATION	straight metal trowel or straight rake
CONSUMPTION	0.3–0.7 kg/m ² per coat, depending on the substrate
COLOUR	neutral
PACKAGING	20 kg kits (A+B)

CERTIFICATIONS AND MARKINGS



COMPONENT	Part A
ITEM CODE	021520
BARCODE	8022452043710
COMPONENT	Part B
ITEM CODE	021620
BARCODE	8022452043727

Primer M

Primer for polyurethane sealants.

- KEY POINTS**
- used on non-absorbent surfaces such as metals (iron, steel, aluminium, copper, zinc-plated sheets), ceramic, glass and painted sheets or absorbent surfaces such as concrete
 - use with **Mapeflex PU45 FT**, **Mapeflex PU 40** and **Ultrabond P990 1K**

APPLICATION	brush
CONSUMPTION	5–10 g/m (for a 1 cm deep joint)
COLOUR	brown
PACKAGING	250 g bottles



ITEM CODE	021452
BARCODE	8022452077654

Antipluviol W

Colourless protection coating for walls.

- KEY POINTS**
- protective coating for cementitious renders, cellular cement, bricks, natural and artificial stone against heavy rain
 - excellent resistance to UV rays
 - does not form a surface film

APPLICATION	roller, brush or spray
CONSUMPTION	0.2–1 kg/m ² (depending on the porosity of the substrate)
COLOUR	milky white
PACKAGING	10 kg drums

CERTIFICATIONS AND MARKINGS



ITEM CODE	077010
BARCODE	8022452041860

Primer PU60

Polyurethane screed consolidator.

- KEY POINTS**
- fix screeds that are weak due to defects, moisture or lack of cement
 - anti dust treatment

APPLICATION	roller, brush or watering can
CONSUMPTION	0.4–1.2 kg/m ²
COLOUR	brown
PACKAGING	10 kg drums



ITEM CODE	104710
BARCODE	8022452037016

Primer 3296

Acrylic consolidating primer for concrete and screeds.

- KEY POINTS**
- consolidating and improving the characteristics of weak, crumbly or powdery substrates
 - odourless and non-irritating product
 - suitable for outdoor use

APPLICATION	roller, brush or watering can
CONSUMPTION	0.1–0.5 kg/m ² (depending on the absorption and the porosity of the surface to be treated)
PACKAGING	5 kg drums



ITEM CODE	253105
BARCODE	8022452051654

Profas

High penetration concrete densifier.

- KEY POINTS**
- improves cementitious substrates with an unstable surfaces or with poor strengths
 - ready to use - no need to dilute
 - deep penetration

APPLICATION roller, scrubber or brush


CONSUMPTION 0.5-0.7 kg/m²

COLOUR transparent

PACKAGING 25 kg drums



ITEM CODE 109125
BARCODE 8022452002656





PRODUCTS FOR WATERPROOFING

Thinner PU

Thinner for Primer PU 60.



CONSUMPTION	0.25-1 litre per litre of Primer PU 60 according to dilution rate considered
COLOUR	transparent
PACKAGING	9 kg drums

ITEM CODE 104809

Aquaflex WPU

Water-based polyurethane membrane for internal and external waterproofing applications.



KEY POINTS	<ul style="list-style-type: none"> UV stable and suitable for light foot traffic ready to use, no mixing required certified class III membrane
------------	---

CONSUMPTION	Approx. 750ml/m ² /coat or 1.5 litres per mm of thickness
-------------	--

PACKAGING	15 litre bucket
-----------	-----------------

CERTIFICATIONS AND MARKINGS



ITEM CODE 1249915
BARCODE 9345490000736

Aquaflex Roof

Fibre-reinforced roof waterproofing membrane.



KEY POINTS	<ul style="list-style-type: none"> ready to use and UV stable suitable for light foot traffic durable
------------	--

APPLICATION	long pile roller, brush or spray
-------------	----------------------------------

CONSUMPTION	at least 2 kg/m ²
-------------	------------------------------

COLOUR	grey
--------	------

PACKAGING	20 kg buckets
-----------	---------------

CERTIFICATIONS AND MARKINGS



ITEM CODE 3L449120
BARCODE 8022452057816

Idrostop

Expandable rubber strip for watertight.



KEY POINTS	<ul style="list-style-type: none"> expands gradually in permanent contact with water creating an active barrier against both negative and positive water pressure for creating water tight construction joints in civil, industrial and hydraulic construction waterproof joints between concrete beds and elevation walls
------------	---

APPLICATION	bonding with Idrostop Mastic
-------------	-------------------------------------

CONSUMPTION	<ul style="list-style-type: none"> Idrostop 10: 20 x 10 mm Idrostop 15: 20 x 15 mm
-------------	--

PACKAGING	<ul style="list-style-type: none"> Idrostop 10: 6 x 10 m rolls Idrostop 15: 6 x 7 m rolls
-----------	---

SIZE 10 mm
ITEM CODE 176160
BARCODE 8022452001246
SIZE 15 mm
ITEM CODE 176560
BARCODE 8022452013416

Aquaflex Roof HR

Highly reflective fibre-reinforced roof waterproofing membrane.



KEY POINTS	<ul style="list-style-type: none"> UV stable and up to 50% reduction in roof surface temperature suitable for light foot traffic
------------	--

APPLICATION	long pile roller, brush or spray
-------------	----------------------------------

CONSUMPTION	at least 2 kg/m ²
-------------	------------------------------

COLOUR	highly reflective white
--------	-------------------------

PACKAGING	20 kg buckets
-----------	---------------

CERTIFICATIONS AND MARKINGS



ITEM CODE 3L010020
BARCODE 8022452063923

Idrostop Mastic

Bonding adhesive for the installation of idrostop.



KEY POINTS	<ul style="list-style-type: none"> bonding Idrostop on concrete at cold joints between concrete beds and elevation walls adheres perfectly on slightly moist surfaces as long as they are perfectly clean and solid ready to use solvent-free adhesive
------------	---

CONSUMPTION	approx. 300 ml every 5 m of Idrostop
-------------	---

PACKAGING	boxes containing 12 x 300 ml cartridges
-----------	---

CERTIFICATIONS AND MARKINGS



ITEM CODE 177191
BARCODE 8022452002274

Mapeband Easy

Waterproof elastic rubber tape.

- KEY POINTS**
- ideal solution for waterproofing corners between adjacent walls, between walls and floors and elastic control joints
 - easy to apply using a compatible MAPEI waterproofing membrane
 - highly elastic and comes in preformed templates

- PACKAGING**
- 30 m rolls
 - 10 m rolls
 - 90° and 270° corners
 - Collars for passing-through pipes 200 x 200 mm and 400 x 400 mm

CERTIFICATIONS AND MARKINGS



SIZE 10 m
ITEM CODE 7972010
BARCODE 8022452113406
SIZE 30 m
ITEM CODE 7972030
BARCODE 8022452113413

Mapeband SA

Self adhesive waterproofing tape.

- KEY POINTS**
- used to waterproof corners between horizontal and vertical surfaces on terraces, balconies and in bathrooms and showers
 - versatile with excellent adhesion to any type of substrate
 - quick and simple to apply

- WIDTH** 100 mm
- PACKAGING**
- 25 m rolls
 - collars for passing-through pipes 370 x 370 mm

CERTIFICATIONS AND MARKINGS



ITEM CODE 7950425
BARCODE 8022452066627

Mapeband Flex Roll

Tape for the flexible waterproofing of expansion joints.

- KEY POINTS**
- used in structural elements, basements, storage tanks, swimming pools, mines and tunnels, roofs and facades
 - easily installed using Adesilex PG4 epoxy adhesive
 - potable water approved

SIZE 200 mm and 300 mm (thickness: 2 mm thickness)

PACKAGING 20 m rolls

CERTIFICATIONS AND MARKINGS



ITEM CODE 7970220
BARCODE 8022452065347

Mapeband TPE

TPE flexible sealing and waterproofing tape.

- KEY POINTS**
- waterproofing expansion joints in road works, tunnels, hydraulic works and covering areas subject to movement up to 5 or 10mm
 - flexible waterproofing seal of expansion joints subject to large amounts of movement in service
 - sealing structural joints in facades

SIZE

- 17 cm (**Mapeband TPE 170**)
- 32.5 cm (**Mapeband TPE 325**)

PACKAGING 30 m rolls



SIZE 17 cm
ITEM CODE 795130
BARCODE 8022452037253
SIZE 32.5 cm
ITEM CODE 795230
BARCODE 8022452037160

Mapeband PE 120

PVC waterproofing tape.

- KEY POINTS**
- waterproofing corners between adjacent walls and between walls and floors to be treated with **Mapegum WPS**
 - impermeable to water and vapour
 - elastic and deformable

- PACKAGING**
- 50 m rolls, with 120 mm of total width
 - 10 m rolls, with 120 mm of total width
 - 90° and 270° corners
 - Collars for passing-through pipes 120 x 120 mm and 425 x 425 mm

CERTIFICATIONS AND MARKINGS



ITEM CODE 7953010
BARCODE 8022452045493

Mapegum WPS AU

Fast drying flexible waterproofing membrane.

- KEY POINTS**
- ideal for use in wet areas, bathrooms, laundries and other tiled areas
 - ready to use and easy to apply
 - class III highly flexible

APPLICATION roller, brush or trowel

CONSUMPTION 1.2 kg/m² per two coats

PACKAGING 5 and 20 kg buckets

CERTIFICATIONS AND MARKINGS



SIZE 20 kg
ITEM CODE 124820
BARCODE 8022452002137
SIZE 5 kg
ITEM CODE 124805
BARCODE 8022452002113

Mapelastic AquaDefense

Rapid drying liquid waterproofing membrane.

- KEY POINTS**
- ideal for use in wet areas, bathrooms, balconies, and other tiled areas
 - ready to use and easy to apply
 - Class III highly flexible

APPLICATION roller, brush or trowel

CONSUMPTION 1.3 kg/m² per mm of thickness

PACKAGING 15 kg buckets

CERTIFICATIONS AND MARKINGS



ITEM CODE 7345215
BARCODE 8022452056055

Mapenet 150

Fibreglass reinforcing mesh.

- KEY POINTS**
- reinforced strengthening Mapei membranes when waterproofing terraces, balconies, swimming pools, baths, shower cubicles with ceramic and stone finishes
 - used to reinforce waterproof protection layers, anti-fracture membranes and cementitious smoothing and levelling layers
 - applied on internal and external cementitious substrates with micro-cracks

PACKAGING 1 m x 50 m rolls



ITEM CODE 1781150
BARCODE 8022452052729

Mapelastic Foundation

Below-ground flexible cementitious waterproofing membrane.

- KEY POINTS**
- recommended for foundation walls, car parks, underground environments, basins, channels and swimming pools
 - waterproofing concrete and masonry structures subject to positive and negative hydrostatic pressure

APPLICATION roller or spray

CONSUMPTION · roller: 1.65 kg/m² per mm of thickness
· spray: 2.2 kg/m² per mm of thickness

PACKAGING 32 kg kit: (comp. A: 22 kg bag, comp. B: 10 kg tanks)

CERTIFICATIONS AND MARKINGS



COMPONENT A
ITEM CODE 168322
BARCODE 8022452050077

COMPONENT B
ITEM CODE 168410
BARCODE 8022452050084

Mapeproof Swell

Hydro expansive waterproofing and sealing paste.

- KEY POINTS**
- specially developed to form flexible, waterproof seals in cracked reinforced concrete or in prefabricated elements with infiltration of water
 - sealing pipework which passes through concrete and spacers in formwork
 - sealing cold joints in reinforced concrete structures

CONSUMPTION approx. 320 ml for 3 m

PACKAGING boxes containing 6 320 ml cartridges



ITEM CODE 2821191
BARCODE 8022452049279

Mapelastic Smart

Flexible cementitious waterproofing membrane.

- KEY POINTS**
- ideal for waterproofing concrete surfaces including balconies, pools and foundations
 - strong and durable and compatible with Mapei tile adhesives
 - certified class II flexible membrane

APPLICATION roller, brush or spray

CONSUMPTION · by roller or trowel approx. 1.6 kg/m² per mm of thickness
· by spray approx. 2.2 kg/m² per mm of thickness

PACKAGING 30 kg kit (component A = 20 kg, component B = 10 kg)

CERTIFICATIONS AND MARKINGS



COMPONENT A
ITEM CODE 167720
BARCODE 8022452051937

COMPONENT B
ITEM CODE 168710
BARCODE 8022452027833

Mapetex 50

Polypropylene fabric for reinforcing waterproofing membranes.

- KEY POINTS**
- reinforcement fabric applied in combination with **Mapelastic AquaDefense**, **Aquaflex WPU** and **Mapegum WPS** waterproofing membranes
 - improves mechanical characteristics of the membrane
 - light and easy to cut and handle

PACKAGING · 0.20 m x 25 m rolls
· 1 m x 25 m rolls



SIZE 0.20 m x 25 m
ITEM CODE 2801125
BARCODE 8022452087585

SIZE 1 m x 25 m
ITEM CODE 2801225
BARCODE 8022452087592

Mapetex SEL N

Polypropylene fabric for reinforcing.



- KEY POINTS**
- ideal for use with **Mapegum WPS**, **Mapelastix Smart**, **Aquaflex WPU** and **Mapelastix AquaDefense** liquid waterproofing membranes
 - reinforce surfaces at risk of cracking
 - light and easy to handle

- PACKAGING**
- 100 mm x 25m
 - 200 mm x 25m
 - 1 m x 25 m rolls

SIZE	1 m x 25 m
ITEM CODE	281625
BARCODE	8022452043543
SIZE	200 m x 25 m
ITEM CODE	2816125
BARCODE	9345490000477
SIZE	100 m x 25 m
ITEM CODE	2816225
BARCODE	9345490000460

Planiseal 88

Heavy duty rigid waterproofing mortar.

- KEY POINTS**
- repairing underground structures to water and moisture seepage in situations with negative pressure
 - suitable for waterproofing concrete structures including sewage tanks
 - suitable for contact with potable water

APPLICATION roller, brush or spray

CONSUMPTION 1.5 kg/m² per mm of thickness

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE	0937020
BARCODE	9345490001375

Planiseal MR

Epoxy primer and moisture barrier.

- KEY POINTS**
- ideal as a barrier coating on substrates prone to efflorescence prior to applying the finished covering
 - suitable for direct application on green concrete and damp substrates
 - easy to apply

APPLICATION roller or brush

CONSUMPTION 300 – 400 ml/m² per coat

PACKAGING 20 litre kit (10 litre A + 10 litre B)
10 litre kit (5 litre A + 5 litre B)

CERTIFICATIONS AND MARKINGS



COMPONENT	5 l kit (Part A)
ITEM CODE	1666210
BARCODE	9345490000798
COMPONENT	5 l kit (Part B)
ITEM CODE	1666310
BARCODE	9345490000781
COMPONENT	20 l kit (Part A)
ITEM CODE	1666220
BARCODE	9345490000774
COMPONENT	20 l kit (Part B)
ITEM CODE	1666320
BARCODE	9345490000767

Plastimul

All purpose bituminous waterproofing paste.


- KEY POINTS**
- solvent-free paste for waterproofing foundations, bearing walls and masonry
 - ideal for waterproofing horizontal and vertical concrete structures
 - strong and durable

APPLICATION trowel, brush or spray

CONSUMPTION approx. 1.7 kg/m² per mm of dry product depending on the substrate

PACKAGING 20 and 12 kg bags

CERTIFICATIONS AND MARKINGS



SIZE	12 kg
ITEM CODE	026112
BARCODE	8022452047961
SIZE	20 kg
ITEM CODE	026120
BARCODE	8022452002489

Shower Waterproofing Kit

Fast drying flexible shower waterproofing kit.

- KEY POINTS**
- contains Class III fast drying liquid waterproofing membrane
 - bucket contains: 500 ml primer, 10 metres of joint tape and 5 kg waterproofing membrane
 - ideal for use in wet areas, showers, bathrooms, laundries and other tiled areas

CONSUMPTION 4 m² equivalent to an 800 x 800mm corner shower enclosure

PACKAGING Primer 0.5 kg bottle
Mapegum WPS 5 kg bucket
Shower waterproofing tape 10m roll.



ITEM CODE	124801KITUK
BARCODE	8022452051708

Lamposilex

Ultra fast setting mortar for water leaks.

- KEY POINTS**
- stops water leaks in basements and below ground structures
 - instantly stop water leaks, even under pressure
 - waterproofing sealing of cracks and holes


CONSUMPTION 1.8 kg/dm³ of cavity to be filled

PACKAGING 5 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE	166105
BARCODE	8022452001710



CONCRETE REPAIR AND SMOOTHING COMPOUNDS

Mapefer 1K

Corrosion-inhibiting cement mortar for steel reinforcement bars.

- KEY POINTS**
- adhesion improver for concrete repair mortar
 - protect concrete reinforcing rods
 - brush applied in two coats

APPLICATION brush in two coats

CONSUMPTION 100 g/m for an 8 mm rebar (2 mm of product applied)

PACKAGING 4 x 5 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 276605A
BARCODE 8022452094316

Planitop LSN R3

R3 class shrinkage compensated thixotropic repair mortar.

- KEY POINTS**
- repair of degraded vertical or horizontal concrete surfaces
 - layer thickness: 6 mm to 50 mm
 - trowel or spray applied

CONSUMPTION 20 kg bag yields 10.55 litres of grout

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 2032120
BARCODE 9345490003140

Mapegrout Fast Set

Fast-setting shrinkage compensated mortar.

- KEY POINTS**
- for repairing exterior deteriorated structure
 - layer thickness: 20–25 mm
 - trowelable

CONSUMPTION 18 kg/m² per cm of thickness

COLOUR grey

PACKAGING 25 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 137725
BARCODE 8022452002076

Planitop LSN R4

R4 class shrinkage compensated thixotropic repair mortar.

- KEY POINTS**
- repair of degraded vertical or horizontal concrete surfaces
 - layer thickness: up to 100 mm on vertical surface
 - hand, putty knife, trowel or spray applied

CONSUMPTION 20 kg bag yields 10.7 litres of grout

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 203520
BARCODE 9345490003089

Mapegrout SV

Fast-setting shrinkage compensated easy-flow mortar.

- KEY POINTS**
- up to 50 mm can be applied without gravel additions
 - ideal for repairs which requires high flowing mortar
 - pourable

APPLICATION pouring into formwork

CONSUMPTION 25 kg bag yields 12.3 litres of grout

COLOUR grey

PACKAGING 25 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 265525
BARCODE 8022452027840

Mapegrout T40

R3 class shrinkage compensated thixotropic repair mortar.

- KEY POINTS**
- repair of degraded vertical or horizontal concrete surfaces
 - trowel or spray applied

APPLICATION trowel, gauging trowel or rendering machine

CONSUMPTION 20 kg bag yields 10.55 litres of grout

COLOUR grey

PACKAGING 25 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 134625
BARCODE 8022452002083

Mapegrout T60

R4 class shrinkage compensated thixotropic repair mortar.

- KEY POINTS**
- repair of degraded vertical or horizontal concrete surfaces
 - hand, putty knife, trowel or spray applied
 - layer thickness: 10 to 100 mm

APPLICATION trowel, gauging trowel or rendering machine

CONSUMPTION 20 kg bag yields 10.7 litres of grout

COLOUR grey

PACKAGING 25 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 134825
BARCODE 8022452006753

Mapelastico Guard

Protective coating for large concrete structures against high stress.

- KEY POINTS**
- 2.5 mm of thick layer can corresponds to 30 mm of concrete cover
 - protect concrete from aggressive agents

APPLICATION trowel or spray with a rendering machine

CONSUMPTION 2.2 kg/m² per mm thickness as per the application type

COLOUR light grey

PACKAGING 32 kg kit

CERTIFICATIONS AND MARKINGS



COMPONENT A
ITEM CODE 1682224
BARCODE 8022452063329

COMPONENT B
ITEM CODE 1682108
BARCODE 8022452063336

Nivorapid

Rapid setting, levelling and repair compound.

- KEY POINTS**
- set to light foot traffic: approximately 2 hours
 - ideal for interior floors, walls, steps and arrises
 - application thickness: from 1 to 20 mm

APPLICATION metal trowel

CONSUMPTION 1.6 kg/m² per mm of thickness

COLOUR grey

PACKAGING 20 kg and 5 kg bags

CERTIFICATIONS AND MARKINGS



SIZE 5 kg
ITEM CODE 120105A
BARCODE 9345490002907

SIZE 20 kg
ITEM CODE 120120
BARCODE 8022452019708

Planiprep SC

High-performance, fiber-reinforced skimcoating compound.

- KEY POINTS**
- rapid-set: ready for floor-covering installations in 30 to 60 minutes
 - applies as a skimcoat up to 25 mm in thickness
 - smooth and easy to apply

APPLICATION flat-edge steel trowel

CONSUMPTION 3.09 m² at 3 mm of thickness
1.55 m² at 6 mm of thickness

PACKAGING 4.5 kg buckets

CERTIFICATIONS AND MARKINGS



ITEM CODE 7346401
BARCODE 9345490000804

Planitop Fine Finish

Ultra fine textured skimming mortar for concrete.

- KEY POINTS**
- minimum applicable thickness: skimming to a feather edge
 - recommended for exposed finish surfaces



APPLICATION rubber or metal spreader

CONSUMPTION 1.2 kg/m² per mm of thickness

COLOUR light grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 2031720
BARCODE 8022452102356

Planitop Smooth and Repair R4

Cementitious mortar for repairing and smoothing concrete.

- KEY POINTS**
- apply in various thicknesses from 3 to 40 mm in a single layer
 - 2 in 1, no cracking or crazing, easy to apply
 - low emission of VOC

APPLICATION trowel or gauging trowel

CONSUMPTION 20 kg bag yields 11.7 litres of grout

COLOUR grey

PACKAGING 20 kg and 5 kg bags

CERTIFICATIONS AND MARKINGS



SIZE 5 kg
ITEM CODE 2653105A
BARCODE 9345490002983

SIZE 20 kg
ITEM CODE 2653105A
BARCODE 9345490002983

Planitop Fast 330

Quick-setting cementitious levelling mortar applied in layers from 3 to 30 mm.

KEY POINTS

- suitable for interior and external applications
- easy to apply, including on vertical surfaces
- rapid setting

APPLICATION straight trowel

CONSUMPTION 1.45 kg/m² per mm of thickness


COLOUR grey


PACKAGING 25 kg vacuum-packed polyethylene bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 223525
BARCODE 8022452053849





**PRODUCTS FOR
STRUCTURAL
BONDING, SCREED
REPAIRING AND
INJECTING INTO
CRACKED CONCRETE**

Mapeguard 2

Premium crack-isolation and sound-reduction sheet membrane.

- KEY POINTS**
- time-saving – prime, peel, stick and then install tile or timber flooring immediately
 - dual protection – Provides crack isolation and sound reduction
 - contains post-industrial recycled material

COLOUR white

PACKAGING 1 x 20.9 metre rolls

CERTIFICATIONS AND MARKINGS



ITEM CODE 2818520
BARCODE 093994040510

Mapetex System

Removable anti-fracture system for laying ceramic and stone flooring.

- KEY POINTS**
- install tiling without respecting joints
 - easy to apply
 - anti-fracture
 - rapid

APPLICATION see TDS

WIDTH

- **Mapetex:** 200 cm, 100 cm
- **Mapetex Strip:** 50 mm

PACKAGING

- **Mapetex:** 2 m x 50 m and 1 m x 50 m rolls
- **Mapetex Strip:** 50 mm x 25 m rolls



REFER MAPEI FOR PRODUCT CODES

Adesilex PG1 Rapido

Rapid-setting thixotropic adhesive for structural bonds.

- KEY POINTS**
- repairs, bonding and structural strengthening of concrete, natural stone, mortar and brickwork
 - applicable thickness: 1–2 mm to 10 mm

APPLICATION trowel

CONSUMPTION 1.65–1.75 kg/m² per mm of thickness

COLOUR grey

PACKAGING 6 kg kits

CERTIFICATIONS AND MARKINGS



ITEM CODE 056507
BARCODE 8022452129292

Adesilex PG4

Two-component, thixotropic, epoxy adhesive.

- KEY POINTS**
- extended workability time
 - easy to apply
 - low viscosity

APPLICATION trowel

CONSUMPTION 1.60–1.65 kg/m² per mm of thickness

COLOUR grey

PACKAGING 6 kg kit

CERTIFICATIONS AND MARKINGS



ITEM CODE 048707
BARCODE 8022452127250

Epojet

Super-fluid epoxy resin for injections and anchorings.

- KEY POINTS**
- monolithic repair of structures with cracks or fissures
 - bonding and reinforcement of structures by low pressure injection
 - precise anchoring of metallic structures

APPLICATION injection or pouring

CONSUMPTION

- Sealing cracks: 1.1 kg/l of cavity to be filled.
- Bonding concrete to steel: 1.1 kg/m² per mm of thickness

COLOUR transparent yellow

PACKAGING 4 kg kits (component A = 3.2 kg, component B = 0.8 kg)

CERTIFICATIONS AND MARKINGS



COMPONENT A
ITEM CODE 156104
BARCODE 8022452024030

COMPONENT B
ITEM CODE 157104
BARCODE 8022452024047

Epojet LV

Epoxy resin with a very low viscosity for injecting into micro-cracks, also on wet surfaces.

- KEY POINTS**
- bonding steel plates to concrete by low pressure injection
 - monolithic sealing of cracks
 - suitable for microcracks

APPLICATION injection or pouring

CONSUMPTION

- Sealing cracks: 1.1 kg/l of cavity to be filled.
- Bonding concrete to steel: 1.1 kg/m² per mm of thickness

COLOUR transparent yellow

PACKAGING 2.5 kg kits (component A = 2 kg, component B = 0.5 kg)

CERTIFICATIONS AND MARKINGS



COMPONENT A
ITEM CODE 157503
BARCODE 8022452024061

COMPONENT B
ITEM CODE 157703
BARCODE 8022452024085

Eporip

Solvent free epoxy adhesive, for monolithic sealing of cracks in screeds.

KEY POINTS

- monolithic construction joints between fresh and hardened concrete
- bonding precast concrete elements
- bonding steel to concrete

APPLICATION brush, trowel or pouring

CONSUMPTION 0.5–2 kg/m² (1.35 kg per litre of cavity to be filled)

COLOUR grey

PACKAGING 10 kg kits (component A = 7.5 kg, component B = 2.5 kg)
2 kg kits (component A = 1.5 kg, component B = 0.5 kg)

CERTIFICATIONS AND MARKINGS





COMPONENT 2 kg kit (Part A)
ITEM CODE 152102
BARCODE 8022452001031

COMPONENT 2 kg kit (Part B)
ITEM CODE 153102
BARCODE 8022452001055

COMPONENT 10 kg kit (Part A)
ITEM CODE 152110
BARCODE 8022452001048

COMPONENT 10 kg kit (Part B)
ITEM CODE 153110
BARCODE 8022452001062





CONSTRUCTION GROUTS AND ANCHORS

Mapefix EP 100

Epoxy resin for structural chemical anchor, including in seismic areas.


- KEY POINTS**
- contribute to extend the service life of the anchor to over 100 years
 - it is compatible with many building materials
 - extended workability time

APPLICATION extrusion gun (see Mapei extrusion guns)

COLOUR grey

PACKAGING 12 x 585 ml cartridges with 12 static mixers

CERTIFICATIONS AND MARKINGS



ITEM CODE 19691461T
BARCODE 8022452143830

Mapefix PE SF

Styrene-free, polyester resin chemical fastener for heavy loads.

- KEY POINTS**
- suitable for heavy loads for all full or perforated substrates
 - for every type of material

APPLICATION extrusion gun (see Mapei extrusion guns)

COLOUR light grey

PACKAGING 12 x 300 or 420 ml cartridges with 12 static mixers

CERTIFICATIONS AND MARKINGS



SIZE 300 ml
ITEM CODE 19605911T
BARCODE 8022452058578

SIZE 420 ml
ITEM CODE 19605961T
BARCODE 8022452076701

Mapefix VE SF

Styrene-free, hybrid vinyl resin-based chemical anchor for structural loads.


- KEY POINTS**
- including in seismic-risk zones
 - for every type of material
 - for structural anchors
 - rapid-hardening

APPLICATION extrusion gun (see Mapei extrusion guns)

COLOUR light grey

PACKAGING 12 x 300 or 420 ml cartridges with 12 static mixers

CERTIFICATIONS AND MARKINGS



COMPONENT 420 ml
ITEM CODE 19600961T
BARCODE 8022452076763

COMPONENT 300 ml
ITEM CODE 19600421T
BARCODE 8022452058615

Mapefill GP AU

General purpose non-shrink grout.

- KEY POINTS**
- ideal for anchoring, patching and grouting
 - pour, trowel, pump or dry pack
 - up to 60 mm in one layer

CONSUMPTION 10-11 litres/20 kg bag as per water content

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 1512120
BARCODE 9345490003010

Mapefill MC 06

Dual shrinkage-compensated, super flow micro-concrete.

- KEY POINTS**
- ideal for re-profiling deteriorated concrete structures
 - thickness range: 50 to 250 mm
 - pourable/flowable

CONSUMPTION 25 kg bag yields 12.4 litres of grout

COLOUR grey

PACKAGING 25 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 1510125
BARCODE 9345490000873

Mapefill SP

Premium super flow non-shrink cementitious grout.

- KEY POINTS**
- ideal for machinery and metallic structures
 - up to 60 mm in one layer
 - pourable/Flowable

CONSUMPTION 20 kg bag yields 10-11 litres of grout

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 151020
BARCODE 9345490000682



Planigrout 300

Three-component fluid epoxy mortar for anchorage work.

KEY POINTS

- thickness: 8 mm to 50 mm
- 3.90 MPa (after 7 days)

APPLICATION pouring

CONSUMPTION 2 kg/m² per mm of thickness


COLOUR dark grey


PACKAGING 12.2 kg kits

**CERTIFICATIONS
AND MARKINGS**



ITEM CODE 048212K
BARCODE 8022452068270





LEVELLING COMPOUNDS

Novoplan 21

Fast hardening, self-levelling smoothing compound for thicknesses up to 10 mm.

KEY POINTS

- suitable over existing ceramic tile, terrazzo, natural stone, concrete and cement-based screeds
- can be used where heavy loads and traffic is required
- suitable for hand or pump application

CONSUMPTION 1.6 kg/m² per mm of thickness.

PACKAGING 20 kg bags



ITEM CODE 273120
BARCODE 8022452049330

UC Leveller

Fast hardening levelling smoothing compound for thicknesses from 3 mm to 70 mm.

KEY POINTS

- suitable over existing ceramic tile, terrazzo, natural stone and magnesite floors
- can be used where heavy loads and traffic is required

APPLICATION pump

CONSUMPTION 1.8 kg/m per mm of thickness

PACKAGING 20 kg bags



ITEM CODE 034620
BARCODE 8022452025341

Planex HR

Rapid-drying, moisture resistant, self-levelling compound for layers 1 to 10 mm.

KEY POINTS

- suitable where high resistance to loads is required
- suitable for internal and external applications
- dries very quickly

APPLICATION trowel, rake, or pump

CONSUMPTION 1.7 kg/m² per mm of thickness

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 9345490002853
BARCODE 0135920

UC Leveller Maxi

Levelling and smoothing compound for thicknesses from 10–100 mm. Ideal for areas of high build with controlled flow.

KEY POINTS

- ideal for areas of high build with controlled flow
- suitable over existing ceramic tile, terrazzo and natural stone

APPLICATION trowel, float or pump

CONSUMPTION 2 kg/m² per mm of thickness

PACKAGING 20 kg bags



ITEM CODE 0346120
BARCODE 9345490001320

Planex HR Maxi

Rapid-drying, moisture resistant, self-levelling compound for layers 3 to 40 mm.

KEY POINTS

- suitable where high resistance to loads is required
- suitable for internal and external applications
- dries very quickly

APPLICATION trowel, rake, or pump

CONSUMPTION 1.7 kg/m² per mm of thickness

COLOUR grey

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 0135820
BARCODE 9345490001566

Ultraplan Renovation

Fibre-reinforced levelling compound for interiors for thicknesses from 3 to 40 mm in a single application.

KEY POINTS

- recommended for levelling underfloor heating systems
- lay ceramic after 3 hours and resilient and wood after 24 hours

APPLICATION suitable for hand or pump application


CONSUMPTION 1.8 kg/m² per mm of thickness.

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 0124320
BARCODE 9345490000712



SCREEDS

Mapecem

Fast setting and drying (24 hours) binder for shrinkage-compensated screeds.

- KEY POINTS**
- ready for foot traffic after 2–3 hours
 - high mechanical strength
 - ready-to-use

APPLICATION tapping and flattening with a straight edge

CONSUMPTION 3.5–4.5 kg/m² per cm of thickness

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 118120
BARCODE 9345490000682

Topcem Pronto

Pre-blended, controlled-shrinkage mortar for quick-drying screeds.

- KEY POINTS**
- high thermal conductivity, ideal for heated screeds
 - high mechanical strength
 - rapid-drying

APPLICATION tapping and flattening with a straight edge

CONSUMPTION 18–20 kg/m² per cm of thickness according to the compaction degree

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 024320
BARCODE 9345490001429

Mapecem Pronto

Pre-blended and quick-setting controlled- shrinkage mortar for screeds.

- KEY POINTS**
- ready for foot traffic after 2–3 hours and dry after 24 hours
 - floorcovering can be laid after 3–4 hours
 - high mechanical strength

APPLICATION tapping and flattening with a straight edge

CONSUMPTION 20 kg/m² per cm of thickness

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 118920
BARCODE 9345490000552

Topcem Pronto Slurry

Bonding slurry for Topcem Pronto screed.

- KEY POINTS**
- suitable for indoor and outdoor use
 - rapid-drying

APPLICATION flat brush, scrubbing brush or trowel

CONSUMPTION 2 to 2.5 kg/m² depending on the thickness

PACKAGING 20 kg bags

CERTIFICATIONS AND MARKINGS



ITEM CODE 0243220
BARCODE 9345490000811

Planicrete SP

Multipurpose latex additive for the preparation of high performance mortars, screeds and renders.

- KEY POINTS**
- used to make high-bond strength slurries for screeds
 - improved shock and vibration resistance
 - can be used internally and externally

CONSUMPTION see TDS

PACKAGING 25 kg buckets



ITEM CODE 037725
BARCODE 9345490000453



CLEANING AND PROTECTIVE PRODUCTS

Cleaner H

Wipes to clean traces of fresh adhesive and sealant from hands and surfaces.

- KEY POINTS**
- contains vitamin E and aloe vera, to protect your hands and leave a pleasant smell
 - removes a variety of contamination
 - quick and convenient

SIZE	20 x 30 cm
COLOUR	white
PACKAGING	80 wipes per plastic container



ITEM CODE 108668
BARCODE 8022452122842

Ultracare Epoxy Off Gel

Ready to use gel cleaner for the removal of epoxy residues.

- KEY POINTS**
- suitable for use on ceramic and glass tiles including mosaics
 - quick and Easy Application
 - ideal for wall applications

APPLICATION flat brush, roller or abrasive pad

CONSUMPTION depending on the degree of dirt/residues and the surface to be treated

PACKAGING 1 litre



ITEM CODE 1149901UK
BARCODE 8022452134678

Ultracare Fuga Fresca

Ready to use paint to refresh and modify the colour of cementitious grout joints.

- KEY POINTS**
- available in 40 colours from the MAPEI coloured grouts range
 - protects joints and makes routine cleaning easier
 - quick and easy to apply

CONSUMPTION varies depending on the substrate

PACKAGING 1 kg drum-160 g



FOR ITEM CODES AND BARCODES, SEE COLOUR CHART ON PAGE 18

Ultracare Grout Protector

Stain-resistant protector for cementitious grouts and porcelain tiles.

- KEY POINTS**
- does not alter appearance, colour or shine of the surface and does not create a film over it
 - has excellent UV stability
 - dries quickly

CONSUMPTION up to 40 m² (one coat) depending on absorbency and surface finish

PACKAGING 750 ml



ITEM CODE 0151826UK
BARCODE 8022452142956

Ultracare HD Cleaner

High performance, concentrated detergent and degreaser.

- KEY POINTS**
- perfect to clean surfaces for tile-on-tile installations
 - remove water based metalized waxes
 - 5 minutes contact time

CONSUMPTION over 200 m² depending on dilution, level of dirt and type of surface

PACKAGING 5 l and 1 l



ITEM CODE 1150805
BARCODE 8022452134227

Ultracare Kerapoxy Cleaner

A ready to use product that easily removes any remaining epoxy residues after grouting.

- KEY POINTS**
- ideal for cleaning at point of installation
 - suitable for porcelain, ceramics and glass mosaics
 - quick and easy application

CONSUMPTION depending on level of residues/dirt and type of surface

PACKAGING 750 ml



ITEM CODE 1149857UK
BARCODE 8022452134111



Ultracare Mould Remover

Ready to use mould remover.

- KEY POINTS**
- hygienises surfaces
 - immediate effect
 - high penetration

CONSUMPTION up to 15 m² of surface (one coat) depending on absorbency level and surface finish

PACKAGING 750 ml



ITEM CODE 1149226UK
BARCODE 8022452144776

Ultracare Multicleaner Spray

Ready to use professional cleaner.

- KEY POINTS**
- cleans effectively and non-aggressively
 - suitable for kitchen and bathrooms
 - dries without leaving streaks

CONSUMPTION depending on level of dirt and type of surface

PACKAGING 750 ml



ITEM CODE 1150757UK
BARCODE 8022452134593

Ultracare Smooth Silicone

Ready to use sealant smoothing product.


- KEY POINTS**
- suitable for most of the surfaces commonly used in the building industry
 - does not leave residue
 - water-based

CONSUMPTION up to 350 linear metres of sealant

PACKAGING 750 ml



ITEM CODE 1149326UK
BARCODE 8022452144714





TOOLS AND ACCESSORIES

Barrel Applicator

Caulking gun for silicone and sealant installations.



ITEM CODE 7976101
BARCODE 9345490000163

PACKAGING Holds both 300ml and 600ml soft and hard cartridges

Scourer

Specifically designed for the installation of cement-based and epoxy grout.



ITEM CODE 7895310
BARCODE 9345490001009

PACKAGING 1 per carton

Grouting Kit

Grouting installation tool bucket kit specifically designed for the installation of cement-based and epoxy grout. Bucket doubles as a water measuring device for the mixing of cement-based adhesives and grouts.



ITEM CODE MKAUS123
BARCODE 934549000049

PACKAGING Rubber trowel, sponge, and scourer with detachable handle

Grouting Sponge

Specifically designed for the installation of cement-based and epoxy grout.



ITEM CODE 789501
BARCODE 9345490000996

PACKAGING 10 per carton

Grout Float

Specifically designed for the installation of cement-based and epoxy grout.



ITEM CODE 789001
BARCODE 9345490000613

PACKAGING 1 per carton

Grouting Abrasive Replacement Scourer

Specifically designed for the installation of cement-based and epoxy grout.



ITEM CODE 7895101
BARCODE 9345490000989

PACKAGING 10 per carton

Mapei Gun 585 2K


Mapefix EP 100 chemical anchor extrusion gun and spare nozzles.
For 585 ml cartridges.



ITEM CODE 7948401
BARCODE 8022452077203

Mapei Gun 420 2K

Mapefix VE and SF chemical anchor extrusion gun and nozzles.
For use with 420ml cartridges.



ITEM CODE 7948301
BARCODE 9345490001016

Metal Parquetry Trowel

Mapei metal parquetry trowel for timber flooring installation.
Specifically designed for the installation of timber flooring adhesives.



ITEM CODE 790001
BARCODE 8022452050558

Notched Metal Trowels


Mapei resilient flooring adhesive trowels. Notched metal trowels for the
even distribution and coverage of resilient floorcoverings



ITEM CODE 780101
BARCODE 9345490000965

Spiked Roller

For use with all levelling compounds to ensure a free flowing
application eliminating potential air bubbles for a perfect final finish.



ITEM CODE 797001
BARCODE 9345490001023

SUSTAINABILITY

Mapei approach

Mapei was founded more than eighty years ago in Milan, Italy, and since then has been proposing solutions of excellence for chemical products for the building sector all around the world. Its products are used in both the construction of large-scale infrastructures and iconic works of architecture, as well as in the residential sector. A target achieved without ever forgetting that it is only a constant, open and transparent dialogue with our contacts and clients that enables us to truly understand the real needs of the market and to provide innovative and sustainable responses.

Mapei pursues a concept of sustainability that encompasses a host of aspects in terms of living comfort and wellbeing. It firmly believes that the profits of a company should go hand in hand with ethics, respect for people and the creation of value for the territory.

It has always applied these principles to its strategy. And with this document, once again, the company wishes to underline this approach because, at times, simply doing something is not enough; you also need to share values and expectations. There are three cornerstones to sustainability according to Mapei: the planet, projects and people.



at the root of every

CHOICE



EVERYTHING'S OK, WITH MAPEI

Mapei Australia Pty Ltd

180 Viking Drive, Wacol,
Brisbane 4076, Australia
+61 7 3276 5000
sales@mapei.com.au
mapei.com.au

