



Adhesives for installing resilient and textile floor and wall coverings


FOR MORE THAN 30 YEARS, CERTIFIED SOLUTIONS FOR **ECO-SUSTAINABLE PROJECTS** WORLDWIDE

PRODUCTS FOR VINYL	PRODUCTS FOR LVT	PRODUCTS FOR RUBBER	PRODUCTS FOR LINOLEUM	PRODUCTS FOR TEXTILES
page <b>2</b>	page <b>9</b>	page <b>16</b>	page <b>23</b>	page <b>30</b>



# PRODUCTS FOR VINYL





Green Star™ certified system for installing sheets of acoustic vinyl cushion flooring

- 1 Substrate
- 2 Vapour barrier\*
- Primer ECO PRIM T



4 Self-levelling compound ULTRAPLAN







- Adhesive ULTRABOND ECO 380
- 6 Vinyl floor covering



\*Please consult Mapei for specific installation advice.

# MAPEI ADHESIVES RECOMMENDED FOR VINYL

# **ULTRABOND ECO 380**

Specific for vinyl with strong initial tack, leg effect and extended open time.

Other Mapei adhesives recommended for vinyl

# **ULTRABOND ECO V4 SP**

High-performance, multi-purpose adhesive.

# **ULTRABOND ECO V4 SP CONDUCTIVE**

For conductive and static dissipative vinyl floor coverings.

### ULTRABOND ECO CONTACT

Water-based contact adhesive, immediate grab.

### **ULTRABOND ECO VS 90 PLUS**

Rapid adhesive, forms a rigid, tough film. Good dimensional stability.

### MAPECRYL ECO

Rapid hold, rapid initial tack.

### **ULTRABOND ECO FIX**

Tackifier for loose-lay vinyl floor coverings.

### MAPECONTACT

Double-sided reinforced adhesive strip.

### ROLLCOLL

Applied by roller, including on walls.

# **ADESILEX G19**


Two-component, epoxy-polyurethane adhesive. For installing on all types of substrate, including in damp areas or areas that need frequent cleaning; suitable for floors subjected to intense traffic and heavy loads.



Type of floor covering	Standards		Adhesives in water dispersion								Reactive adhesives**
			Green Star™ compliant							Green Star™	
		ULTRABOND ECO V4 SP ULTRABOND ECO 380 ULTRABOND ECO V4 SP		ULTRABOND ECO V4 SP CONDUCTIVE	ULTRABOND ECO CONTACT MAPECONTACT		ULTRABOND ECO VS 90 PLUS	MAPECRYL ECO	ULTRABOND ECO FIX	ROLLCOLL	ADESILEX G19
Homogeneous vinyl	EN 649	•	•*				•	•*		•*	•
Heterogeneous vinyl	EN 649	•	•				•	•		•	•
Multi-layered vinyl	EN 651										
Vinyl cushion floor	EN 653	•	•				•	•		•	•
Vinyl cushion floor with textile backing	EN 650										
Semi-flexible vinyl (VCT)	EN 654	•	•				•	•	•	•	•
Conductive and static dissipative vinyl	EN649			•							
Coves, profiles and steps					•	•					
Loose-lay vinyl tiles	EN 651, EN 649, EN 653 and EN 652								•		

<sup>\*</sup> welded sheets only

<sup>\*\*</sup> for non-absorbent substrates in damp areas and areas that need frequent cleaning; for floors subjected to heavy load and intense traffic







# PALAZZO LOMBARDIA - MILAN - ITALY

The tower and the entire architectonic complex of the new headquarters of the Lombardy Regional Government are part of a redevelopment project in the Garibaldi-Repubblica area of Milan. Mapei has always had a strong bond with its home city and played an active part in recommending the most suitable, cutting-edge products to skim and level off surfaces and to install carpet and loose-lay vinyl textile tiles on the floors and stairs.

Products used:

NIVORAPID, MAPECONTACT, ULTRABOND ECO FIX.

Products which are safe for the environment and end users alike for eco-sustainable solutions.











# **SANT'ANNA HOSPITAL - COMO - ITALY**

The actual floor area of the new hospital extends over more than 75,000 square metres, while the hospital itself has 62 technical beds, 15 operating theatres, with a further 4 theatres dedicated to endovascular operations, and an outpatients department with 64 surgeries.

Mapei supplied a series of products to prepare the substrates and bond the floor coverings.

Products used:

ULTRAPLAN ECO, **PIANOCEM M**, **TRIBLOCK P**, MAPECRYL ECO, ULTRABOND ECO 380.

Products certified by the most accredited international standards, the result of Mapei's intense research work into eco-sustainable solutions that are safe for the environment and end user alike.







# CA' GRANDA NIGUARDA HOSPITAL - MILAN - ITALY

For the new buildings that make up the South Block of the Ca' Granda Niguarda Hospital, Mapei supplied the most appropriate solutions to apply the substrate screeds and to install the linoleum floor coverings.

# Products used:

ADESILEX PG1, EPOJET, EPORIP, GRANIRAPID, KERAQUICK, KERAFLEX MAXI S1, MAPEFILL, MAPEGRID G 220, MAPEGROUT HI-FLOW, MAPEGROUT T40, MAPEFER 1K, MAPESIL AC, MAPELASTIC, PLANITOP HDM, PLANITOP HDM MAXI, PRIMER G, TOPCEM, TOPCEM PRONTO, ULTRAPLAN ECO, ULTRAPLAN ECO 380, ULTRABOND ECO V4 SP, ADESILEX MT32.

Products with CE marking certified by accredited international bodies, developed in Mapei's R&D laboratories, safe for the environment and the end user alike.







# **GEELONG HOSPITAL - VICTORIA - AUSTRALIA**

Geelong is the home of one of the most important hospitals in the State of Victoria and is administered by Barwon Health, the Australian National Health Service. In 2008 work was commissioned to extend the A&E department of the hospital. Mapei Australia was asked to supply products and their technical support to help in the entire, rapid installation of around 1600 m<sup>2</sup> of vinyl floor coverings.

Products used:


ECO PRIM T, MAPEGUM WPS, MAPELASTIC SMART, MAPEPRIM SP, NIVORAPID, **TRIBLOCK P**, ULTRABOND ECO 350, ULTRAPLAN.

Products with a low content of volatile organic compounds, testament to Mapei's research into eco-sustainable solutions.





# PRODUCTS FOR LVT





# Rapid system for installing LVT floor coverings

- 1 Substrate\*
- Primer ECO PRIM T



3 Self-levelling compound ULTRAPLAN











5 LVT floor covering



\*Must comply with AS 1884-2012

# MAPEI ADHESIVES RECOMMENDED FOR LVT

# **ULTRABOND ECO VS90 PLUS**

Specific for LVT, characterised by its rapid bond and excellent dimensional stability. Good wetting of the back of LVT planks up to 30 minutes after spreading the adhesive.

Other Mapei adhesives recommended for LVT

# **ULTRABOND ECO V4 SP**

High-performance, multi-purpose adhesive.

# **ULTRABOND ECO V4 SP FIBER**

Fibre-reinforced, high performance.

# **ADESILEX G19**

Two-component, epoxy-polyurethane adhesive. For installing on all types of substrate, including in damp areas or areas that need frequent cleaning; suitable for floors subjected to intense traffic and heavy loads.

Type of floor covering	Standards	Water-based adhesives			Reactive adhesives**		
		Green Star™			Green Star™		
		ULTRABOND ECO V4 SP	ULTRABOND ECO V4SP FIBER	ULTRABOND ECO VS 90 PLUS	ADESILEX G19		
LVT (Luxury Vinyl Tiles)	EN 649	•	•	•	•		
Multi-layered cork with vinyl backing	EN 651				•		










# **BE-FIT GYMNASIUM - LODI - ITALY**

 $400~\text{m}^2$  of wood-effect LVT planks were installed using the new adhesive ULTRABOND ECO 4 LVT, specifically formulated by the Mapei laboratories for the installation of LVT floor coverings to guarantee maximum performance in terms of adhesion and dimentional stability.

Products used:

ULTRABOND VS 90 PLUS, ULTRAPLAN, ECO PRIM T.

Products certified by the most highly accredited international bodies, developed in Mapei's R&D laboratories to safeguard the environment and the health of those who use them.









# **B4 BOSCOLO HOTEL - MILAN - ITALY**

The B4 Hotel, part of the Boscolo chain, is located in Milan in Via Stephenson, near to the Rho-Fiera and Fiera Milano City exhibition hub, the future site of Expo 2015. The architectural design work carried the signature of the architect Giancarlo Marzorati while the interiors were designed by the architect Simone Micheli.

In 2009 the project won the "Golden Brick Real Estate Award" for the best tourism and hotel project. Mapei was involved in the construction of this important building and assisted the designers and contractors during the execution of the architectonic structure.

Products used:

MAPELASTIC FOUNDATION, MAPEGROUT T60, MAPEPROOF, MAPEPROOF CD, MAPEGROUT 430, NIVORAPID, PLANIPATCH, PRIMER G, ULTRAPLAN ECO, ADESILEX VZ, ULTRABOND ECO V4 SP, ADESILEX MT32, ROLLCOLL, ULTRABOND ECO FIX, ULTRABOND ECO 310.

Products with CE marking are the result of Mapei's research into the development of eco-sustainable solutions.







# THE SPACE CINEMA - GENOA - ITALY

A multi-screen cinema run by The Space Cinema Genoa was recently opened in the old dock area of the city.


The idea of the project was to enhance the exclusive location of the cinema in the renowned "Cotton Warehouses" designed by Renzo Piano. In fact, the idea was to recover some of the empty industrial spaces and breathe new life into this large entertainments centre. Wood and stone effect vinyl floor coverings were installed in the theatres and corridors using Mapei products.

Products used:

**ADESILEX V4**, NIVORAPID, PLANIPATCH, PRIMER G, ULTRAPLAN ECO.

Products with CE marking certified by the most accredited international bodies, for eco-sustainable solutions that are safe for the environment, workmen and the end user alike.









# **HOUSE OF REPRESENTATIVES - BRUSSELS - BELGIUM**

LVT planks were installed on raised floors with metal panels using an adhesive specifically created in the Mapei research laboratories for this type of application: ULTRABOND ECO TACK LVT.

This product reduces the tendency of the planks to expand and shrink around their ends and joints.

Products used:

# **ULTRABOND ECO TACK LVT.**

Product with low emission level of volatile organic compounds, testament to Mapei's research into eco-sustainable solutions.





# PRODUCTS FOR RUBBER





Green Star™ certified system for installing rubber floor coverings on concrete substrates with a high residual moisture content

- 1 Concrete floor
- 2 Vapour barrier\*
- 3 Self-levelling compound ULTRAPLAN











5 Rubber tiles



\*Please consult Mapei for specific installation advice.

# MAPEI ADHESIVES RECOMMENDED FOR RUBBER

# **ULTRABOND ECO V4 SP FIBER**

Specific for rubber, fibre-reinforced, improved performance.

Other Mapei adhesives recommended for rubber:

# **ULTRABOND ECO V4 SP**

High-performance, multi-purpose adhesive.

# **ULTRABOND ECO V4 SP CONDUCTIVE**

For conductive and static dissipative rubber floor coverings.

### ULTRABOND ECO CONTACT

Water-based contact adhesive, immediate bond.

### **ULTRABOND ECO VS 90 PLUS**

Rapid adhesive, forms a rigid, tough film. Good dimensional stability.

# **ULTRABOND ECO FIX**

Tackifier for loose-lay floor coverings.

### MAPECONTACT

Double-sided reinforced adhesive strip.

# **ADESILEX G19**

Two-component, epoxy-polyurethane adhesive. For installing on all types of substrate, including in damp areas or areas that need frequent cleaning; suitable for floors subjected to intense traffic and heavy loads.



Type of floor covering	Standards		Wa	iter-ba	ased a	dhesi	ves		Reactive adhesives**
				Green Star™					
		ULTRABOND ECO V4 SP	ULTRABOND ECO V4 SP FIBER	ULTRABOND ECO V4 SP CONDUCTIVE	MAPECONTACT	ULTRABOND ECO CONTACT	ULTRABOND ECO VS 90 PLUS	ULTRABOND ECO FIX	ADESILEX G19
Smooth rubber	EN 1816 EN 1817 EN 14521	•	•				•		•
Textured rubber	EN 12199	•	•				•		•
Static dissipative and conductive rubber	EN 1816 EN 1817 EN 14521 EN 12199			•					
Loose-lay rubber	EN 1816 EN 1817 EN 14521 EN 12199							•	
Coves, profiles and steps					•	•			







# INFANT SCHOOL - CARROBBIO DEGLI ANGELI (BERGAMO) - ITALY


To create the inside of the rooms in this modern infant school, Mapei supplied various solutions to level off the substrates and install rubber floor coverings.

Products used:

NIVORAPID, ECO PRIM T, ULTRABOND ECO V4 SP.

Products with CE marking certified by the most accredited international bodies, for eco-sustainable solutions.









# **ELEMASTER - LOMAGNA (LECCO) - ITALY**

To overcome the problem of ESD (electrostatic discharge) in this recently-built electronics factory, Mapei's expertise was requested to install rubber floor coverings.

Products used:

ADESILEX G19 CONDUCTIVE, ADESILEX VZ CONDUCTIVE, EPORIP, ECO PRIM T, TOPCEM, ULTRAPLAN.

Products with CE marking certified by accredited international bodies, developed in Mapei's R&D laboratories.







# **SAN LUCA HOSPITAL - MILAN - ITALY**

The San Luca Italian Institute for Auxology was recently extended with the construction of a new building opposite the existing one. One of the requirements of the client was the use of only ecosustainable repair and installation products, especially for the rubber floor coverings. This is why Mapei technicians chose a series of products that, apart from guaranteeing excellent final performance characteristics, had a low impact on the environment.

Products used:

EPORIP, NIVORAPID, PLANIPREP SC, ECO PRIM T, ULTRAPLAN ECO, ULTRABOND ECO V4 SP, **ULTRABOND ECO VS 90**.

Products with CE marking certified by the most highly accredited international bodies, testament to Mapei's research work into ecosustainable solutions.









# SERENA FOUNDATION NEMO MEDICAL CENTRE - MILAN - ITALY

On the 23rd of May 2012, inside the Niguarda Ca' Granda Hospital in Milan, the new 1,000 m<sup>2</sup> area within the Serena Onlus Foundation NeMo Medical Centre was inaugurated. Renovation work on the new area in the NeMo Centre included the installation of more than 1,000 m<sup>2</sup> of rubber floor coverings and another 1,000 m<sup>2</sup> for the walls. Mapei supplied products specifically made for installing rubber floor and wall coverings for this site.

Products used:

EPORIP, PRIMER G, NIVORAPID, PLANIPREP SC, LIVIGUM, ULTRABOND ECO V4 SP FIBER.

Products with CE marking, developed in the Mapei R&D laboratories to safeguard the environment and the health of those who use them.





# PRODUCTS FOR LINOLEUM





Green  $\mathsf{Star}^{\scriptscriptstyle\mathsf{TM}}$  certified system for installing linoleum floor coverings

- 1 Substrate\*
- 2 Primer ECO PRIM T



3 Self-levelling compound ULTRAPLAN









5 Linoleum floor covering



# MAPEI ADHESIVES RECOMMENDED FOR **LINOLEUM**

# **ULTRABOND ECO 520**

Strong initial bond, leg effect and extended open time.

Other Mapei adhesives recommended for linoleum

# **ULTRABOND ECO V4 SP**

High-performance, multi-purpose adhesive.

# **ULTRABOND ECO 380**

Strong initial tack, leg effect and extended open time. Recommended for installing linoleum with synthetic jute backing.

# **ULTRABOND ECO CONTACT**

Water-based contact adhesive, immediate bond. Recommended for coves and steps.

### **ADESILEX G19**

Two-component, epoxy-polyurethane adhesive. For installing on all types of substrate, including in damp areas or areas that need frequent cleaning; suitable for floors subjected to intense traffic and heavy loads.



Type of floor covering	Standards	Wa	ter-ba	Reactive adhesives**			
			Gı	Green Star™			
		ULTRABOND ECO VS90	ULTRABOND ECO V4 SP	ULTRABOND ECO 520	ULTRABOND ECO 380	ULTRABOND ECO CONTACT	ADESILEX G19
Linoleum	EN 548	•	•	•			•
Linoleum on synthetic jute	EN 548	•	•		•		•
Linoleum on vinyl cushion floor	EN 686	•	•				•
Linoleum on cork	EN 687	•		•			
Coves, profiles and steps						•	

<sup>\*\*</sup> for non-absorbent substrates in damp areas and areas that need frequent cleaning; for floors subjected to heavy load and intense traffic







# **PIRELLI TOWER - MILAN - ITALY**

The Pirelli Tower underwent major internal and external restructuring work.

Mapei was contacted to take an active part in repair work carried out on the Tower, during which numerous square metres of linoleum and rubber floor coverings were installed.

Products used:

ADESILEX P4, ADESILEX P10, ADESILEX PG1, CARBOPLATE, EPOJET, EPOJET LV, EPORIP TURBO, GRANIRAPID, ISOLASTIC, KERAQUICK, KERAFLEX, LATEX PLUS, MAPEFER, MAPEWRAP PRIMER 1, NIVOPLAN, PLANICRETE, PLANITOP 400, STABILCEM SCC, ULTRACOLOR, ADESILEX MT32, LATEX PLUS, NIVORAPID, PRIMER G, PRIMER MF, TOPCEM PRONTO, ULTRABOND ECO 540, ULTRABOND ECO V4 SP, ULTRAPLAN.

Products with CE marking certified by the most accredited international bodies, for eco-sustainable solutions that are safe for the environment, workmen and the end user alike.









# LYRECO COMPANY CRÈCHE - MARLY - FRANCE

Lyreco is very sensitive when it comes to sustainable development and protecting the environment and chose a company specialised in ecological company crèches. The result is "Lyreco Kids", an ecosustainable construction in credit with its carbon footprint, created using prestigious natural materials containing no phthalates or formaldehyde. In accordance with the guidelines for this project, only installation products which respect the environment and people's health were employed, which is why Mapei products were chosen.

Products used:

EPORIP, MAPESOL 3, PRIMER G, ULTRABOND ECO 540.

Products with a low content of volatile organic compounds, testament to Mapei's research into eco-sustainable solutions.









# L'AURORA-BACHELET MIDDLE SCHOOL - CERNUSCO (MILAN) - ITALY


Mapei took part in the construction of the new "class A" school by supplying material for the installation of 300 m<sup>2</sup> of linoleum.

Products used:

EPORIP, PRIMER G, ULTRAPLAN ECO, ADESILEX LP, ULTRABOND ECO 520.

Products with CE marking, the result of Mapei's research into the development of eco-sustainable solutions.









# **UNIVERSITY OF EINDHOVEN - THE NETHERLANDS**

During renovation work on the rooms inside the university, Mapei products were used to repair and level off the flooring substrates and to install linoleum floor coverings.

Products used:


PRIMER G, NIVORAPID, ULTRAPLAN ECO, AQUACOL T.

Products with low emission level of volatile organic compounds, testament to Mapei's research into eco-sustainable solutions.



# PRODUCTS FOR TEXTILES





# System for installing textile and needle-punch floor coverings

- 1 Substrate\*
- Primer ECO PRIM T
- Smoothing compound
  UC LEVELLER/ULTRAPLAN ECO
- 4 Adhesive ULTRABOND ECO 170
- 5 Textile floor covering



# MAPEI ADHESIVES RECOMMENDED FOR **TEXTILES**

# **ULTRABOND ECO 170**

Specific for textile floor coverings, rapid with a strong initial bond.

Other Mapei adhesives recommended for textiles:

# **ULTRABOND ECO V4 SP**

High-performance, multi-purpose adhesive.

# MAPECRYL ECO

Rapid bond, rapid initial tack.

### ULTRABOND ECO FIX

Strong tackifier, for all types of loose-lay floor coverings.

# **ULTRABOND ECO TACK**

Tackifier. Specific for loose-lay textile tiles. Ready-to-use, applied by roller.

# ROLLCOLL

Applied by roller, rapid initial tack.



Type of floor covering	Standards	Water-based adhesives						
		Green Star™						
		ULTRABOND ECO V4 SP	ULTRABOND ECO 170	MAPECRYL ECO	ULTRABOND ECO TACK	ULTRABOND ECO FIX	ROLLCOLL	
Textiles	EN 1307 EN 15114	•	•	•			•	
Needle punch	EN 13297 EN 1470	•	•	•				
Loose-lay tiles	EN 1307 EN 15114 EN 13297 EN 1470				•	•		
Dual-bond underlay			•		•	•		








# HENRY B. GONZALES CONVENTION CENTRE - SAN ANTONIO - TEXAS - USA

At first glance you remain speechless. Even though it looks like a giant painting on the floor, it is really a masterpiece of floor installation, created inside the Henry B. Gonzales Convention Centre in San Antonio, Texas. The image is impressed on the carpet and is part of a new floor covering extending over a total surface area of  $32,000 \, \text{m}^2$ . Mapei contributed to the execution of this project by supplying the most appropriate technical solutions.

Products used:

ULTRABOND ECO 220, **ULTRAPLAN M20**, **PLANIPATCH**, **ULTRABOND ECO 575**, **ULTRABOND ECO 710**.

Products certified by the most accredited international bodies, the result of Mapei research work, safe for the environment and end user alike.







# **HOTEL DE ROME - BERLIN - GERMANY**

In the historic Bebelplatz in Berlin a luxury hotel has opened its doors to its exclusive clientele. Enormous importance was given to the design and quality when choosing both the materials and finishing products used. One of the key elements that make the internal areas both comfortable and elegant is the use of carpet for the floors in the corridors and guest rooms of the hotel. To install the textile and linoleum floor coverings, the installation company selected Mapei products for their reliability and safety.

Products used:

NIVORAPID, **PLANITEX D10**, PRIMER G, ULTRABOND ECO 540, **ULTRABOND ECO 185**.

Products with CE marking certified by the most accredited international bodies, for eco-sustainable solutions that are safe for the environment, workmen and the end user alike.









# **NEW SAP ITALIA HEADQUARTERS - VIMERCATE - ITALY**

The new Energy Park technology hub, built according to architectonic principles and cutting-edge high technology in terms of both environmental sustainability and the rationalisation of energy consumption, is located in a strategic point with respect to the grand communications networks in the North-East. To respect the parameters of LEED Gold certification, Mapei Technical Services recommended the use of ULTRABOND ECO FIX to install the loose-lay textile flooring tiles, a solvent-free, acrylic resin-based adhesive in water dispersion.

Product used: ULTRABOND ECO FIX.

A product with low emission level of volatile organic compounds, testament to Mapei research into eco-sustainable solutions to help earn LEED award points.









# TRUMP INTERNATIONAL HOTEL & TOWER - TORONTO - CANADA

Located on the north-western banks of Lake Ontario, Toronto is the financial centre of Canada with picturesque historical districts, large parks, museums, art galleries, theatres, restaurants and bars. The Trump International Hotel and Tower, a newly-constructed skyscraper for both hotel and residential use, is located within this setting and Mapei took part in this project by supplying the most suitable solutions to overcome various on-site problems.

Products used:


PRIMER MF, ULTRA/BOND ECO FIX, ULTRABOND P990 1K.

Products with CE marking certified by accredited international bodies, developed in Mapei's R&D laboratories, for eco-sustainable solutions.









# MAPEI: FOR MORE THAN 30 YEARS, CERTIFIED SOLUTIONS FOR ECO-SUSTAINABLE PROJECTS WORLDWIDE

# CERTIFICATION.

Mapei concretely promotes sustainability by joining international programmes and organizations and developing technologically-advanced products and solutions which contribute to safeguarding the environment and the health of workers and users.















# CERTIFIED PRODUCTS.

Mapei products are certified according to the most accredited international standards. They are formulated using innovative, recycled and ultra-light raw materials developed to reduce energy consumption and to have very low emission level of volatile organic compounds.

















# MAPEI AUSTRALIA

12 Parkview Drive Archerfield Qld 4108 Phone: 07 3276 5000 Fax: 07 3276 5076

Email: sales@mapei.com.au Web: www.mapei.com.au

# **MAPEI NEW ZEALAND**

30 Fisher Crescent Mt Wellington Auckland New Zealand

Phone: +64 9 921 1994 Fax: +64 9 921 1993

Email: enquiries@mapei.co.nz Web: www.mapei.co.nz The MAPEI App is now available for quick and easy access via your smartphone or tablet.

Access product information, technical note books, brochures, product calculators and project references, all easily navigated at your fingertips.

Download the FREE MAPEI app from your devices:

- Android mobile
- Android tablet
- iPhone
- iPad

Just look for 'MAPEI'.







