



NO. 23 MAY 2017

## NEW PRODUCTS

Click on Product Image to read the Technical Data Sheet



### ULTRALITE S1 GREY - LIGHTWEIGHT - 60% MORE YIELD\* - EASY GLIDE TECHNOLOGY

One component, high-performance, flexible, lightweight cementitious adhesive with no vertical slip, long open time and extremely high yield.

Easy to apply by trowel with excellent wetting properties, very low emission of volatile organic compounds for ceramic tiles, stone and thin porcelain tiles.

- Bonding all types and sizes of ceramic tiles on uneven internal and external substrates without having to event our the surface before fixing
- Bonding all types of mosaics on internal and external surfaces even in swimming pools
- Bonding natural stone on internal and external surfaces (for stone that is not moisture-sensitive)
- Ideal for bonding thin porcelain tiles on floors and walls including external facades

#### EASY GLIDE TECHNOLOGY

#### \* 60% MORE YIELD THAN MOST TRADITIONAL CEMENTITIOUS ADHESIVES


ULTRALITE S1 Grey is now available for despatch. Contact your Mapei representative for further information or click on the image above to read the Technical Data Sheet.

## SEALANTS

### MAPESIL LM

#### Neutral mould-resistant silicone sealant for stone and marble

- solvent-free
- available in 7 exciting colours
- available in 310ml cartridges
- will not stain natural stone
- remains flexible over a temperature range between -40°C and +150°C
- bonds perfectly to most types of substrates such as glass, ceramic, marble, aluminium, zinc-plated sheet metal, concrete, stainless steel and PVC
- 12 cartridges per box
- available in white (100), silver grey (111), cement grey (113), anthracite (114), black (120), jasmine (130) and beige 2000 (132)



[Click on Product Images to read the Technical Data Sheet](#)

REALTA INTERNATIONAL MAGAZINE

## REALTA INTERNATIONAL MAGAZINE NO. 62


The latest edition is now available to read online.

**Read all about Mapei's latest Project References including Melbourne's Victorian Comprehensive Cancer Centre.**

This edition is full of project references, technical articles, interviews, product information, sport as well as a section on MAPEI subsidiaries celebrating great milestones.

Read online or if you would like a copy posted to you each quarter then complete the registration form on our website.

Happy reading!



[Click here to read online](#)

TRAINING COURSES



# UNIQUE TRAINING OPPORTUNITY

## MAPEI TRAINING ACADEMY VICTORIA

Mapei Victoria are conducting a limited number of product Training days open to our valued customers.

The training workshops will include:

- Appropriate Substrates
  - Preparation
  - Waterproofing
  - Tile Installation
  - Epoxy Grouting
- Industry Best Practices
- New Products
- Application Demonstrations



### EVENT DETAILS

**Date:** Tuesday 6th June 2017

**Time:** 9.00am to 4.00pm


**Register:** Email your details to [mapeitrainingVIC@mapei.com.au](mailto:mapeitrainingVIC@mapei.com.au)  
(Please mention 'CERAMIC TRAINING' in your subject header)

**LIMITED POSITIONS  
AVAILABLE,  
SO DON'T DELAY!**



Please email [mapeitrainingVIC@mapei.com.au](mailto:mapeitrainingVIC@mapei.com.au) to register!


MAPEI TRAINING



# LANDSCAPE CONSTRUCTION WORKSHOP


## MAPEI TRAINING ACADEMY VICTORIA

Mapei Victoria are conducting training workshops to provide you with the correct installation methods when using Mapei products including our fully warranted systems to cater with the continuous changing trends in the industry



TRAINING OVERVIEW:

- Substrate preparation
  - Screeding
  - Waterproofing
  - Adhesive selection
- Adhesive installation methods
  - Grouting
- Application demonstrations



EVENT DETAILS

**Dates:** Tuesday 20th June 2017  
Tuesday 25th July 2017

**Time:** 9.00am to 4.00pm

**Location:** Port Melbourne  
Training Centre

**Register:** Email your details to [mapeitrainingVIC@mapei.com.au](mailto:mapeitrainingVIC@mapei.com.au)  
(Please mention 'LANDSCAPE WORKSHOP' in your subject header)

LIMITED POSITIONS  
AVAILABLE  
SO DON'T DELAY!



PRODUCT SPOTLIGHT

MAPECEM PRONTO

Without a good screed, a self-levelling compound has a short life. That is why improved formula MAPECEM PRONTO, a ready-to-use mortar with low emission level of volatile organic compounds (VOCs) is clearly a great addition to Mapei's product range. Ideal for creating bonded and floating screeds indoors and outdoors, which need to dry quickly ready for floorcoverings such as timber flooring, PVC, linoleum, ceramic tiles, natural/ synthetic stones, textiles etc.

MAPECEM PRONTO is now available for immediate despatch. Please click on the image to the right or contact your Mapei representative.

### Mapecem Pronto

Pre-Blended Quick Setting and Drying Screed



- Pre-blended ready to use screed, simply mix with water
- Correct size sand already included in bag, alleviating possible selection error
- Quick setting and drying (24 hours)
- Shrinkage compensated
- Ideal for both floating and bonded screeds
- Preparation of screed can be set to light foot traffic after 2 - 3 hours
- Perfectly dry after 24 hours
- Install ceramic tiles after only 3-4 hours and timber or resilient floorcoverings after 24 hours
- Ideal for installation over new or existing concrete
- Internal and external applications

| MAPECEM PRONTO   |   |
|--|---|
| Duration of mixing   | 3 - 4 minutes   |
| Open time  | 20 - 30 minutes   |
| Application temperature                                      | from +5°C - +35°C   |
| Set to light foot traffic                                    | 2 - 3 hours   |
| Ready for use  | 24 hours  |
| Ready for levelling  | after 4 hours   |
| Waiting time before installation                             | 3 - 4 hours for general<br>3 - 4 hours for natural stone<br>24 hours for resilient and<br>wood flooring |
| Residual moisture after 24 hours<br>using a cable hygrometer | <3%   |
| Priming screed thickness range                               | 25 - 60mm   |
| Finished screed thickness range                              | 10 - 40mm   |
| Packaging  | 25kg bags   |
| Content  | 25kg  |
| Mixing Ratio   | 20kg bag of Mapecem Pronto<br>1.5 - 1.7 litres clean water  |





This email was sent to : [debbynorgrove@mapei.com.au](mailto:debbynorgrove@mapei.com.au)

This email was sent by: Mapei Australia Pty Ltd  
180 Viking Drive, Wacol, QLD 4076

[Update Profile](#) | [One-Click Unsubscribe](#)

Share:     