

Section 1: Identification

GHS Product identifier

Mixture identification:

Trade name: MAPESIL AC

Trade code: 90489990

Recommended use of the chemical and restrictions on use

Recommended use: Siliconic sealant

Uses advised against: Data not available.

Supplier's details

Company: MAPEI AUSTRALIA Pty Ltd

180 Viking Drive Wacol QLD 4076 Australia

T. +61 7 32765000 (Mon-Fri 8am to 4.30pm)

F. +61 7 32765076

Responsable: sales@mapei.com.au

Emergency phone number

Australian Poisons Information Centre 24 Hour Service 13 11 26 Police or Fire Brigade 000

Section 2: Hazard(s) identification

Classification of the Hazardous chemical

The product is not classified as hazardous according to Australia WHS 2 (2021).

Adverse physicochemical, human health and environmental effects:

No other hazards

GHS label elements, including precautionary statements

The product is not classified as hazardous according to Australia WHS 2 (2021).

Other hazards which do not result in a classification

Other Hazards: No other hazards

Section 3: Composition and information on ingredients

Substances

no data available

Mixtures

Mixture identification: MAPESIL AC

Hazardous components within the meaning of the "Australian Work Health and Safety (WHS)" regulation and related classification:				
Qty	Name	Ident. Numb.	Classification	Registration Number
N1 .7 F	attant tota antenno attana	CAC: 1700 77 0		01 0110001770 15

≥1 - <2.5 %	ethyl-triacetoxy-silane		9 Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Corr. 1B, H314	01-2119881778-15
≥1 - <2.5 %	Methylsilanetriyl triacetate	CAS:4253-34-3 EC:224-221-9	Acute Tox. 4, H302; Skin Corr. 1B, H314	, 01-2119962266-32-xxxx
≥1 - <2.5 %	oligomeric ethyl and methyl acetoxysilanes		Skin Corr. 1B, H314; Eye Dam. 1, H318	

Section 4: First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

Symptoms caused by exposure

no data available

Medical attention and special treatment

no data available

Section 5: Firefighting measures

Suitable extinguishing media

None in particular.

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: no data available

Explosive properties: no data available

Oxidizing properties: no data available

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

HazChem Code/Emergency Action code

N.A.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

Section 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Section 8: Exposure controls and personal protection Control parameters – exposure standards, biological monitoring

Predicted No Effect Concentration (PNEC) values

ethyl-triacetoxy-silane CAS: 17689-77-9	Exposure Route: Fresh Water; PNEC Limit: 0,2 mg/l	
	Exposure Route: Marine water; PNEC Limit: 0,02 mg/l	
	Exposure Route: Intermittent release; PNEC Limit: 1,7 mg/l	
	Exposure Route: Freshwater sediments; PNEC Limit: 0,16 mg/kg	

Exposure Route: Marine water sediments; PNEC Limit: 0,016 mg/kg Exposure Route: Soil; PNEC Limit: 0,031 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 1 mg/l

Derived No Effect Level (DNEL) values

ethyl-triacetoxy-silaneExposure Route: Human Inhalation; Exposure Frequency: Long Term, local effectsCAS: 17689-77-9Worker Industry: 32,5 mg/m3; Consumer: 10,8 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects Worker Industry: 32,5 mg/m3; Consumer: 65 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects Worker Industry: 25 mg/m3; Consumer: 5,1 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects Worker Industry: 25 mg/m3; Consumer: 5,1 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects Worker Industry: 14,5 mg/kg; Consumer: 7,2 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects Worker Industry: 14,5 mg/kg; Consumer: 7,2 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects Consumer: 1 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects Consumer: 1 mg/kg

Appropriate engineering controls

no data available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Suitable materials for safety gloves; AS/NZS 2161.10:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Not needed for normal use.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to AS/NZS 1715-1716 for information on selection and use of appropriate respiratory protection equipment. no data available

Section 9: Physical and chemical properties

Physical state: Liquid Appearance: paste Color: various Odour: Characteristic pH: no data available Melting point / freezing point: no data available Initial boiling point and boiling range: no data available Flash point: no data available Evaporation rate: no data available Flammability (Solid, Gas) no data available Lower and upper explosion limit/flammability limits: no data available Vapour pressure: no data available Vapour density: no data available Relative density: 1.02 g/cm3 Solubility in water: Insoluble Solubility in oil: soluble Partition coefficient (n-octanol/water): no data available Auto-ignition temperature: 400.00 °C

Decomposition temperature: no data available Kinematic viscosity: no data available VOC % (Volatile Organic Compound) : 25.8 (Rule 1168) g/l

Particle characteristics:

Particle size: no data available Particle size distribution: no data available Shape and aspect ratio: no data available Specific surface area: no data available

Section 10: Stability and reactivity Reactivity Reacts with water Chemical stability no data available Possibility of hazardous reactions None. Conditions to avoid Humidity Incompatible materials None in particular. Hazardous decomposition products

None.

ethyl-triacetoxy-silane

Section 11: Toxicological information

Information on toxicological effects

During the use of the product it is released a small amount of acetic acid (CAS 64-19-7), that can cause mucous and skin irritation.

Toxicological Information of the Preparation

i exite			
	a) acute toxicity	Not classified	
		Based on available data, the classification criteria are not met	
		LD50 Skin Rabbit > 2009 mg/kg	
		LD50 Oral Rat > 2000, mg/kg	
	b) skin corrosion/irritation	Not classified	
		Based on available data, the classification criteria are not met	
		Skin Irritant Skin Rabbit No	
	c) serious eye damage/irritation	Not classified	
		Based on available data, the classification criteria are not met	
		Eye Irritant Rabbit No	
	d) respiratory or skin sensitisation	Not classified	
		Based on available data, the classification criteria are not met	
		Skin Sensitization Guineapig Negative	
	e) germ cell mutagenicity	Not classified	
		Based on available data, the classification criteria are not met	
	f) carcinogenicity	Not classified	
		Based on available data, the classification criteria are not met	
	g) reproductive toxicity	Not classified	
		Based on available data, the classification criteria are not met	
	h) STOT-single exposure	Not classified	
		Based on available data, the classification criteria are not met	
	i) STOT-repeated exposure	Not classified	
		Based on available data, the classification criteria are not met	
	j) aspiration hazard	Not classified	
		Based on available data, the classification criteria are not met	
Toxicological information on main components of the mixture:			

LD50 Oral Rat > 1460 mg/kg

a) acute toxicity

Methylsilanetriyl	a) acute toxid	city LD50	Oral Rat = 2060 mg/kg
Print date	14/03/2023	Production Name	MAPESIL AC

Section 12: Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

a) Aquatic acute toxicity : LC50 Fish > 10 mg/L 96h

- a) Aquatic acute toxicity : EC50 Daphnia > 10 mg/L 48h
- b) Aquatic chronic toxicity : NOEC Fish > 1 mg/L
- b) Aquatic chronic toxicity : NOEC Daphnia > 1 mg/L

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
ethyl-triacetoxy-silane	CAS: 17689-77- 9 - EINECS: 241-677-4	a) Aquatic acute toxicity : EC50 Daphnia = 62 mg/L 48

a) Aquatic acute toxicity : LC50 Fish = 251 mg/L 96

Persistence and degradability

Component	Persitence/Degradability:
MAPESIL AC	Non-readily biodegradable

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Section 13: Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

no data available

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Clean waste packaging should be recycled when possible and authorized by the authority.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

Section 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

no data available

UN proper shipping name

no data available

Transport hazard class(es)

no data available

Packing group, if applicable

no data available

Environmental hazards

no data available

Special precautions for user

ADG-Subsidiary hazards no data available

ADG-S.P.: no data available

Road and Rail (ADR-RID):

no data available

ADR-Hazard identification number: NA

Air (IATA):

no data available

Sea (IMDG):

no data available

Additional Information

no data available

HazChem Code/Emergency Action code

no data available

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

This Safety Data Sheet has been prepared according to the Australian Work Health and Safety (WHS) act and the Code of Practice on preparation of safety data sheets for Hazardous Chemicals. AICIS: all components are listed

Section 16: Any other relevant information

Code	Description		
H302	Harmful if swallowed.		
H314	Causes severe skin burns and eye damag	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.		
Code	Hazard class and hazard category	Description	
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4	
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B	
3.3/1	Eye Dam. 1	Serious eye damage, Category 1	
This documen	t was prepared by a competent person who h	has received appropriate training.	
Main bibliogra	phic sources:		
	N - Environmental Chemicals Data and Inforr munities	nation Network - Joint Research Centre, Commission of the European	
SAX's	S DANGEROUS PROPERTIES OF INDUSTRIAL	MATERIALS - Eight Edition - Van Nostrand Reinold	
-			

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report DMEL: Derived Minimal Effect Level DNEL: Derived No Effect Level. DPD: Dangerous Preparations Directive DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration ECHA: European Chemicals Agency EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KAFH: KAFH KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value. TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard). vPvB: Very Persistent, Very Bioaccumulative. WGK: German Water Hazard Class. Paragraphs modified from the previous revision: - 8. EXPOSURE CONTROLS/PERSONAL PROTECTION - 11. TOXICOLOGICAL INFORMATION

- 16. OTHER INFORMATION