

MapeSlope

**MORTAR FOR RESTORING THE SLOPE
AND FILLING HOLLOWS ON ROOFS**



Repair your
roof in
3 simple moves



Problems with your roof...

Roofs have always been exposed to numerous different types of stress:

- bad weather;
- UV rays;
- seasonal temperature variations;
- ponding water;

which, as a result, cause premature ageing of the waterproofing layer.

Amongst the materials used to waterproof roofs, bituminous membranes are undoubtedly one of the most widely adopted application technologies available. Bituminous membranes, however, including granulated membranes, are prone to premature deterioration due to the “lens-effect” of ponding water.

The critical areas on a roof, where ponding water is more frequent, are:

- drains;
- hollows;
- changes in slope.

Restoring the waterproofing capacity of a roof, **without removing** the old waterproof membrane and correcting existing “defects”, was the challenge set by Mapei!

...common examples



MapeSlope

One-component cementitious mortar, applied in layers up to 5 cm thick, for restoring slopes and filling hollows on roofs.

ADVANTAGES of MapeSlope

+ QUICK

- easy to prepare and apply
- rapid-drying

+ VERSATILE

- allows to restore and level off slopes (*)
- excellent adhesion properties

+ EASY

- simply mixed with water
- NO need to demolish or remove the old waterproofing layer or substrate

() not only bituminous membranes but also external cementitious substrates and outdoor coverings after applying a suitable primer*

CONSUMPTION:

approx. 1.6 kg/m² per mm of thickness
(16 kg/m² per cm).

PACKAGING:

25 kg polyethylene bags which may be left exposed on the jobsite.

Application phases

1

PREPARE

Remove all the ponding water, clean the roof and apply the primer.



2

APPLY

Fill in all the hollows and restore the correct slope.



3

WATERPROOF

Leave it to dry and complete the job by applying the waterproofing layer.





Technical documentation

From the technical area menu you can view the technical documentation divided per product lines and type of document.

HEAD OFFICE
MAPEI S.p.A.
Via Cafiero, 22 - 20158 Milan
Tel. +39-02-37673.1
Fax +39-02-37673.214
Internet: www.mapei.com
E-mail: mapei@mapei.it

