


ULTRACOAT RENEW FL

A new lease of life
for old wood floors





Wood floors

Unscheduled maintenance made easy.

At some point in their life all wood floors will need to be restored. After years of service the appearance of the wood, whether finished on site or pre-finished engineered, will have undoubtedly changed.

The **traditional method** when re-varnishing floors is to completely remove the old finish. This method, however, causes considerable disruption in inhabited rooms and areas, particularly due to the amount of dust created and the lengthy work times.



Another factor to take into consideration before carrying out this kind of work is that, when certain types of wood floor are sanded, they lose their **original characteristics**, such as their bevelled edges of brush-effect finish, and their look can completely change.



The Mapei solution

Restore quickly, hygienically and effectively.

Because of their type of use, floors are the surfaces most exposed to contamination from external sources and today, more than ever before, environmental hygiene is of primary importance.

Which is why **Mapei** is proposing a risk-free **solution for restoring and hygienising wood floors** in a short space of time and provide a high level of protection against the proliferation of bacteria.

And now, with **Ultracoat Renew FL**, it is possible to restore the finish of wood floors without changing their original look and, more importantly, without disruption and lengthy work times, to give a new lease of life to their surface finish.



Restored and hygienised floors for more comfortable surroundings.



In just **four simple steps** floors look like new again

1



Cleaning

Give the floor a thorough clean with **Ultracoat Remover Plus**, the **detergent for removing old wax** and tough dirt and stains. Its special formulation brings out the natural grainy finish of wood and breaks down wax so it may be removed.



2



Final cleaning of the floor

Use **Ultracoat Cleaner**, the **hygienising detergent by Mapei** for wood. Used neat it removes the most stubborn dirt. Diluted with water, it is excellent for daily use in rooms where maximum hygiene is required.

Gets rid of dirt from wood floors without removing previous finishing treatments. Leaves floors clean and hygienised with a pleasant fragrance.



3



Application of primer

Ultracoat Renew FL is an adhesion-promoting primer for two-component water-based finishes. Spread a thin coat on the surface with **Ultracoat Roller T3**. Leave it to dry for around 1 hour before applying the finish.



4



Application of surface finish

For a better protected and hygienic floor choose **Ultracoat HT 2K**, two-component, **aliphatic, 100% polyurethane, water-based** lacquer. Tested in compliance with **ISO 22196**.



RESISTANCE TO BACTERIA (IMSL TEST REPORT)

Strain of bacteria	Measurement method	Test standard	Result
Staphylococcus aureus	ISO 22196	≥ 99.9%	compliant
Escherichia coli	ISO 22196	≥ 99.66%	compliant
Enterococcus faecalis	ISO 22196	≥ 99.53%	compliant
Pseudomonas aeruginosa	ISO 22196	≥ 99.9%	compliant



EVERYTHING'S OK WITH MAPEI

HEAD OFFICE
MAPEI SpA
Via Cafiero, 22
20158 Milan
+39-02-37673.1
mapei@mapei.it
mapei.com

