

# MAPELEVEL EASYWDG SYSTEM

Tile levelling system for ceramic  
and stone tiles





# MapeLevel EasyWDG System

---

The **Mapei** levelling system **MapeLevel EasyWDG System** is designed for a faster and easier tile installation. Easy to install, it enables to obtain perfectly flat floor and wall coverings, even in the most difficult cases, such as the installation of large-format slabs.

Just two components and one simple movement are enough to **quickly** and **accurately** prevent lippage between adjacent tiles. For perfect tiling in less time.

**MapeLevel EasyWDG System** is mainly made of recycled plastic material, respecting the environment.



---

## Where to use

- For ceramic tiles and stone slabs on floors and walls.
- Particularly suitable when installing large format tiles.
- For tiles with thickness from 3 to 12 mm.

## System composition



### Wedges

#### MapeLevel EasyWDG



### Spacers

#### MapeLevel EasyWDG Spacer M

A complete range of coloured spacers is available depending on the width of the joint (mm)  
orange: 0.5, green: 1, grey: 1.5,  
black: 2, white: 3, yellow: 4, red: 5



### Kit

#### Kit MapeLevel EasyWDG System

150 levelling wedges +  
150 spacers (2 mm)



Before application



After application



An installation with several **advantages**

---




Manual application, no pliers required

**MapeLevel EasyWDG System** is applied by hand and is easier to regulate.




Ergonomically shaped wedge

The ergonomic shape of the wedge allows it to be inserted smoothly and quickly into the spacer clips, for a rapid and easy application.



## Special knurling

The special tight, close-pitched ribs on the surface of the wedge guarantee more precision when levelling tiles and make it easier to insert and tighten the wedge in the spacers.



## Complete range of coloured spacers

A complete range of spacers available in 7 thicknesses with different colours, to help the installer obtain perfectly straight and uniform grouts.



## Easy removal

For quick and accurate removal, spacer clips are designed to snap off perfectly below the level of the tiling.



## Reusable wedge

Once the upper parts of the spacer are removed, the wedge is easily separated from the disposable clips and can be re-used.



Easy, fast  
and **simple**


## Consumption table

Approximate number of wedges and spacers needed for a surface of 10 m<sup>2</sup>.

A																		
10	1980																	
15	1317	876																
20	495	328	490															
25	396	263	391	312														
30	660	438	488	389	431													
40	495	328	365	291	322	240												
45	440	292	324	258	285	213	189											
50	396	263	291	232	256	191	169	152										
60	330	219	242	193	212	158	141	126	105									
75	396	263	258	206	212	158	140	126	104	99								
80	371	246	241	192	198	148	131	117	97	93	87							
90	330	219	214	171	176	131	116	104	86	82	77	68						
100	297	197	192	153	157	117	104	93	77	73	68	61	54					
120	330	219	200	160	157	117	104	93	77	71	66	59	52	49				
150	330	219	192	153	146	109	96	86	71	64	60	53	47	44	38			
180	330	219	186	149	139	103	91	82	68	60	56	49	44	40	34	31		
200	347	230	192	153	140	104	92	83	68	59	55	49	44	39	33	30	28	
cm	10	15	20	25	30	40	45	50	60	75	80	90	100	120	150	180	200	B



Consumption is approximate  
and may vary according  
to tile installation layout  
and tile flatness.



EVERYTHING'S OK,  
WITH MAPEI

**HEAD OFFICE**  
**MAPEI SpA**  
Via Cafiero, 22  
20158 Milan  
+39-02-37673.1  
mapei@mapei.it  
mapei.com

