Safety Data Sheet MAPEFLOOR FINISH 451 /A

Safety Data Sheet dated: 22/03/2024 - version 4



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: MAPEFLOOR FINISH 451 /A

Trade code: 906QB9990 UFI: V9P0-F0PY-M00G-QRJ7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Solvent free protective paint

Uses advised against: Data not available.

1.3. Details of the supplier of the safety data sheet

Company: MAPEI S.p.A. - Via Cafiero, 22 - 20158 Milano

Tel. +(39)02376731 (office hours) - Fax: +39-02-37673.214 - www.mapei.it

Responsable: sicurezza@mapei.it

1.4. Emergency telephone number

Centro antiveleni, Azienda ospedaliera "Antonio Cardarelli", III Servizio di anestesia e rianimazione, via Antonio Cardarelli 9, Napoli - Tel. 081 5453333

Centro antiveleni, Azienda ospedaliera universitaria Careggi, U.O. Tossicologia medica, via Largo Brambilla 3, Firenze - Tel. 055 7947819 Centro antiveleni, Centro nazionale d'informazione tossicologica, IRCCS Fondazione Salvatore Maugeri Clinica del lavoro e della riabilitazione,

via Salvatore Maugeri 10, Pavia - Tel. 0382 24444

Centro antiveleni, Azienda ospedaliera Niguarda Ca' Granda, piazza Ospedale Maggiore 3, Milano - Tel. 02 66101029

Centro antiveleni, Azienda ospedaliera "Papa Giovanni XXIII", Tossicologia clinica, Dipartimento di farmacia clinica e farmacologia, piazza OMS 1, Bergamo - Tel. 800 883300

Centro antiveleni Policlinico "Umberto I", PRGM tossicologia d'urgenza, viale del Policlinico 155, Roma - Tel. 06 49978000

Centro antiveleni del Policlinico "Agostino Gemelli", Servizio di tossicologia clinica, largo Agostino Gemelli 8, Roma - Tel. 06 3054343

Centro antiveleni, Azienda ospedaliera universitaria Riuniti, viale Luigi Pinto 1, Foggia - Tel. 800 183459

Centro antiveleni, Ospedale pediatrico Bambino Gesù, Dipartimento emergenza e accettazione DEA, piazza Sant'Onofrio 4, Roma - Tel. 06 68593726

Centro antiveleni dell'Azienda ospedaliera universitaria integrata (AOUI) di Verona sede di Borgo Trento, piazzale Aristide Stefani, 1 - 37126 Verona - Tel. 800 011858

SECTION 2: Hazards identification



2.1. Classification of the substance or mixture

Regulation (EC) n. 1272/2008 (CLP)

Skin Sens. 1 May cause an allergic skin reaction.

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Regulation (EC) No 1272/2008 (CLP):

Hazard pictograms and Signal Word



Warning

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing mist/vapours/spray.
P273 Avoid release to the environment.

P280 Wear protective gloves/clothing and eye/face protection.

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 1 of 13

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH208 Contains tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate. May produce an allergic

reaction.

Contains

tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate

Special provisions according to Annex XVII of REACH and subsequent amendments:

None.

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

Other Hazards: No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

Not Relevant

3.2. Mixtures

Mixture identification: MAPEFLOOR FINISH 451 /A

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Numb.	Classification	Registration Number
≥20 - <25 %	tetraethyl N,N'- (methylenedicyclohexane-4,1- diyl)bis-DL-aspartate	CAS:136210-30-5 EC:429-270-1 Index:607-521- 00-8	Skin Sens. 1, H317; Aquatic Chronic 3, H412	01-0000017556-64-XXXX
≥10 - <20 %	tetraethyl N,N'- (methylenedicyclohexane-4,1- diyl)bis-DL-aspartate	CAS:136210-32-7 FC:412-060-9 Index:607-350- 00-9	Skin Sens. 1, H317; Aquatic Chronic 3, H412	01-0000015937-58-XXXX
≥0.1 - <0.25 %	2-methoxy-1-methylethyl acetate	CAS:108-65-6 EC:203-603-9 Index:607-195- 00-7	Flam. Liq. 3, H226; STOT SE 3, H336	01-2119475791-29-XXXX
≥0.01 - <0.016 %	phosphoric acid %	CAS:7664-38-2 EC:231-633-2 Index:015-011- 00-6	Met. Corr. 1, H290 Eye Dam. 1, H318 Acute Tox. 4, H302 Skin Corr. 1B, H314	01-2119485924-24-XXXX
			Specific Concentration Limits: $C \ge 25\%$: Skin Corr. 1B H314 $10\% \le C < 25\%$: Skin Irrit. 2 H315 $10\% \le C < 25\%$: Eye Irrit. 2 H319	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose of safely.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 2 of 13

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Not available

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

Retain contaminated washing water and dispose it.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

Recommendation(s)

None in particular

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 3 of 13

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Community Occupational Exposure Limits (OEL)

,	OEL Type	Country	Occupational Exposure Limit	
2-methoxy-1-methylethyl acetate CAS: 108-65-6	ACGIH		Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm Skin	1
CAS: 106-05-0				
	SUVA		Long Term: 275 mg/m3 - 50 ppm	
	National	SWEDEN	Long Term: 250 mg/m3 - 50 ppm; Short Term: 400 mg/m3 - 75 ppm SWEDEN, Short-term value, 15 minutes average value	
	National	NORWAY	Long Term: 270 mg/m3 - 50 ppm H E	
	National	FINLAND	Long Term: 270 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm FINLAND, hud	1
	NDS		Long Term: 260 mg/m3	
	NDSCh		Long Term: 520 mg/m3	
	EU		Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm Skin	1
	National	GREECE	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	DENMARK	Long Term: 275 mg/m3 - 50 ppm	
	National	BELGIUM	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	CZECH REPUBLIC	Short Term: Ceiling - 550 mg/m3	
	National	SLOVAKIA	Short Term: Ceiling - 550 mg/m3	
	EU		Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm Behaviour Indicative Possibility of significant uptake through the skin	1
	DFG	GERMANY	Short Term: Ceiling - 270 mg/m3 - 50 ppm	
	National	SWEDEN	Long Term: 275 mg/m3 - 50 ppm	
	National	FRANCE	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	SPAIN	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	FINLAND	Long Term: 270 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	GERMANY	Long Term: 270 mg/m3 - 50 ppm	
	National	PORTUGAL	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
	National	NORWAY	Long Term: 270 mg/m3 - 50 ppm; Short Term: 337.5 mg/m3 - 75 ppr	n
	NDS	POLAND	Long Term: 260 mg/m3	
	NDSCh	POLAND	Short Term: 520 mg/m3	
	CHE	SWITZERLAN D	Short Term: 275 mg/m3 - 50 ppm	
	NDS	NETHERLAND S	Long Term: 550 mg/m3	
	National	CZECH REPUBLIC	Long Term: 270 mg/m3	
	National	HUNGARY	Long Term: 275 mg/m3; Short Term: 550 mg/m3	
		ESTONIA	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
		LATVIA	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	
		SLOVAKIA	Long Term: 275 mg/m3 - 50 ppm	
		SLOVENIA	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1
		UNITED KINGDOM	Long Term: 274 mg/m3 - 50 ppm; Short Term: 548 mg/m3 - 100 ppm	
	National	BULGARIA	Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm	1

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 4 of 13

Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm National ROMANIA TUR TURKEY Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm National LITHUANIA Long Term: 250 mg/m3 - 50 ppm; Short Term: 400 mg/m3 - 75 ppm National CROATIA Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm FU Long Term: 275 mg/m3 - 50 ppm; Short Term: 550 mg/m3 - 100 ppm Behaviour Indicative Possibility of significant uptake through the skin DFG **GERMANY** Short Term: Ceiling - 4 mg/m3 **ACGIH** Long Term: 1 mg/m3; Short Term: 3 mg/m3 eye, skin and upper respiratory tract irritation National SWEDEN Long Term: 1 mg/m3 National FRANCE Long Term: 1 mg/m3 - 0.2 ppm; Short Term: 2 mg/m3 - 0.5 ppm National SPAIN Long Term: 1 mg/m3; Short Term: 2 mg/m3 National GREECE Long Term: 1 mg/m3; Short Term: 3 mg/m3 National DENMARK Long Term: 1 mg/m3 National FINLAND Long Term: 1 mg/m3; Short Term: 2 mg/m3 National GERMANY Long Term: 2 mg/m3 National PORTUGAL Long Term: 1 mg/m3; Short Term: 3 mg/m3 National NORWAY Long Term: 1 mg/m3; Short Term: 2 mg/m3 National BELGIUM Long Term: 1 mg/m3; Short Term: 2 mg/m3 NDS **POLAND** Long Term: 1 mg/m3 NDSCh POLAND Short Term: 2 mg/m3 CHE SWITZERLAN Short Term: 2 mg/m3 D NDS NETHERLAND Long Term: 1 mg/m3; Short Term: 2 mg/m3 National CZECH Long Term: 1 mg/m3 **REPUBLIC** National HUNGARY Long Term: 1 mg/m3; Short Term: 2 mg/m3 Malaysi MALAYSIA Long Term: 1 mg/m3 a OFI National ESTONIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 National LATVIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 Short Term: Ceiling - 2 mg/m3 National CZECH **REPUBLIC** National SLOVAKIA Short Term: Ceiling - 2 mg/m3 National SLOVAKIA Long Term: 1 mg/m3 National SLOVENIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 National UNITED Long Term: 1 mg/m3; Short Term: 2 mg/m3 KINGDOM National BULGARIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 National ROMANIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 TUR TURKEY Long Term: 1 mg/m3; Short Term: 2 mg/m3 National LITHUANIA Long Term: 1 mg/m3; Short Term: 2 mg/m3 Long Term: 1 mg/m3; Short Term: 2 mg/m3 National CROATIA

CHE SWITZERLAN Short Term: 4 mg/m3

Predicted No Effect Concentration (PNEC) values

EU

tetraethyl N,N'- Exposure Route: Fresh Water; PNEC Limit: 0.00013 mg/l

(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate CAS: 136210-30-5

phosphoric acid ... %

CAS: 7664-38-2

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 5 of 13

Behaviour Indicative

Long Term: 1 mg/m3; Short Term: 2 mg/m3

Exposure Route: Marine water; PNEC Limit: 0.000013 mg/l Exposure Route: Freshwater sediments; PNEC Limit: 0.21 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.02 mg/kg

tetraethyl N,N'-(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate CAS: 136210-32-7

Exposure Route: Fresh Water; PNEC Limit: 0.00013 mg/l

Exposure Route: Marine water; PNEC Limit: 0.000013 mg/l Exposure Route: Freshwater sediments; PNEC Limit: 0.21 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.02 mg/kg

Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 31.1 mg/l

Exposure Route: Soil; PNEC Limit: 0.1 mg/kg

2-methoxy-1-methylethyl Exposure Route: Fresh Water; PNEC Limit: 0.635 mg/l

acetate

CAS: 108-65-6

Exposure Route: Marine water; PNEC Limit: 0.0635 mg/l

Exposure Route: Freshwater sediments; PNEC Limit: 3.29 mg/kg Exposure Route: Marine water sediments; PNEC Limit: 0.329 mg/kg

Exposure Route: Intermittent release; PNEC Limit: 6.35 mg/l Exposure Route: Microorganisms in sewage treatments; PNEC Limit: 100 mg/l

Exposure Route: Soil; PNEC Limit: 0.29 mg/kg

Derived No Effect Level (DNEL) values

tetraethyl N,N'-Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

(methylenedicyclohexane- Worker Industry: 4 mg/kg

4,1-diyl)bis-DL-aspartate CAS: 136210-30-5

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Worker Industry: 4 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 28 mg/m3

tetraethyl N,N'-Exposure Route: Human Inhalation; Exposure Frequency: Short Term, systemic effects (methylenedicyclohexane- Worker Industry: 672 mg/m3; Consumer: 14.5 mg/m3

4,1-diyl)bis-DL-aspartate CAS: 136210-32-7

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 84 mg/m3; Consumer: 14.5 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 11.9 mg/kg; Consumer: 4.2 mg/kg

Exposure Route: Human Dermal; Exposure Frequency: Short Term, systemic effects

Consumer: 4.2 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Short Term, systemic effects

Consumer: 4.2 mg/kg

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 4.2 mg/kg

2-methoxy-1-methylethyl Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Worker Industry: 796 mg/kg; Consumer: 320 mg/kg

CAS: 108-65-6

CAS: 7664-38-2

acetate

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 275 mg/m3; Consumer: 33 mg/m3

Exposure Route: Human Oral; Exposure Frequency: Long Term, systemic effects

Consumer: 36 mg/kg

Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects

Worker Industry: 550 mg/m3

phosphoric acid ... % Exposure Route: Human Inhalation; Exposure Frequency: Short Term, local effects

Worker Industry: 2 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, local effects

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 6 of Worker Industry: 1 mg/m3; Consumer: 0.36 mg/m3

Exposure Route: Human Inhalation; Exposure Frequency: Long Term, systemic effects

Worker Industry: 10.7 mg/m3; Consumer: 4.57 mg/m3

Exposure Route: Human Dermal; Exposure Frequency: Long Term, systemic effects

Consumer: 0.1 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; EN ISO 374:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Neoprene gloves are suggested (0,5 mm) not recommended gloves: not waterproof gloves

Respiratory protection:

Personal Protective Equipment should comply with relevant CE standards (as EN ISO 374 for gloves and EN ISO 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to appropriate EN standards, like EN 136, 140, 143, 149, 14387 for information on selection and use of appropriate respiratory protection equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Appearance: liquid Color: various Odour: Odourless

Odour threshold: Not available

Melting point / freezing point: Not available Initial boiling point and boiling range: Not available

Flammability: N.A.

Lower and upper explosion limit: Not available

Flash point: Not available

Auto-ignition temperature: Not available Decomposition temperature: Not available

pH: Not available Viscosity: 3,000.00 cPs

Kinematic viscosity: Not available Solubility in water: Insoluble Solubility in oil: partly soluble

Partition coefficient (n-octanol/water): Not available

Vapour pressure: Not available Relative density: 1.60 g/cm3 Vapour density: Not available **Particle characteristics:** Particle size: Not available

9.2. Other information

Miscibility: Not available Conductivity: Not available No other relevant information

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 7 of 13

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None.

10.4. Conditions to avoid

Stable under normal conditions.

10.5. Incompatible materials

None in particular.

10.6. Hazardous decomposition products

None

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological Information of the Preparation

a) acute toxicity Not classified

Based on available data, the classification criteria are not met

Based on available data, the classification criteria are not met

c) serious eye damage/irritation Not classified

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation The product is classified: Skin Sens. 1(H317)

e) germ cell mutagenicity Not classified

Based on available data, the classification criteria are not met

f) carcinogenicity Not classified

Based on available data, the classification criteria are not met

g) reproductive toxicity Not classified

Based on available data, the classification criteria are not met

h) STOT-single exposure Not classified

Based on available data, the classification criteria are not met

i) STOT-repeated exposure Not classified

Based on available data, the classification criteria are not met

j) aspiration hazard Not classified

Based on available data, the classification criteria are not met

Toxicological information on main components of the mixture:

tetraethyl N,N'- a) acute toxicity

(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rat > 2000 mg/kg

LC50 Inhalation Rat > 4.224 mg/l 4h

tetraethyl N,N'- a) acute toxicity

(methylenedicyclohexane-4,1-diyl)bis-DL-aspartate LD50 Oral Rat > 2000 mg/kg

LD50 Skin Rat > 2000 mg/kg

LC50 Inhalation Mist Rat > 4.224 mg/l 4h

e) germ cell mutagenicity NOAEL Oral Rat = 1000 mg/kgg) reproductive toxicity NOAEL Oral Rat = 200 mg/kg

2-methoxy-1-methylethyl a) acute toxicity

acetate

LD50 Oral Rat > 5000 mg/kg

LD50 Skin Rabbit > 5000 mg/kg

LD50 Skin Rabbit > 5 g/kg

e) germ cell mutagenicity NOAEL Inhalation Rat = 1000 ppm g) reproductive toxicity NOAEL Inhalation Rat = 500 ppm

phosphoric acid ... % a) acute toxicity LD50 Skin Rabbit > 2000 mg/kg

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 8 of 13

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration >= 0.1%

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

List of Eco-Toxicological properties of the product

The product is classified: Aquatic Chronic 3(H412)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data
tetraethyl N,N'- (methylenedicyclohexane-4,1- diyl)bis-DL-aspartate	CAS: 136210- 30-5 - EINECS: 429-270-1 - INDEX: 607- 521-00-8	a) Aquatic acute toxicity: LC50 Fish = 66 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia = 88.6 mg/L 48
tetraethyl N,N'- (methylenedicyclohexane-4,1- diyl)bis-DL-aspartate	CAS: 136210- 32-7 - EINECS: 412-060-9 - INDEX: 607- 350-00-9	a) Aquatic acute toxicity: LC50 Fish = 66 mg/L 96
		a) Aquatic acute toxicity: EC50 Daphnia = 88.6 mg/L 48
		b) Aquatic chronic toxicity : NOEC Daphnia = $0.01 \text{ mg/L} - 21 \text{ d}$
		a) Aquatic acute toxicity: EC50 Algae = 113 mg/L 72
		c) Bacteria toxicity: EC50 = 3110 mg/L 3
		d) Terrestrial toxicity: NOEC = 1000 mg/kg - 14 d
		e) Plant toxicity: NOEC = 100 mg/kg - 14 d
2-methoxy-1-methylethyl acetate	CAS: 108-65-6 - EINECS: 203- 603-9 - INDEX: 607-195-00-7	a) Aquatic acute toxicity: LC50 Fish = 130 mg/L 96h
		a) Aquatic acute toxicity: EC50 Daphnia >= 100 mg/L 48h
		b) Aquatic chronic toxicity: NOEC Fish = 47.5 mg/L - 14 d
		b) Aquatic chronic toxicity : NOEC Daphnia \geq 100 mg/L - 21 d
		b) Aquatic chronic toxicity: NOEC Algae >= 1000 mg/L
phosphoric acid %	CAS: 7664-38-2 - EINECS: 231- 633-2 - INDEX: 015-011-00-6	a) Aquatic acute toxicity: EC50 Daphnia > 100 mg/L 48h

12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

12.4. Mobility in soil

N.A.

12.5. Results of PBT and vPvB assessment

No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%

12.6. Endocrine disrupting properties

No endocrine disruptor substances present in concentration >=0.1%

12.7. Other adverse effects

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 9 of 13

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

A waste code (EWC) according to European List of Waste (LoW) cannot be specified, due to dependence on the usage. Contact and send to an authorized waste disposal service.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Hazardous waste: Yes Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

SECTION 14: Transport information

Not classified as dangerous in the meaning of transport regulations.

14.1. UN number or ID number

Not Applicable

14.2. UN proper shipping name

Not Applicable

14.3. Transport hazard class(es)

Not Applicable

14.4. Packing group

Not Applicable

14.5. Environmental hazards

Not Applicable

14.6. Special precautions for user

Not Applicable

Road and Rail (ADR-RID):

ADR-Hazard identification number: NA

Not Applicable

Air (IATA):

Not Applicable

Sea (IMDG):

Not Applicable

14.7. Maritime transport in bulk according to IMO instruments

Not Applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC (2004/42/EC): 100 (A+B) g/l

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EU) n. 2020/878

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 10of
 13

```
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2019/521 (ATP 12 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)
Regulation (EU) n. 2020/217 (ATP 14 CLP)
Regulation (EU) n. 2020/1182 (ATP 15 CLP)
Regulation (EU) n. 2021/643 (ATP 16 CLP)
Regulation (EU) n. 2021/849 (ATP 17 CLP)
```

Provisions related to directive EU 2012/18 (Seveso III):

None

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product: 3

Regulation (EU) n. 2022/692 (ATP 18 CLP)

Restrictions related to the substances contained: 40, 75

SVHC Substances:

SVHC substances not present in a concentration $\geq 0.1\%$ (w/w)

National regulations

Lagerklasse (TRGS-510): 10 - Combustible liquids, that cannot be assigned to any of the aforementioned LGK

German Water Hazard Class.

Class 2: hazardous for water.

Regulation (UE) 2019/1148 (Explosive precursors): No substances contained

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Code	Description
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H412	Harmful to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
2.16/1	Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
2.6/3	Flam. Liq. 3	Flammable liquid, Category 3
3.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
3.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
3.2/2	Skin Irrit. 2	Skin irritation, Category 2
3.3/1	Eye Dam. 1	Serious eye damage, Category 1
3.3/2	Eye Irrit. 2	Eye irritation, Category 2
3.4.2/1	Skin Sens. 1	Skin Sensitisation, Category 1
3.8/3	STOT SE 3	Specific target organ toxicity — single exposure, Category 3
4.1/C3	Aquatic Chronic 3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation Classification procedure (EC) Nr. 1272/2008

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 11 of
 13

Skin Sens. 1, H317

Calculation method

Aquatic Chronic 3, H412

Calculation method

If appropriate, specific provisions in relation to possible training for workers are mentioned in section 2. Any training related to safety in the workplace must in any case refer to a risk assessment that must be carried out by a company safety officer taking into account the specific operating and environmental conditions in which the products are used.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: KAFH

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration

 Print date
 22/03/2024
 Production Name
 MAPEFLOOR FINISH 451 /A
 Page n.
 12of
 13

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

PSG: Passengers

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Paragraphs modified from the previous revision:

- SECTION 2: Hazards identification
- SECTION 3: Composition/information on ingredients
- SECTION 5: Firefighting measures
- SECTION 6: Accidental release measures
- SECTION 7: Handling and storage
- SECTION 8: Exposure controls/personal protection
- SECTION 9: Physical and chemical properties
- SECTION 11: Toxicological information
- SECTION 12: Ecological information
- SECTION 15: Regulatory information
- SECTION 16: Other information

Print date 22/03/2024 Production Name MAPEFLOOR FINISH 451 /A Page n. 13of 13