

SELECTION CHART OF CHOOSING ADHESIVES FOR INSTALLING PARQUET





***Selection chart of choosing
Adhesives for installing parquet***





Primer MF EC Plus



Two-component, solvent-free, low viscosity, epoxy primer with a very low emission level of volatile organic compounds (VOC), for consolidating and waterproofing cementitious substrates.

Quartz 1.2



Calibrated silica sand to improve the bond on resin or epoxy primers.



Ultrabond Eco P909 2K Plus



Two-component, solvent-free, polyurethane adhesive with very low emission of volatile organic compounds for bonding all types of solid wood or multi-layered pre-finished wooden flooring on any kind of substrate, including heating systems. It can be used by tillers allergic to epoxy-polyurethane products.

Ultrabond P913 2K



Two-component epoxy-polyurethane adhesive for medium-sized solid wooden slats and all types of pre-finished wooden floors.

Ultrabond P902 2K



Two-component epoxy-polyurethane adhesive for bonding all types and sizes of parquet on screeds made from MAPECEM, MAPECEM PRONTO, TOPCEM or TOPCEM PRONTO, cementitious screeds, old wooden, ceramic, marble, and terrazzo floors, etc. Also suitable for heated substrates.

Lignobond



Two-component, water and solvent-free epoxy-polyurethane adhesive for laying parquet. Suitable for laying any size and type of wood on all substrates. Ideal for heated screeds.



Ultrabond Eco S948 1K



One-component, solvent-free, silitated polymer adhesive with very low emission level of volatile organic compounds (VOC).



Ultrabond Eco S955 1K



One-component, solvent-free, silitated polymer adhesive with very low emission level of volatile organic compounds (VOC), for all types of parquet.



Ultrabond S965 1K



One-component, solvent-free, silitated polymer adhesive with very low emission level of volatile organic compounds (VOC), for all types of parquet.



Ultrabond Eco S968 1K



One-component, solvent-free, silitated polymer adhesive with very low emission level of volatile organic compounds (VOC).



Ultracoat Universal Base



One-component, NMP-free, water-based rapid undercoat, with low emission of volatile organic compounds (VOC) for wooden floors.

Ultracoat Solvent Base



Solventborne, alcohol-based, quick-drying base coat, for wooden floors.

Ultracoat Base One



One-component, water-based, fast and toning base coat with very low emission of volatile organic compounds (VOC), NMP-free, for wooden floors.

Ultracoat Premium Base



Two-component, NMP-free, water-based undercoat with very low emission of volatile organic compounds (VOC) and high insulating capacity, for preparing solid and pre-sanded wooden floors and wooden floors under repair for water-based finishing cycles.



Ultracoat High Traffic



Two-component, NMP-free, 100% polyurethane water-based varnish with high resistance to wear and abrasion and very low emission of volatile organic compounds (VOC), for wooden floors. Suitable for floors subject to extremely high pedestrian use.



Ultracoat Soft Touch Base



One-component, rapid drying, water-based primer for preparing wooden floors before applying ULTRACOAT SOFT TOUCH FINISH. Product with low emission of volatile organic compounds (VOC), NMP-free.



Ultracoat Soft Touch Finish



Two-component, water-based, 100% polyurethane varnish with low emission of volatile organic compounds (VOC). Natural, soft finish for protecting wooden floors in residential and commercial environments.



Ultracoat Oil Wax



Water and oil-repellent oil/wax finish with very little odour used to protect wooden surfaces and give them a delicate, warm colour

Ultracoat Oil Care




Natural drying resin oil in water dispersion for finishing wooden floors treated with oil.



Ultracoat Polish Matt



Protective wear and stain-resistant polish for wooden floors.



PRIMERS, BONDING PROMOTERS, CONSOLIDATING AND WATERPROOFING PRODUCTS



Eco Prim PU 1K

One-component, solvent-free, moisture curing polyurethane primer with a very low emission level of volatile organic compounds (VOC), for consolidating and waterproofing cementitious screeds.



Eco Prim PU 1K Turbo

One-component, solvent-free, moisture curing, rapid-drying polyurethane primer with a very low emission level of volatile organic compounds (VOC), for consolidating and waterproofing cementitious screeds.



Primer MF

Two-component, solvent-free epoxy primer used as bonding promoter for products from the MAPEFLOOR range, for consolidating and waterproofing against residual damp on cementitious substrates and as anti-dust impregnator on concrete floors.

ADHESIVES PRODUCTS FOR PARQUET



Adesilex LC/R

Quick-setting, solvent-free adhesive in water dispersion for bonding wooden floors. ADESILEX LC/R is suitable for bonding on cementitious screeds made from MAPECEM, MAPECEM PRONTO, TOPCEM or TOPCEM PRONTO, wooden substrates, chip-board, masonite panels and heated floors.



Ultrabond Eco S940 1K

One-component, solvent-free, ready-to-use, flexible, siliate polymer-based thixotropic adhesive for laying wooden steps and parquet mosaic.



Ultrabond Eco S909 2K

Two-component, polymer adhesive with very low emission level of volatile organic compounds, for all types of parquet.



Ultrabond P980 1K

One-component, solvent-free polyurethane adhesive with a very low emission level of volatile organic compounds (VOC), for bonding pre-finished, multi-layered parquet.



Ultrabond P990 1K

One-component, ready-to-use, solvent-free, flexible polyurethane adhesive for all types of parquet on screeds made from MAPECEM, MAPECEM PRONTO, TOPCEM and TOPCEM PRONTO, cementitious screeds, old wooden, ceramic, marble and terrazzo floors, etc. Also suitable for heated substrates.



Ultrabond Eco S940 1K

One-component, solvent-free, siliate polymer-based adhesive, with very low emission of volatile organic compounds (VOC).

LACQUERS



Ultracoat Filler S1

Solventborne, alcohol-based, quick-drying filler, to be mixed with sanding dust from the floor sanding process.



Ultracoat Binder

Solvent and NMP-free, water-based binder, mixed with wood flour filler from any type of wood, including Merbau, for grouting wooden floors. Suitable for ULTRACOAT water-based varnishing cycles and ULTRACOAT OIL.




Ultracoat Aqua Plus

Solvent and NMP-free, odourless, water-based binder, mixed with wood flour filler, for grouting wooden floors. Suitable for ULTRACOAT water-based varnishing cycles and ULTRACOAT OIL.



Ultracoat Toning Base

Two-component, water-based toning undercoat with high insulating properties, very low emission of volatile organic compounds (VOC) and no NMP for preparing solid and pre-sanded wooden floors and wooden floors under repair prior to applying ULTRACOAT water-based finishing cycles.



Ultracoat Easy Plus


One-component, water-based 100% polyurethane varnish with very low emission level of volatile organic compounds (VOC) and no NMP, highly resistant to wear and abrasion, for wooden floors. Suitable for floors subject to frequent pedestrian use.



Ultracoat Traffic MT


Two-component, water-based acrylic-polyurethane varnish for wooden floors with high resistance to wear and abrasion and very low emission of volatile organic compounds (VOC). Suitable for floors exposed to medium to high pedestrian use.

OILS



Ultracoat Oil

Natural drying oil resin for treating wooden floors with an oil finish.



Ultracoat Oil Plus

Low-odour urethane oil finish for wooden floors. It can be painted over with the ULTRACOAT finishes.



Ultracoat Oil Color

Low-odour urethane oil finish for colouring wooden floors. It can be painted over with the ULTRACOAT finishes.

COMPLEMENTARY PRODUCTS FOR LAYING PARQUET



Ultracoat Universal Cleaner

Concentrated detergent developed for cleaning wooden floors.




Ultracoat Remover Plus

Detergent to remove old wax and stubborn dirt.



Ultracoat Polish Anti-Slip

Natural anti-slip protection for wooden floors.



● PRIMERS

1

● ADHESIVES

2

● LACQUERS

3

● OILS

4

● MAINTENANCE





5

1

Primer

Consolidating cementitious and anhydrite screeds with or without heating system















Waterproofing cementitious screeds

	Eco Prim PU 1K	<input type="checkbox"/>	<input type="checkbox"/>
	Eco Prim PU 1K Turbo	<input type="checkbox"/>	<input type="checkbox"/>
	Primer MF	<input type="checkbox"/>	<input type="checkbox"/>
	Primer MF EC Plus	<input type="checkbox"/>	<input type="checkbox"/>



RECOMMENDED








Adhesives

		Large solid wooden planks with tongue and groove joints	Medium solid wooden planks with tongue	Pre-finished flooring for large sites	Pre-finished flooring for special colours	Small solid wooden planks without tongue and groove joints
	Adesilex LC/R					<input type="checkbox"/>
	Ultrabond S997 1K					
	Ultrabond Eco P909 2K	<input type="checkbox"/>				<input checked="" type="checkbox"/>
	Ultrabond Eco P909 2K Plus	<input type="checkbox"/>				<input type="checkbox"/>
	Ultrabond P913 2K		<input type="checkbox"/>	<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>
	Ultrabond P902 2K	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
	Lignobond	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>
	Ultrabond P980 1K			<input checked="" type="checkbox"/>		
	Ultrabond P990 1K	<input type="checkbox"/>		<input type="checkbox"/>		
	Ultrabond Eco S940 1K		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	Ultrabond Eco S948 1K		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	Ultrabond Eco S955 1K	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	
	Ultrabond S965 1K	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
	Ultrabond Eco S968 1K	<input type="checkbox"/>		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Lacquers

		Fire resistant system	Residential system	System with low traffic	System with medium traffic	System with intense traffic
	Ultracoat Filler S1		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ultracoat Binder	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ultracoat Aqua Plus	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ultracoat Universal Base			<input type="checkbox"/>	<input type="checkbox"/>	
	Ultracoat Solvent Base		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Ultracoat Base One		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Ultracoat Premium Base	<input type="checkbox"/>				<input type="checkbox"/>
	Ultracoat Toning Base					<input type="checkbox"/>
	Ultracoat Easy Plus			<input type="checkbox"/>		
	Ultracoat Traffic MT		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
	Ultracoat High Traffic	<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>
	Ultracoat Soft Touch Base		<input type="checkbox"/>			
	Ultracoat Soft Touch Finish		<input type="checkbox"/>			






Oils

		Wooden floors for residential use	Low intensity traffic wooden floors	Medium intensity traffic wooden floors
	Ultracoat Oil	<input type="checkbox"/>		
	Ultracoat Oil Plus	<input type="checkbox"/>	<input type="checkbox"/> *	<input type="checkbox"/> *
	Ultracoat Oil Color	<input type="checkbox"/>	<input type="checkbox"/> *	<input type="checkbox"/> *
	Ultracoat Oil Wax	<input type="checkbox"/>	<input type="checkbox"/>	
	Ultracoat Oil Care	<input type="checkbox"/>		

RECOMMENDED * ONLY IN COMBINATION WITH ULTRACOAT LACQUER




Maintenance

		Maintenance of wooden floors for residential use subject to low intensity traffic	Maintenance of wooden floors subject to medium, high and extremely high intensity traffic	Floorings treated with Ultracoat Oil, Ultracoat Oil Plus, Ultracoat Oil Color and Ultracoat Oil Wax
	Ultracoat Cleaner	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Ultracoat Polish Anti-Slip	<input type="checkbox"/>		
	Ultracoat Polish Matt		<input type="checkbox"/>	
	Ultracoat Remover Plus	<input type="checkbox"/> **	<input type="checkbox"/> **	
	Ultracoat Oil Care			<input type="checkbox"/>

RECOMMENDED

** ONLY FOR REMOVING OLD COATS OF ULTRACOAT POLISH ANTI-SLIP AND ULTRACOAT POLISH MATT





● **Technical documentation**

From the technical area menu you can view the technical documentation divided per product lines and type of document.

HEAD OFFICE
MAPEI SpA
Via Cafiero, 22 - 20158 Milan
Tel. +39-02-37673.1
Fax +39-02-37673.214
Internet: www.mapei.com
E-mail: mapei@mapei.it

