



Ultratop Living

The new cementitious system
for seamless floors

Cementitious-based
flooring system



Ultratop Living

Self-levelling, ultra-fast setting mortar applied in layers 5 to 15 mm thick for internal floors with high resistance to abrasion and a pronounced textured effect.



Ultratop Living offers an infinite range of solutions to create decorative floors for a wide range of sectors of the civil building industry: public, private, commercial and residential, such as shopping centres, hotels, offices, shops, show-rooms, apartments, etc.

AREAS OF USE

Ultratop Living is used in private, commercial and retail environments to create smooth, flat finished floors on new substrates and existing concrete or ceramic floors to make them resistant to light traffic such as pedestrian use.

PERFORMANCE CHARACTERISTICS

Ultratop Living is highly resistant to abrasion, has a good level of compressive and flexural strength, adheres perfectly to substrates and dries out quickly, allowing finishing operations to be carried out within an extremely short space of time.



Priming the substrate



Primer SN + Quartz1.2

Application of the self-levelling mortar



Ultratop Living

Finishing and waxing the surface



Mapefloor Finish 52 W + Mapelux Opaca

Ultratop Living colour chart



White



Light grey



Anthracite



Natural

Note: the colours indicated are purely representative and may vary due to printing limitations



TECHNICAL CHARACTERISTICS

Type:

self-levelling cementitious mortar



Thickness:

from 5 to 15 mm



Colours available:

white, light grey, anthracite and natural (beige to light brown)

Classification according to EN 13813:

CT - C30 - F7 - A12 - A2_{fl}-s1

EMICODE certification:

EC1R - very low emission of volatile organic compounds

Suitable for:

light traffic, pedestrian use

PRODUCTS USED IN THE SYSTEM

- **Primer**

Primer SN
Quartz 1.2

- **Self-levelling mortar**

Ultratop Living

- **Finishing coat**

Finishing products from the **Mapefloor Finish** range
(contact the Mapei Technical Services Department for advice
on choosing the most suitable product)

- **Waxing**

Mapelux Lucida or **Mapelux Opaca**



Mapei S.p.A.

Via Cafiero, 22 – 20158 Milan - Italy

Tel. +39 02 37673.1

Fax +39 02 37673.214

Internet: www.mapei.com

E-mail: mapei@mapei.it