


Aquaflex Roof and Aquaflex Roof HR

**READY-TO-USE ELASTIC MEMBRANES
FOR WATERPROOFING**



Couldn't be
easier!



Aquaflex Roof

Ready-to-use liquid elastic membrane with fibres for seamless waterproofing layers on external exposed surfaces


Characteristics and advantages:

- Resistant to atmospheric agents and UV rays;
- Easy to apply;
- Elastic with high crack-bridging capacity (300%);
- Excellent adhesion to a multitude of surfaces;
- Resistant to light foot traffic;
- Non-toxic and non-flammable;
- Supplied ready for use.

Packaging

5 and 20 kg drums.

Colours available (*)



() Due to the printing processes involved, colours should be taken as merely indicative of the shades of the actual product.*



Application examples:

Bituminous sheath



Cleaning the substrate



Applying the primer



Applying the membrane

Concrete structure



Prepared substrate



Applying the membrane



Completed application

Ceramic flooring



Prepared substrate



Applying the membrane



Completed application

Types of substrate where Aquaflex Roof and Aquaflex Roof HR may be applied:



Bituminous sheath



Concrete structure



Ceramic flooring

Aquaflex Roof HR

Fibre-filled liquid membrane in watery emulsion with high solar reflectance and thermal emissivity with a solar reflectance index (SRI) of 105

Characteristics and advantages:

- 83% solar reflectance;
- 91% thermal emissivity;
- SRI (*Solar Reflectance Index*) 105;
- Reduces the surface temperature of roofs by 50% compared with a dark coloured covering;
- Resistant to atmospheric agents and UV rays;
- Easy to apply;
- Elastic with high crack-bridging capacity (300%);
- Excellent adhesion to a multitude of surfaces;
- Resistant to light foot traffic;
- Supplied ready for use.

Packaging


20 kg drums.

Colours available (*)

White

(high reflective)



-  **PRODUCTS FOR CERAMICS AND STONE MATERIALS**
-  **PRODUCTS FOR RESILIENT AND TEXTILE MATERIALS**
-  **PRODUCTS FOR WOODEN FLOORING**
-  **PRODUCTS FOR CEMENTITIOUS AND RESIN FLOORING**
-  **PRODUCTS FOR ACOUSTIC INSULATION**
-  **PRODUCTS FOR BUILDING**
-  **ADMIXTURES FOR CONCRETE**
-  **PRODUCTS FOR STRUCTURAL STRENGTHENING**
-  **PRODUCTS FOR THE REPAIR OF MASONRY**
-  **PRODUCTS FOR THERMAL INSULATION**
-  **WALL PROTECTIVE AND DECORATIVE COATINGS**
-  **PRODUCTS FOR WATERPROOFING**
-  **PRODUCTS FOR UNDERGROUND CONSTRUCTIONS**
-  **ELASTIC SEALANTS AND ADHESIVES**
-  **GRINDING AIDS FOR CEMENT**



HEADQUARTERS

MAPEI SpA

Via Cafiero, 22 - 20158 Milan

Tel. +39-02-37673.1

Fax +39-02-37673.214

Internet: www.mapei.com

E-mail: mapei@mapei.it



/mapeispa

