

1. Chemical Product and company Identification

Product identifier

Mixture identification:

Trade name: MAPEFLOOR CPU MF CN /C Trade code: 903JX9998 Registration Number N/A

Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Cement based powder adhesive

Uses advised against: Not available

Details of the supplier of the safety data sheet

Company: MAPEI CHINA - Mapei Costruction Materials (Guangzhou) co. Ltd

Hong Fu Loi International Building - Rm. 2003-2004, Yan Jiang Zhong Road Guangzhou P.R. China

enquiry@mapei.com.cn

Emergency telephone number

Phone: 86-20-83653489 - Fax: 86-20-83653481 - (office hours)

2. Hazards identification



Emergency overview:

Not available

Classification of the substance or mixture

| Skin Irrit. 2 | Causes skin irritation. |
|---------------|--------------------------------------|
| Eye Dam. 1 | Causes serious eye damage. |
| Skin Sens. 1B | May cause an allergic skin reaction. |
| STOT SE 3 | May cause respiratory irritation. |

Label elements

Pictograms and Signal Words



Hazard statements:

| H315 | Causes skin irritation. |
|------|--------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |

H335 May cause respiratory irritation.

Precautionary statements:

| | - | |
|---------|---------|--|
| P260 | | Do not breathe dust. |
| P264 | | Wash hands thoroughly after handling. |
| P271 | | Use only outdoors or in a well-ventilated area. |
| P280 | | Wear protective gloves/protective clothing/eye protection/face protection. |
| P302+P3 | 52 | IF ON SKIN: Wash with plenty of water. |
| P304+P3 | 40 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P305+P3 | 51+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | | Immediately call a doctor. |
| P321 | | Specific treatment (see supplementary instructions on this label) |
| P333+P3 | 13 | If skin irritation or rash occurs: Get medical advice/attention. |
| | | |

| P362+P364 | Take off contaminated clothing and wash it before reuse. | | | | |
|------------------|--|--|---|-----------------------|--|
| P403+P233 | Store in a well-ventilated place. | Store in a well-ventilated place. Keep container tightly closed. | | | |
| P501 | Dispose of contents/container in | Dispose of contents/container in accordance with applicable regulations. | | | |
| Hazards identi | fication: | | | | |
| Physica | l hazards: Not available | | | | |
| Health I | hazards: Not available | | | | |
| Environ | mental hazards: Not available | | | | |
| Other hazards | | | | | |
| | No PBT/vPvB Ingredients are preser | nt | | | |
| Other Hazards: I | No other hazards | | | | |
| | | | | | |
| 2 Compositio | on/information on ingredients | | | | |
| Substances | on mation on ingredients | | | | |
| Not ava | ilable | | | | |
| Mixtures | | | | | |
| | ation: MAPEFLOOR CPU MF CN /C | | | | |
| List of compon | ents | | | | |
| Concentration | | Ident. Numb. | Classification | Registration Number | |
| (% w/w) | Nume | | classification | Registration Number | |
| ≥25 - <50 % | portland cement, Cr(VI) < 2 ppm | CAS:65997-15-1 EC:266-043-4 | Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335 | | |
| ≥2.5 - <5 % | calcium hydroxide | CAS:1305-62-0 | Skin Irrit. 2, H315; Eye Dam. 1, | 01-2119475151-45-XXXX | |

EC:215-137-3

4. First aid measures

Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

H318; STOT SE 3, H335

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

Most important symptoms and effects, both acute and delayed

Eye irritation Eye damages Skin Irritation Erythema Advices for first aid responders Not available Indication of any immediate me

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). (see paragraph 4.1)

5. Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Extinguishing media which must not be used for safety reasons:

None in particular.

Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases. Burning produces heavy smoke.

Advice for firefighters and protective measures

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

See also section 8 and 13

Precautionary measures to prevent the occurrence of secondary hazard

Not available

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Always keep in a well ventilated place.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. Exposure controls/personal protection

Control parameters

No data available

Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use adequate protective respiratory equipment.

Hygienic and Technical measures

Not available

Appropriate engineering controls:

Not available

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Solid Appearance and colour: powder white Odour: cement like Odour threshold: Not available pH: Not available Melting point / freezing point: Not available Initial boiling point and boiling range: Not available Flash point: Not available Evaporation rate: Not available Upper/lower flammability or explosive limits: Not available Vapour density: Not available Vapour pressure: Not available Relative density: 1,50 g/cm3 Solubility in water: Not available Solubility in oil: Not available Partition coefficient (n-octanol/water): Not available Auto-ignition temperature: Not available Decomposition temperature: Not available Viscosity: Not available Explosive properties: Not available Oxidizing properties: Not available Solid/gas flammability: Not available Volatile Organic compounds - VOCs = Not available

Other information

Substance Groups relevant properties Not available Miscibility: Not available Conductivity: Not available

10. Stability and reactivity

Chemical stability

Data not available. Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information Information on toxicological effects

Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

Toxicological information on main components of the mixture:

| calcium hydroxide | a) acute toxicity | LD50 Oral Rat > 2000 mg/kg |
|-------------------|-------------------|-------------------------------|
| | | LD50 Skin Rabbit > 2500 mg/kg |
| | | LD50 Oral Rat = 7340 mg/kg |

If not differently specified, the information required in the regulation and listed below must be considered as N.A.

a) acute toxicity

b) skin corrosion/irritation

- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity

f) carcinogenicity

g) reproductive toxicity

h) STOT-single exposure

Toxicological kinetics, metabolism and distribution information

i) STOT-repeated exposure

j) aspiration hazard

Toxicological kinetics, metabolism and distribution information

12. Ecological information

Toxicity

Adopt good working practices, so that the product is not released into the environment. Eco-Toxicological Information:

List of components with eco-toxicological properties

| Component | Ident. Numb. | Ecotox Infos | |
|-------------------|--------------------------------------|--|----------------|
| calcium hydroxide | CAS: 1305-62-0 - INDEX: 215-137-3 | a) Aquatic acute toxicity : LC50 Fish = 50 | 0.6 mg/L 96 |
| | | a) Aquatic acute toxicity : LC50 Fish = 4 | 57 mg/L 96 |
| | | a) Aquatic acute toxicity: EC50 Daphnia | = 49.1 mg/L 48 |

Persistence and degradability

Not available

Bioaccumulative potential

Not available

Mobility in soil

Not available

Other adverse effects

Not available

13. Disposal considerations

Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

a) Aquatic acute toxicity : EC50 Algae = 184.57 mg/L 72

e) Plant toxicity : NOEC = 1080 mg/kg - 21 d

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

Not classified as dangerous in the meaning of transport regulations.

UN number

Not available

UN proper shipping name

Not available

Transport hazard class(es) Not available Packing group Not available Environmental hazards Not available Special precautions for user Not available Road and Rail (ADR-RID) : Not available Air (IATA) : Not available Sea (IMDG) : Not available

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical classification, hazard labelling and precautionary statements according to GB30000.2-2013 ~ GB30000.29-2013.

Catalogue of Hazardous Chemicals:

| portland cement, Cr(VI) < 2 ppm | 65997-15-1 |
|---------------------------------|------------|
| calcium hydroxide | 1305-62-0 |

Catalogue of Highly Toxic Chemicals:

Substance(s) listed under Catalogue of Highly Toxic Chemicals:

No substance(s) listed.

16. Other information

Safety Data Sheet dated: 31/08/2020 - version 1

This document was prepared by a competent person who has received appropriate training.

This SDS complies with "Safety data sheet for chemical product – Content and order of sections" (GB/T 16483-2008) and "Guidance on the compilation of safety data sheet for chemical products" (GB/T 17519-2013). The classification of the product in this SDS complies with "Rules for classification and labelling of chemicals" (GB30000.2-2013 ~ GB30000.29-2013).

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand

COV: Volatile Organic Compound

CSA: Chemical Safety Assessment

CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive

DSD: Dangerous Substances Directive

EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances. ES: Exposure Scenario GefStoffVO: Ordinance on Hazardous Substances, Germany. GHS: Globally Harmonized System of Classification and Labeling of Chemicals. IARC: International Agency for Research on Cancer IATA: International Air Transport Association. IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA). IC50: half maximal inhibitory concentration ICAO: International Civil Aviation Organization. ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO). IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients. IRCCS: Scientific Institute for Research, Hospitalization and Health Care KSt: Explosion coefficient. LC50: Lethal concentration, for 50 percent of test population. LD50: Lethal dose, for 50 percent of test population. LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable N/D: Not defined/ Not available NA: Not available NIOSH: National Institute for Occupational Safety and Health NOAEL: No Observed Adverse Effect Level OSHA: Occupational Safety and Health Administration. PBT: Persistent, Bioaccumulative and Toxic PGK: Packaging Instruction PNEC: Predicted No Effect Concentration. **PSG:** Passengers RID: Regulation Concerning the International Transport of Dangerous Goods by Rail. STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity. TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.

Disclaimer:

The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this SDS should make independent judgment for the applicability of this SDS under special conditions. In these special cases, we do not assume responsibility for the damage.