

## Safety Data Sheet

### SILICAJET ST AKS

Safety Data Sheet dated 27/11/2012, version 1



#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier  
Trade name: SILICAJET ST AKS
- 1.2. Relevant identified uses of the substance or mixture and uses advised against  
Ogano mineral resin catalyst  
Uses advised against: ==
- 1.3. Details of the supplier of the safety data sheet  
Supplier:  
MAPEI S.p.A. -Via Cafiero 22 - Milan -ITALY  
Competent person responsible for the safety data sheet:  
sicurezza@mapei.it
- 1.4. Emergency telephone number  
MAPEI S.p.A. - Tel. +(39)02376731 - (office hours)  
Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029

#### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture  
Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

-  Xn Harmful
-  Xi Irritant

R Phrases:

- R22 Harmful if swallowed.
- R36/38 Irritating to eyes and skin.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements



Xn

Symbols:

-  Xn Harmful

R Phrases:

- R22 Harmful if swallowed.
- R36/38 Irritating to eyes and skin.

S Phrases:

- S25 Avoid contact with eyes.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S37 Wear suitable gloves.

Contents:

2,4,6-tris(dimethylaminomethyl)phenol

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

## Safety Data Sheet

### SILICAJET ST AKS

vPvB Substances: None - PBT Substances: None  
Other Hazards:  
No other hazards

#### SECTION 3: Composition/information on ingredients

3.1. Substances  
N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and corresponding classification:

75% - 100% 2,4,6-tris(dimethylaminomethyl)phenol  
Index number: 603-069-00-0, CAS: 90-72-2, EC: 202-013-9

Xn,Xi; R22-36/38

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 3.2/2 Skin Irrit. 2 H315

⚠ 3.1/4/Oral Acute Tox. 4 H302

#### SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Give nothing to eat or drink.

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

A suspension of activated charcoal in water, or petroleum jelly may be administered.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

The product is harmful following acute exposure to it and poses a serious health threat if ingested.

If brought into contact with the eyes, the product causes irritation that may last for over 24 hours, and if brought into contact with the skin it causes significant inflammation with erythema, scabs, and oedema.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

(see paragraph 4.1)

#### SECTION 5: Firefighting measures

7362701/1

Page n. 2 of 9

## Safety Data Sheet

### SILICAJET ST AKS

- 5.1. Extinguishing media  
Suitable extinguishing media:  
None in particular.  
Water.  
Extinguishing media which must not be used for safety reasons:  
None in particular.
- 5.2. Special hazards arising from the substance or mixture  
Do not inhale explosion and combustion gases.  
Burning produces heavy smoke.  
The original ingredients or unidentified toxic and/or irritant compounds may be present in the combustion fumes.
- 5.3. Advice for firefighters  
Use suitable breathing apparatus .  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures  
Wear personal protection equipment.  
Remove persons to safety.  
See protective measures under point 7 and 8.
- 6.2. Environmental precautions  
Limit leakages with earth or sand.  
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- 6.3. Methods and material for containment and cleaning up  
Rapidly recover the product, wearing protective clothing.  
Suitable material for taking up: absorbing material, organic, sand  
Wash with plenty of water.  
Retain contaminated washing water and dispose it.
- 6.4. Reference to other sections  
See also section 8 and 13

#### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling  
Avoid contact with skin and eyes, inhalation of vapours and mists.  
Don't use empty container before they have been cleaned.  
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
Contaminated clothing should be changed before entering eating areas.  
Do not eat or drink while working.  
See also section 8 for recommended protective equipment.
- 7.2. Conditions for safe storage, including any incompatibilities  
Always keep the containers tightly closed.  
Keep away from food, drink and feed.  
Incompatible materials:  
None in particular.  
Instructions as regards storage premises:  
Adequately ventilated premises.
- 7.3. Specific end use(s)  
None in particular

## Safety Data Sheet

### SILICAJET ST AKS

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

No occupational exposure limit available

##### DNEL Exposure Limit Values

N.A.

##### PNEC Exposure Limit Values

N.A.

##### 8.2. Exposure controls

##### Eye protection:

Safety goggles.

Use close fitting safety goggles, don't use eye lens.

##### Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

##### Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

The use of LLPDE (0,06 mm), nitrile (0,4) or butyl (0,5 mm) gloves is suggested.

Latex gloves are not recommended.

##### Respiratory protection:

Not needed for normal use.

Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the suitability of equipment against specific chemicals and for user information.

##### Thermal Hazards:

None

##### Environmental exposure controls:

None

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Appearance:	liquid
Colour:	light yellow
Odour:	typical
Odour threshold:	N.A.
pH:	==
Melting point / freezing point:	== °C
Initial boiling point and boiling range:	N.A.
Solid/gas flammability:	N.A.
Upper/lower flammability or explosive limits:	N.A.
Vapour density:	N.A.
Flash point:	> 60 °C
Evaporation rate:	N.A.
Vapour pressure:	N.A.
Relative density:	0,969 g/cm <sup>3</sup> (23°C)
Vapour density (air=1):	N.A.
Solubility in water:	partly soluble
Solubility in oil:	N.A.
Viscosity:	200 mPa.s (23°C)
Auto-ignition temperature:	N.A.

## Safety Data Sheet

### SILICAJET ST AKS

Explosion limits(by volume):	N.A.
Decomposition temperature:	N.A.
Partition coefficient (n-octanol/water):	N.A.
Explosive properties:	N.A.
Oxidizing properties:	N.A.
9.2. Other information	
Miscibility:	N.A.
Fat Solubility:	N.A.
Conductivity:	N.A.
Substance Groups relevant properties	N.A.

#### SECTION 10: Stability and reactivity

- 10.1. Reactivity  
Stable under normal conditions
- 10.2. Chemical stability  
Stable under normal conditions
- 10.3. Possibility of hazardous reactions  
None
- 10.4. Conditions to avoid  
Stable under normal conditions.
- 10.5. Incompatible materials  
None in particular.
- 10.6. Hazardous decomposition products  
None.

#### SECTION 11: Toxicological information

- 11.1. Information on toxicological effects
- Route(s) of entry:
  - Ingestion: Yes
  - Inhalation: No
  - Contact: No
- Toxicological information related to the product:  
There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.
- Toxicological information on main components of the mixture:  
Toxicological information of the mixture:  
N.A.
- Toxicological information of the main substances found in the mixture:  
2,4,6-tris(dimethylaminomethyl)phenol - CAS: 90-72-2
  - a) acute toxicity:
    - Test: LD50 - Route: Oral - Species: Rat = 1200 mg/kg
    - Test: LD50 - Route: Skin - Species: Rat = 1280 mg/kg
- Corrosive/Irritating Properties:
  - Skin: The product can cause irritation by contact.
  - Eye: The product can cause irritation by contact
- Sensitizing Properties:  
No effects are known.
- Carcinogenic Effects:  
No effects are known.
- Mutagenic Effects:  
No effects are known.

## Safety Data Sheet

### SILICAJET ST AKS

#### Teratogenic Effects:

No effects are known.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Not available data on the mixture

Aquatic toxicity: the preparation is not to be considered toxic to the aquatic environment based on components.

LC50>100mg/l - aquatic species (calculated data following 1999/45/EC Directive).

Adopt good industrial practices, so that the product is not released into the environment.

N.A.

##### 12.2. Persistence and degradability

N.A.

##### 12.3. Bioaccumulative potential

N.A.

##### 12.4. Mobility in soil

N.A.

##### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

##### 12.6. Other adverse effects

None

Not available data on the mixture

#### SECTION 13: Disposal considerations

##### 13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

91/156/EEC, 91/689/EEC, 94/62/EC and subsequent amendments.

Disposal of not hardened product (EC waste code) : 08 04 16

The suggested European waste code is just based on the composition of the product.

According to the specific process or application field a different waste code may be necessary.

#### SECTION 14: Transport information

##### 14.1. UN number

UN Number: 2735

##### 14.2. UN proper shipping name

N.A.

##### 14.3. Transport hazard class(es)

Rail/Road(RID/ADR): 8, III

ADR-Upper number: NA

Air (ICAO/IATA): 8,III

Sea (IMO/IMDG): 8,III

## Safety Data Sheet

### SILICAJET ST AKS

LIMITED QUANTITY (3.4.6. ADR e 3.4.2. IMDG)

Dangerous goods in limited quantities

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR Environmental Pollutant:

Marine pollutant: No

N.A.

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No

#### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances)

Dir. 99/45/EC (Classification, packaging and labelling of dangerous preparations)

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Dir. 2006/8/EC

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP)

Regulation (EU) n. 453/2010 (Annex I)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

None

REACH Regulation (1907/2006)

REACH Regulation (1907/2006) – All. XVII: N.A.

REACH Regulation n° 1907/2006 (REACH) – Art. 59 (Substances in "Candidate List"): N.A.

CLP Regulation n° 1272/2008 (CLP) and s.m.i.

Directive n° 1999/45/CE (Dangerous Preparation) and s.m.i.

Directive n° 67/548/CEE (Substances) and s.m.i.

Legislative Decree no. 81 of the 9th of April 2008 Title XI "Dangerous substances - Chapter I - Protection against chemical agents"

Directive 2000/39/CE and s.m.i. (Professional threshold limit)

Legislative Decree no. 152 of the 3rd of April 2006 and subsequent modifications and additions. (Environmental regulations)

Directive 105/2003/CE (Seveso III): N.A.

ADR Agreement – IMDG Code – IATA Regulation

Wassergefährdungsklasse:

VOC (2004/42/EC) : N.A. g/l

## Safety Data Sheet SILICAJET ST AKS

15.2. Chemical safety assessment

No

### SECTION 16: Other information

Text of phrases referred to under heading 3:

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H302 Harmful if swallowed.

This safety data sheet has been completely updated in compliance to Regulation 453/2010/EU.

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

Istituto Superiore di Sanità - Inventario Nazionale Sostanze Chimiche

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STE:	Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.



## Safety Data Sheet SILICAJET ST AKS

TWA	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
OEL:	European threshold limit value
VLE:	Threshold Limiting Value.
WGK:	German Water Hazard Class.
N.A.:	N.A.
N.D.:	