

MODERN ROAD SURFACES IN STONE

IN COMPLIANCE WITH UNI 11714-1:2018

MAPESTONE JOINT
.....
MAPESTONE SYSTEM



THE "STRADA MAGGIORE" CONSTRUCTION SITE

THE STORY OF A ROAD TOLD BY
THE TOOLS WHICH BUILT IT

CANTIERE
BOBO
BOLOGNA PER BOLOGNA



YOU NEED LOCKING UP

A MORTAR'S POINT OF VIEW

"They say that I am seven times stronger than the concrete used to make pillars that hold up buildings. They say that I have formidable resistance to aggressive salts and freezing weather. This all makes me seem like matter from another planet; as if I were that stuff that melts and then recombines that you can see in the movie Terminator. But all I am is mortar; okay, I am **Mapestone TFB 60** ultra high-strength supermortar, but I am still only mortar, something that locks stone together. And you'd best not forget it. Anyway, if the ancient Romans had been able to use me to build their roads, nobody else would have got a look in. They have used me on the Bobo (Bologna for Bologna) construction site to get the maximum cohesion possible between one flagstone and another in Strada Maggiore, and I can hear the antique flagstones now as they whisper: "you make everything look so simple, little mortar", "your masters don't work as well as the Romans", "they manage to get by thanks to you", and even "of course it was all so different in the good old days, shame on you, it's a sacrilege...". Nasty little flagstones, ungrateful masochists, don't you remember how badly those Roman chisels treated you, strike after strike, pushing one stone against the other, with just really tight, narrow joints to create a solid mass effect, forcing you to match as close as possible? Sand and river gravel were the weak points. The binder was the weak point. The Romans didn't have a really sound binder but, let's get to the point; the Italians are still the best in the world at constructing roads. And if today they can count on me, it means we have always been at the forefront, right back since ancient Roman times. The mallet blows will make you sink into the support of my cradle, my gums will rise up, the wheelbarrows will pour me into the gaps until they are filled, when the bonding slurry has dried out you will be tied to me forever, I will hold you tight in the heat and in the cold, in the rain and snow, even under the weight of the wheels of the trolleybuses and cars, from here you will never move again. **I am a super-mortar because you need locking up.**"



T>per
Trasporto Passeggeri Emilia-Romagna



MODERN ROAD SURFACES IN STONE

IN COMPLIANCE WITH UNI 11714-1:2018

The new UNI 11714-1:2018 standard introduces the classification of external paving according to the type of traffic loads and, for each class (P4, P5, P6, P7, P8 and P9), identifies the main design conditions.



PEDESTRIAN USE ONLY
Balconies, terraces, patios, courtyards, domestic paths and pavements



PEDESTRIAN USE ONLY
External terraces of restaurants/bars, pavements for pedestrian and cycle use only



PEDESTRIAN AND LIGHT VEHICLE USE
Pavements suitable for parking, car parks or ramps/garage pathways, courtyards, adjacent lots and pathways for the connection between buildings and their parking lots



PEDESTRIAN AND LIGHT VEHICLE USE
Squares used occasionally by slow-moving vehicles, including heavy vehicles (parvises, cemeteries, etc.), market squares, loading/offloading areas, and squares for events, town festivals, etc.



PEDESTRIAN AND LIGHT VEHICLE USE
Areas with a 30 km/h speed limit, streets or squares with limited access to vehicles, public car parks and public access ramps



HEAVY VEHICLE USE
Streets, streets with lanes for public transport or prescribed lanes, high-traffic roads, roundabouts and speed bumps



MAPESTONE JOINT

Flexible and pervious
paving



MAPESTONE SYSTEM

Monolithic waterproofing
paving



THE CAUSES OF DETERIORATION






MECHANICAL STRESSES

The constant passage of cars and heavy vehicles generates compressive stress (the weight of the vehicles themselves) and tensile stress (manoeuvres carried out by vehicles) that cause failure in weak and irregular substrates on which the blocks of stone that make up the road surface have been installed.



FREEZE/THAW CYCLES, DE-ICING SALTS AND SEA-SALTS

There is a contrast between the high amount of heat generated when using de-icing salts (calcium and sodium chloride) and brusque cooling down due to low surrounding temperatures. This alternation in temperatures, combined with freeze/thaw cycles (with stresses caused by water cooling down and turning into ice), causes contraction, expansion and crumbling, which in turn deteriorate the joints and substrate. The action of chlorides in the sea-salts accelerates deterioration in porous cementitious matrixes.



DESIGN AND INSTALLATION

Modern stone road surfaces must be developed and then designed as structures that are meant TO LAST over the years, similar to any other vertical structure.

With this in mind, choosing the most suitable installation system is fundamental. Also, using only expert workers qualified in the installation of stone is a key factor to ensure that this type of system is installed correctly. If unsuitable installation systems or methods are chosen, the service life of stone road surfaces will be shortened.





THE MAPEI SOLUTIONS





MAPESTONE JOINT

Mapestone Joint is a solvent-free, non-flammable, one-component, sound absorbing, polyurethane binder with a characteristic odour, used for grouting joints for flexible and pervious architectural stone paving, particularly resistant to deicing salts, to thermal shock and to acids; it allows opening to vehicular traffic in short times (48 hours after placing at +20°C). **Mapestone Joint** is available in 25 kg tanks, 200 kg drums and 1000 kg IBC containers.

Mapestone Joint Cleaner is the new specific cleaner and thinner for **Mapestone Joint**. It is used to remove resin residues that deposit on stone architectural paving during joint grouting made with **Mapestone Joint**. It is also efficient for cleaning the tools after **Mapestone Joint** application. It is preferable to use **Mapestone Joint Cleaner** before the residues harden.

Mapestone Joint Cleaner is available in 5 l tanks.

PERVIOUS AND FLEXIBLE



Fill the grouts with **Mapestone Joint** resin



Clean product residues with **Mapestone Joint Cleaner**



CROSS SECTION OF A BLOCK PAVING GROUTED WITH MAPESTONE JOINT

- | | | |
|---|--|--------------------------|
| 1 Concrete | 3 Blocks of porphyry or other stone | 5 Mapestone Joint |
| 2 5/8 cm thick installation bed of 4/8 mm or 3/6 mm coarse stone chippings | 4 3/6 mm gravel infill | |



TECHNICAL ADVANTAGES

- FLEXIBLE SYSTEM
- PERVIOUS CAPACITY
- RESISTANT TO FREEZING WEATHER, DE-ICING SALTS, SEA-SALTS AND SEA SPRAY

ECONOMIC ADVANTAGES

- HIGHLY DURABLE FINISHED WORK
- HIGH RESISTANCE TO THE CLEANING ACTION OF POWER SWEEPERS
- NO WASTE OF MATERIAL
- LESS TIME REQUIRED FOR ROAD WORKS

SOCIAL ADVANTAGES

- LOWER MAINTENANCE COSTS
- LESS NOISE
- LESS DISRUPTION FOR INHABITANTS
- FEWER ACCIDENTS (DUE TO FALLS FROM BIKES, MOPEDS AND HIGH HEELS)



MAPESTONE JOINT BLOCK



System to create elastic and pervious architectural stone paving by applying **Mapestone Joint**.
For use with **block**, **sett** and **pebble** paving in class P4, P5, P6, P7, P8 and P9.



Install the stone blocks on a bed of 4/8 mm or 3/6 mm coarse stone chippings



After wetting the surface, use a vibrating plate compactor



Fill the grout lines with 3/6 mm stone chippings



Fill the grout lines with **Mapestone Joint**



MAPESTONE JOINT SLAB

NEW



System to create elastic and pervious architectural stone paving by applying **Mapestone Joint**. For use with **slab** paving in class P4, P5 and P6.



Prepare and apply the mix made up of 3/6 mm coarse stone chippings and **Mapestone Joint**




Apply **Mapestone Joint** on the back of the slabs



Install and tap down the slabs



Fill the grouts with 3/6 mm coarse stone chippings and **Mapestone Joint**





THE MAPEI SOLUTIONS



MAPESTONE SYSTEM




The monolithic **Mapestone System** represents a “turnkey” solution in compliance with UNI 11714-1:2018 standard to obtain durable, long-lasting work resistant to freeze-thaw cycles, de-icing salts and to sea water. Mapei has specifically developed pre-blended cementitious products with exceptional physical-chemical characteristics suitable for areas exposed cyclically to wet and dry periods, as described in exposure class XF4 cementitious products which need only to be mixed with water, made from special binders and selected aggregates, to make architectonic stone paving which is suitable for vehicles. The System includes: **Mapestone TFB 60**, a preblended powder mortar, particularly suitable for making screeds and installing stone; **Mapestone PFS**, **Mapestone PFS 2 Visco** and **Mapestone PFS PCC 2**, pre-blended powder mortars for grouting joints. **The combined use of these products creates a long-lasting monolithic structure.**



- 1 Concrete
- 2 Non-woven fabric or PVC sheets
- 3 **Mapestone TFB 60**

- 4 Setts and flagstones
- 5 **Mapestone PFS 2** or **Mapestone PFS 2 Visco** or **Mapestone PFS PCC 2**





MAPESTONE SYSTEM



WHERE TO USE

The monolithic **Mapestone System** is used to make architectural stone paving (made from setts, smolleri, pebbles, slabs and blocks).

When it is not necessary to meet the requirements for exposure classes XF3, XF4 and XS3, joints may be quickly grouted with **Keracolor PPN**.



SAFETY
Prevents wear and tear, often the cause of accidents.



DURABILITY
Withstands the rigours of the most intense road traffic.





TECHNICAL ADVANTAGES

- HIGH MECHANICAL STRENGTH
- HOMOGENOUS, UNIFORM PRODUCT
- RESISTANT TO FREEZING WEATHER AND DE-ICING SALTS
- RESISTANT TO SEA SALTS, THAT MEANS DURABLE, LONG-LASTING WORK

LOGISTIC ADVANTAGES



- REDUCTION IN AMOUNT OF WASTE AND OBSTACLES DUE TO ROAD-WORKS
- LOW IMPACT ON THE ENVIRONMENT
- EASY TO CLEAN

SOCIAL ADVANTAGES

- LOWER MAINTENANCE COSTS
- LESS NOISE
- LESS DISRUPTION FOR INHABITANTS
- FEWER ACCIDENTS (DUE TO FALLS FROM BIKES, MOPEDS AND HIGH HEELS)

ECONOMIC ADVANTAGES

- HIGHLY DURABLE FINISHED WORK
- REDUCTION IN MAINTENANCE AND/OR REPAIR WORKS
- NO WASTE OF MATERIAL
- LESS TIME REQUIRED FOR ROAD WORKS



Colours available for **Mapestone PFS 2** and **Mapestone PFS 2 Visco**

Due to the printing processes involved, the colours should be taken as merely indicative of the shades of the actual products

SOME WORKS CARRIED OUT WITH MAPESTONE SYSTEM

Palazzo del
Cinema,
Lido di Venezia
(Italy)



Pedestrian zone in
the old town of Košice
(Slovakia)



Market square,
Spoleto,
Perugia
(Italy)





Old town of Matera
(Italy)

Parisian Hotel,
Macau (China)



Hôtel de Ville
Vincennes,
Paris
(France)



Center of
San Michele,
Appiano, Bolzano
(Italy)

Church square
in Sirta, Forcola,
Sondrio (Italy)

EVERYTHING'S OK, WITH MAPEI

HEAD OFFICE

MAPEI S.p.A.

Via Cafiero, 22 - 20158 Milan

Tel. +39-02-37673.1

Fax +39-02-37673.214

www.mapei.com

mapei@mapei.it

