

DIAPLASTM COMPLEMENTARY PROFILES AND TRIMS







A WORLDWIDE LEADER

Originally established in 1937, today MAPEI is a privately owned global corporation headquartered in Milan, Italy, with 102 subsidiaries in 57 countries and 90 plants in 35 nations. The company specializes in manufacturing chemical products for building, including waterproofing products, specialty mortars and admixtures for concrete, products to restore historic buildings, and decorative and protective coatings for concrete surfaces. In addition, MAPEI is the world leader in the manufacturing of mortars, grouts, adhesives and complementary products for installing all types of floor and wall coverings. MAPEI Group chose Canada for its first steps away from home, opening the Laval, Québec, plant in 1978 as MAPEI Inc. MAPEI's Canadian footprint currently spans over 4,600 km, with production facilities in Québec, Ontario and British Columbia and a distribution center in Alberta.




HOW TO ORDER

First, choose the **product name** as listed in the Table of Contents (for example, "Diaplas Regular Rounded").

Then, determine the following elements:

- · The desired finish (if applicable)
- · The size



INTRODUCTION

Page 4 to 5

EXTERNAL CORNER PROFILES



DIAPLAS™ ECONOMIC ROUNDED

Page 6 to 7



DIAPLAS REGULAR ROUNDED

Page 8 to 9



DIAPLAS PVC REGULAR L-SHAPED

Page 10 to 11



DIAPLAS REGULAR L-SHAPED

Page 12 to 13



DIAPLAS ECONOMIC L-SHAPED


Page 14 to 15

PROFILES FOR FLOORS OF EQUAL HEIGHT



DIAPLAS FLEXIBLE L-SHAPED

Page 16 to 17



DIAPLAS T-SHAPED

Page 18 to 19



DIAPLAS T-SHAPED FOR VINYL


Page 20 to 21

PROFILES FOR FLOORS OF DIFFERENT HEIGHTS



DIAPLAS TRANSITION

Page 22 to 23



DIAPLAS TILE-TO-CARPET

Page 24 to 25

LISTELLOS AND DECORATIVE PROFILES



DIAPLAS DECORATIVE LISTELLO (15 mm [5/8"])

Page 26 to 27



DIAPLAS DECORATIVE LISTELLO (19 mm [3/4"])

Page 28 to 29

STAIR-NOSING PROFILES



DIAPLAS STAIR NOSE

Page 30 to 31





SUPERIOR PRODUCTS

A Complete Range of Products

MAPEI produces the most innovative products for the construction market. More than 7,000 products globally (adhesives, sealants, mortars, admixtures, latex, etc.) are manufactured in MAPEI's plants, which produce the world's most complete range of building products. Diversified, high-quality chemical products – from powdered adhesives, to liquid and paste products, to polymers – are created to meet the needs of more than 70,000 customers around the world.

Quality Control

MAPEI is an ISO 9001:2015 certified company. Its products are produced according to exacting standards, strictly adhering to process and procedural guidelines with documented compliance. This rigid production format is vigilantly followed to ensure that every product is produced uniformly from batch to batch.



PROFESSIONAL SUPPORT NETWORK

Knowledgeable Sales Force

MAPEI offers the largest, most highly trained sales force within the industry to serve your needs for product application/installation recommendations. Its sales representatives are focused on supporting you with product knowledge, product demonstrations, product information, marketing support materials and other relevant tools to help you generate sales.

Technical Expertise

An in-house Technical Services Call Center responds to customers' telephone inquiries with answers to installation challenges in real time. In addition, MAPEI can offer field support for job startups, product training and on-site problem resolution.



Customer Service Plus

MAPEI's standards for customer service are bestin-class. Our leadership includes such service innovations as:

- · Customer-friendly, efficient processes
- · One-call resolution
- Employee commitment to effective customer dialog



Diaplas™ Profiles and Trims



Innovative Research & Development


We have always been highly committed to this sector. Our research scientists work within a global network comprising 32 centers, with our Corporate Research Centre in Milan acting as a hub to coordinate the activities of all the other centers and as a central analysis laboratory. The United States has four centers, and Canada has one. All equipped with cutting-edge equipment, the centers collaborate continuously with universities as well as scientific and industrial research institutes.

The research and development laboratories also provide support for our Technical Services Division to help provide solutions for even the most complex requests from our clients. Working alongside these centers are our quality-control laboratories, which are present in all the MAPEI Group's production facilities.

Best-Backed[™] Warranty Program

To bring it all together, MAPEI complements the industry's best products with simple, easy-to-understand requirements for a variety of warranty options.









Diaplas Economic Rounded is used for outside corners of tiles to complete the appearance of wall coverings, flooring, steps, bathtubs, etc., at a fraction of the price of the regular satin anodized rounded profiles. This extrusion has been designed thinner than our regular rounded range to reduce its cost.

10 units per p	oacket			HEIGHT	
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	Aluminum	Satin Anodized	DPL-EC-RD222-08	DPL-EC-RD222-10	DPL-EC-RD222-12



Diaplas Economic Rounded





	Inches	Millimeters		
A	5/16 3/8 1/2	8 10 12.5		
B	1.333 1.236 1.323	28.80 31.40 33.60		
G	0.039	1		
D	0.049	1.25		
(3)	0.110	2.80		
(3)	0.787	20.00		
Length	96	~2,438		

Packaging: 10 units per packet



DPL-EC-RD222 Satin Anodized



Coming in really handy when renovating, or working on any other ceramic tile installations project, Diaplas Regular Rounded is conceived to realize a bullnose effect between a ceramic surface and another surface at a lower level. These quarter-circle trims are an outstanding protective and decorative edge for wall and countertop tile applications.





10 units per p	oacket			HEIGHT	
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-RD111-08	DPL-RD111-10	DPL-RD111-12
8' (2.44 m)	Aluminum	Satin Anodized	DPL-RD222-08	DPL-RD222-10	DPL-RD222-12
8' (2.44 m)	Aluminum	Bright Anodized	DPL-RD223-08	DPL-RD223-10	DPL-RD223-12
8' (2.44 m)	Aluminum	Dark Bronze Anodized	DPL-RD275-08	DPL-RD275-10	DPL-RD275-12
8' (2.44 m)	Aluminum	Satin Brass Anodized	DPL-RD333-08	DPL-RD333-10	DPL-RD333-12
8' (2.44 m)	Aluminum	Bright Brass Anodized	DPL-RD444-08	DPL-RD444-10	DPL-RD444-12
8' (2.44 m)	Aluminum	Black Anodized	DPL-RD555-08	DPL-RD555-10	DPL-RD555-12
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-RD850-08	DPL-RD850-10	DPL-RD850-12
8' (2.44 m)	Aluminum	Bright Nickel Anodized	DPL-RD888-08	DPL-RD888-10	DPL-RD888-12

Inside Corners	- 10 units per bag		SIZE	
SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
Aluminum	Satin Anodized	DPL-CIN222-08	DPL-CIN222-10	DPL-CIN222-12
Aluminum	Bright Anodized	DPL-CIN223-08	DPL-CIN223-10	DPL-CIN223-12

Outside Corner	s - 10 units per bag		SIZE	
SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
Aluminum	Satin Anodized	DPL-CEX222-08	DPL-CEX222-10	DPL-CEX222-12
Aluminum	Bright Anodized	DPL-CEX223-08	DPL-CEX223-10	DPL-CEX223-12

Diaplas Regular Rounded





	Inches				Mil	limete	ers	
A	5/16	3/8	1/2		8	10	12.5	
B	1.152	1.253	1.333		29.25	31.81	33.85	
G	0.925				23.50			
D	0.165				2.80			
(3)	0.110				1.40			
(3)	0.055			1.27				
Length	96				,	~2,438		

Packaging: 10 units per packet



Natural (Mill Finish)





DPL-RD222 DPL-RD223
Satin Anodized Bright Anodized



DPL-RD275

Dark Bronze Anodized



DPL-RD333 Satin Brass Anodized



DPL-RD444
Bright Brass Anodized



DPL-RD555 Black Anodized



DPL-RD850 Satin Nickel Anodized



DPL-RD888
Bright Nickel Anodized

OUTSIDE CORNERS*





INSIDE CORNERS*





 $^{^{*}}$ Only available in finishes: 222 & 223





Diaplas PVC Regular L-Shaped is a high quality PVC moulding used to protect and embellish any angle or ending of ceramic tile lay-outs.



25 units per packet			HEIGHT				
LENGTH	SUBSTRATE	FINISH	3/16" (4.5 mm)	1/4" (6 mm)	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	PVC	lvory	DPL-040-04	DPL-040-06	DPL-040-08	DPL-040-10	DPL-040-12
8' (2.44 m)	PVC	White	DPL-136-04	DPL-136-06	DPL-136-08	DPL-136-10	DPL-136-12
8' (2.44 m)	PVC	Dark Grey	DPL-226-04	DPL-226-06	DPL-226-08	DPL-226-10	DPL-226-12
8' (2.44 m)	PVC	Light Grey	DPL-228-04	DPL-228-06	DPL-228-08	DPL-228-10	DPL-228-12
8' (2.44 m)	PVC	Black	DPL-288-04	DPL-288-06	DPL-288-08	DPL-288-10	DPL-288-12
8' (2.44 m)	PVC	Tan	DPL-326-04	DPL-326-06	DPL-326-08	DPL-326-10	DPL-326-12

Diaplas PVC Regular L-Shaped






	Inches	Millimeters
В	0.900	22.86
G	0.038 to 0.048	0.96 to 1.22
D	0.055	1.27
(3)	0.90	2.29
Length	96	~2,438

Packaging: 25 units per packet









Diaplas Regular L-Shaped is an aluminum tile trim used to protect and embellish any angle or ending of ceramic tile lay-outs where tile edges are not secured by grout joints, and where a professional and luxury finish is desired. This profile prevents tile edges from chipping while providing a finished, gapless edge for other flooring materials.



25 units per p	oacket				HEIGHT		
LENGTH	SUBSTRATE	FINISH	1/4" (6 mm)	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)	5/8" (15 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-111-06	DPL-111-08	DPL-111-10	DPL-111-12	DPL-111-15
8' (2.44 m)	Aluminum	Satin Anodized	DPL-222-06	DPL-222-08	DPL-222-10	DPL-222-12	DPL-222-15
8' (2.44 m)	Aluminum	Bright Anodized	DPL-223-06	DPL-223-08	DPL-223-10	DPL-223-12	DPL-223-15
8' (2.44 m)	Aluminum	Dark Bronze Anodized	DPL-275-06	DPL-275-08	DPL-275-10	DPL-275-12	DPL-275-15
8' (2.44 m)	Aluminum	Satin Brass Anodized	DPL-333-06	DPL-333-08	DPL-333-10	DPL-333-12	DPL-333-15
8' (2.44 m)	Aluminum	Bright Brass Anodized	DPL-444-06	DPL-444-08	DPL-444-10	DPL-444-12	DPL-444-15
8' (2.44 m)	Aluminum	Black Anodized	DPL-555-06	DPL-555-08	DPL-555-10	DPL-555-12	DPL-555-15
8' (2.44 m)	Aluminum	White Painted	DPL-777-06	DPL-777-08	DPL-777-10	DPL-777-12	DPL-777-15
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-850-06	DPL-850-08	DPL-850-10	DPL-850-12	DPL-850-15
8' (2.44 m)	Aluminum	Bright Nickel Anodized	DPL-888-06	DPL-888-08	DPL-888-10	DPL-888-12	DPL-888-15

Diaplas Regular L-Shaped





	Inches	Millimeters
В	0.925	23.50
G	0.050	1.27
D	0.055	1.40
3	0.110	2.80
Length	96	~2,438

Packaging: 25 units per packet







Diaplas Economic L-Shaped is an aluminium tile trim used to protect and embellish any angle or ending of ceramic tile lay-outs for a fraction of the price of the regular satin and satin nickel anodized moulding. This extrusion has been designed thinner than our regular range to reduce its cost.



25 units per packet				HEIGHT	
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-EC-111-08	DPL-EC-111-10	DPL-EC-111-12
8' (2.44 m)	Aluminum	Satin Anodized	DPL-EC-222-08	DPL-EC-222-10	DPL-EC-222-12
8' (2.44 m)	Aluminum	Bright Anodized	DPL-EC-223-08	DPL-EC-223-10	DPL-EC-223-12
8' (2.44 m)	Aluminum	Black Anodized	DPL-EC-555-08	DPL-EC-555-10	DPL-EC-555-12
8' (2.44 m)	Aluminum	White Painted	DPL-EC-777-08	DPL-EC-777-10	DPL-EC-777-12
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-EC-850-08	DPL-EC-850-10	DPL-EC-850-12

Diaplas Economic L-Shaped





	Inches	Millimeters
В	0.827	21.00
G	0.040 1.00	
D	0.057	1.45
Length	96	~2,438

Packaging: 25 units per packet











Black Anodized Satin Nickel Anodized



DPL-EC-777 White Painted




Diaplas Flexible L-Shaped is a bendable profile conceived to complement the creativity of designers and architects. This profile supports all kinds of shapes for audacious ceramic tile layouts, providing decorative joints between floorings of different materials, rounded and spiral edges, and other sophisticated ideas.


The moulding's elongated and serrated base allows it to be easily and securely affixed to the substrate, making it the ideal choice for installations with difficult curves and creative designs.



25 units per packet						
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)	5/8" (15 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-FL111-08	DPL-FL111-10	DPL-FL111-12	DPL-FL111-15
8' (2.44 m)	Aluminum	Satin Anodized	DPL-FL222-08	DPL-FL222-10	DPL-FL222-12	DPL-FL222-15
8' (2.44 m)	Aluminum	Bright Anodized	DPL-FL223-08	DPL-FL223-10	DPL-FL223-12	DPL-FL223-15
8' (2.44 m)	Aluminum	Dark Bronze Anodized	DPL-FL275-08	DPL-FL275-10	DPL-FL275-12	DPL-FL275-15
8' (2.44 m)	Aluminum	Satin Brass Anodized	DPL-FL333-08	DPL-FL333-10	DPL-FL333-12	DPL-FL333-15
8' (2.44 m)	Aluminum	Bright Brass Anodized	DPL-FL444-08	DPL-FL444-10	DPL-FL444-12	DPL-FL444-15
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-FL850-08	DPL-FL850-10	DPL-FL850-12	DPL-FL850-15
8' (2.44 m)	Aluminum	Bright Nickel Anodized	DPL-FL888-08	DPL-FL888-10	DPL-FL888-12	DPL-FL888-15

Diaplas Flexible L-Shaped





	Inches	Millimeters
В	0.925	23.50
G	0.050	1.27
D	0.055	1.40
(3)	0.110	2.80
Length	96	~2,438

Packaging: 25 units per packet



DPL-FL111
Natural (Mill Finish)



DPL-FL222 Satin Anodized



DPL-FL223
Bright Anodized



DPL-FL275

Dark Bronze Anodized



DPL-FL333 Satin Brass Anodized



DPL-FL444
Bright Brass Anodized



DPL-EC850 Satin Nickel Anodized



DPL-EC888
Bright Nickel Anodized




Diaplas T-Shaped is used to create a joint cover between two floor surfaces of the same height already installed where expansion is expected. The curved end on each side of this profile has been designed to create a transition between the two floors if they are not perfectly the same height. This avoids creating an empty space between the trim and the floor. Often used to separate two rooms or to delimit two floors – for example: hardwood and ceramic tile.

15 units per packet		WIDTH	
LENGTH	SUBSTRATE	FINISH	3/4" (20 mm)
8' (2.44 m)	Aluminum	Satin Anodized	DPL-TT222-20
8' (2.44 m)	Aluminum	Bright Anodized	DPL-TT223-20
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-TT850-20



Diaplas T-Shaped



	Inches	Millimeters
A	0.354	9
B	0.787	20
G	0.051	1.3
D	0.094	2.4
3	0.079	2
Length	96	~2,438

Packaging: 15 units per packet






Diaplas T-Shaped for Vinyl is used to create a joint cover between two floor surfaces of the same height (already installed), where expansion is expected. The curved end on each side of this profile has been designed to create a transition between the two floors if they are not perfectly the same height. This avoids creating an empty space between the trim and the floor. Often used to separate two rooms or to delimit two floors and specially created for vinyl floors based on its central leg which is very short, allowing it to work with very thin surfaces.

15 units per packet	WIDTH		
LENGTH	SUBSTRATE	FINISH	1" (25 mm)
8' (2.44 m)	Aluminum	Satin Anodized	DPL-VT222-25



Diaplas T-Shaped for Vinyl



	Inches	Millimeters
A	0.197	5
B	1	25
G	0.051	1.3
D	0.10	2.6
3	0.079	2
Length	96	~2,438

Packaging: 15 units per packet



DPL-VT222-25

Satin Anodized




Coming in really handy when renovating, Diaplas Transition is conceived to realize a slope of 30 degrees between a ceramic surface and another surface of a lower level by creating a smooth transition. Also ideal for transitions from ceramic tile coverings to finished surfaces. An angle of 90 degrees at the end of the slope will allow the meeting with a thinner floor covering, like a carpet, a wood floor or a vinyl surface.



10 units per packet				HEIGHT	
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-TRIII-08	DPL-TRIII-10	DPL-TR111-12
8' (2.44 m)	Aluminum	Satin Anodized	DPL-TR222-08	DPL-TR222-10	DPL-TR222-12
8' (2.44 m)	Aluminum	Bright Anodized	DPL-TR223-08	DPL-TR223-10	DPL-TR223-12
8' (2.44 m)	Aluminum	Dark Bronze Anodized	DPL-TR275-08	DPL-TR275-10	DPL-TR275-12
8' (2.44 m)	Aluminum	Satin Brass Anodized	DPL-TR333-08	DPL-TR333-10	DPL-TR333-12
8' (2.44 m)	Aluminum	Bright Brass Anodized	DPL-TR444-08	DPL-FL444-10	DPL-TR444-12
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-TR850-08	DPL-TR850-10	DPL-TR850-12
8' (2.44 m)	Aluminum	Bright Nickel Anodized	DPL-FL888-08	DPL-FL888-10	DPL-FL888-12

Diaplas Transition






	Inches	Millimeters		
A	5/16 3/8 1/2	8 10 12.5		
B	1.190 1.326 1.490	30.22 33.68 37.84		
G	0.925	23.50		
D	0.165	4.20		
(3)	0.110	2.80		
(3)	0.055	1.40		
G	0.050	1.27		
Length	96	~2,438		

Packaging: 10 units per packet






Diaplas Tile-to-Carpet facilitates the juxtaposition from a ceramic tile surface to a carpeted area. This trim allows insertion of the carpet edge to protect it from fraying over time, increasing the efficiency and durability of your work.


A fine way to join practical and aesthetically-pleasing results.



10 units per packet				HEIGHT	
LENGTH	SUBSTRATE	FINISH	5/16" (8 mm)	3/8" (10 mm)	1/2" (12.5 mm)
8' (2.44 m)	Aluminum	Natural (Mill Finish)	DPL-CT111-08	DPL-CTIII-10	DPL-CT111-12
8' (2.44 m)	Aluminum	Satin Anodized	DPL-CT222-08	DPL-CT222-10	DPL-CT222-12
8' (2.44 m)	Aluminum	Bright Anodized	DPL-CT223-08	DPL-CT223-10	DPL-CT223-12
8' (2.44 m)	Aluminum	Dark Bronze Anodized	DPL-CT275-08	DPL-CT275-10	DPL-CT275-12
8' (2.44 m)	Aluminum	Satin Brass Anodized	DPL-CT333-08	DPL-CT333-10	DPL-CT333-12
8' (2.44 m)	Aluminum	Bright Brass Anodized	DPL-CT444-08	DPL-CT444-10	DPL-CT444-12
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-CT850-08	DPL-CT850-10	DPL-CT850-12
8' (2.44 m)	Aluminum	Bright Nickel Anodized	DPL-CT888-08	DPL-CT888-10	DPL-CT888-12

Diaplas Tile-to-Carpet





	Inches	Millimeters		
A	5/16 3/8 1/2	8 10 12.5		
B	1.017 1.145 1.308	25.84 29.09 33.23		
G	0.925	23.50		
D	0.256	6.50		
(3)	0.110	2.80		
(3)	0.055	1.40		
G	0.050	1.27		
Length 96		~2,438		

Packaging: 10 units per packet






Diaplas Decorative Listello profiles are designed to enhance the aesthetic appeal of ceramic surfaces, adding a touch of elegance and sophistication to any tile installation. Positioned between two sets of tiles, this listello facilitates a seamless transition while introducing a captivating visual element that breaks the uniformity of the surface. The end result is a more stylish and outstanding appearance that elevates the overall decor. With its high-quality brushed finish, this profile distinguishes itself, ensuring a superior and distinctive look.



10 units per packe	t		WIDTH
LENGTH	SUBSTRATE	FINISH	5/8" (15 mm)
8' (2.44 m)	Aluminum	Brushed Satin Anodized	DPL-LS222B-15
8' (2.44 m)	Aluminum	Brushed Bright Anodized	DPL-LS223B-15
8' (2.44 m)	Aluminum	Brushed Black Anodized	DPL-LS575B-15
8' (2.44 m)	Aluminum	Brushed Satin Brass Anodized	DPL-LS333B-15
8' (2.44 m)	Aluminum	Brushed Satin Nickel Anodized	DPL-LS850B-15
8' (2.44 m)	Aluminum	Polished Bright Anozized	DPL-LS223P-15

Diaplas Decorative Listello (15 mm [5/8"])



	Inches	Millimeters
A	0.394	10
B	0.591	15
G	0.079	2
D	1.27	0.05
(3)	0.157	4
Length	96	~2,438

Packaging: 10 units per packet



DPL-LS222B-15

Brushed Satin Anodized



DPL-LS223B-15

Brushed Bright Anodized



DPL-LS575B-15

Brushed Black Anodized



DPL-LS333B-15

Brushed Satin Brass Anodized



DPL-LS850B-15

Brushed Satin Nickel Anodized



DPL-LS223P-15

Polished Bright Anodized




Diaplas Decorative Listello profiles are designed to enhance the aesthetic appeal of ceramic surfaces, adding a touch of elegance and sophistication to any tile installation. Positioned between two sets of tiles, this listello facilitates a seamless transition while introducing a captivating visual element that breaks the uniformity of the surface. The end result is a more stylish and outstanding appearance that elevates the overall decor. With its high-quality brushed finish, this profile distinguishes itself, ensuring a superior and distinctive look.



10 units per packet			WIDTH		
LENGTH	SUBSTRATE	FINISH	3/4" (19 mm)		
8' (2.44 m)	Aluminum	Brushed Satin Anodized	DPL-LS222B-19		
8' (2.44 m)	Aluminum	Brushed Bright Anodized	DPL-LS223B-19		
8' (2.44 m)	Aluminum	Brushed Black Anodized	DPL-LS575B-19		
8' (2.44 m)	Aluminum	Brushed Satin Brass Anodized	DPL-LS333B-19		
8' (2.44 m)	Aluminum	Brushed Satin Nickel Anodized	DPL-LS850B-19		
8' (2.44 m)	Aluminum	Polished Bright Anozized	DPL-LS223P-19		

Diaplas Decorative Listello (19 mm [3/4"])



	Inches	Millimeters		
A	0.394	10		
B	0.75	19		
G	0.079	2		
D	1.27	0.05		
(3)	0.157	4		
Length	96	~2,438		

Packaging: 10 units per packet



DPL-LS222B-19

Brushed Satin Anodized



DPL-LS223B-19

Brushed Bright Anodized



DPL-LS575B-19

Brushed Black Anodized



DPL-LS333B-19

Brushed Satin Brass Anodized



DPL-LS850B-19

Brushed Satin Nickel Anodized



DPL-LS223P-19

Polished Bright Anodized





Diaplas Stair Nose combines a unique modern look with the efficiency in protecting tiled stairs. Easy to install, the stair nose provides an excellent and stylish solution for finishing tiles stairs.



5 units per packet			HEIGHT		
LENGTH	SUBSTRATE	FINISH	3/8" (10 mm)	1/2" (12.5 mm)	
8' (2.44 m)	Aluminum	Satin Anodized	DPL-SN222-10	DPL-SN222-12	
8' (2.44 m)	Aluminum	Satin Nickel Anodized	DPL-SN850-10	DPL-SN850-12	

Diaplas Stair Nose





	Inches			Millimeters		
A	3/8	1/2 2.224		10	12.5	
B	2.126	2.224		54	56.5	
G	1.682			42.73		
D	0.866			22		
(3)	0.197			1.50		
6	0.105			2.67		
Length	96			~2,438		

Packaging: 5 units per packet



Satin Anodized



DPL-SN850 Satin Nickel Anodized



MAPEI Inc.

2900 Francis Hughes Laval, Québec H7L 3J5

Technical Services

1-800-361-9309

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Copyright ©2024 by MAPEI Inc. ("MAPEI") and all rights are reserved. All intellectual property rights and other property of MAPEI (or its parent or related companies), unless otherwise noted. No part of this document may be written consent of MAPEI.

Printed in Canada.



