

**SCS Global Services** does hereby certify that an independent assessment has been conducted on behalf of:

# MAPEI Corporation

1144 E Newport Center Drive, Deerfield Beach, FL, United States

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

## Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m<sup>2</sup> per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Registration # SCS-IAQ-06042

Valid from: March 23, 2023 to March 22, 2024



INDOOR ADVANTAGE GOLD  
BUILDING MATERIALS



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Executive Vice President  
SCS Global Services  
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

## **Certification Addendum**

# **MAPEI Corporation**

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2023 to March 22, 2024

### **Indoor Advantage™ Gold**

Addendum Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conformance: Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m<sup>2</sup> per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)  
Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

#### Products: **Adhesives:**

**Epoxy Adhesives:** Epojet, Epojet LV, MapeWrap 11, MapeWrap 12 Planibond AE, Planibond AE Fast

**Carpet Installation Adhesives:** Ultrabond ECO 185, Ultrabond ECO 20, Ultrabond ECO 220, Ultrabond ECO 420, Ultrabond ECO 811, Ultrabond ECO TACK, Ultrabond ECO TACK TX+

**Carpet Installation Accessories:** Ultrabond ECO 2285, Ultrabond ECO 3185

**Cove and Wall Adhesive:** Ultrabond ECO 901, Ultrabond ECO 575

**Exterior Finishes:** Concrete Renew, Concrete Renew Fine, Planitop Basecoat

**Resilient Flooring Adhesive:** Ultrabond ECO 222, Ultrabond ECO 300, Ultrabond ECO 350, Ultrabond ECO 360, Ultrabond ECO 373, Ultrabond ECO 399, Ultrabond ECO 560, Ultrabond ECO 570, Ultrabond ECO 711, Ultrabond ECO MS 4 LVT, Ultrabond ECO MS 4 LVT Wall, Ultrabond ECO V4SP Fiber, Ultrabond G19, Ultrabond G21

**Wood Flooring Adhesives:** Ultrabond ECO 903, Ultrabond ECO 907, Ultrabond ECO 975, Ultrabond ECO 977, Ultrabond ECO 980, Ultrabond ECO 983, Ultrabond ECO 985, Ultrabond ECO 995, Ultrabond ECO WPA

## **Certification Addendum**

# **MAPEI Corporation**

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2023 to March 22, 2024

### **Indoor Advantage™ Gold**

Addendum Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1

Conformance: Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m<sup>2</sup> per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)  
Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

#### Products: **Mortars:**

**Concrete Repair Mortar:** Mapecem 102, Mapecem 202, Planitop 11, Planitop 11 SCC, Planitop 12 SR, Planitop 15, Planitop 18, Planitop 18 ES, Planitop 18 TG, Planitop 200, Planitop 23, Planitop 25, Planitop FD, Planitop Rendering Mortar, Planitop Shotcrete, Planitop X, Planitop XS, Topcem Pronto

**Dry-Set Mortars:** Floor Tile Mortar, Kerabond, Kerabond T, Keraflor, Keraset, Uncoupling Membrane Mortar

**Dry-Set Mortar Latex Additives:** Keralastic, Keraply, Polymer Additive

**Flexible Mortar Systems:** GraniRapid System, Kerabond/Keralastic System, Kerabond T/Keralastic System

**Lightweight Polymer Modified Mortars:** Light Mortar for Tile and Stone, Ultralite™ Mortar, Ultralite™ Mortar Pro, Ultralite™ S2, Ultralite Mortar Zero

**Polymer Modified Mortars:** Adesilex P10 Mosaic & Glass Tile, Adesilex P10 Rapid Glass Tile Mortar, Ceramic Tile Mortar, Ker 111, Ker 121, Keraflex Plus, Keraflex RS, Keraflex SG, Keraflex Super, Large Format Floor & Wall Tile Mortar, Large Format Floor Tile Mortar, Large Tile and Stone Mortar, Mosaic & Glass Tile Mortar, Multipurpose Tile Mortar, Porcelain Tile Mortar, Rapid Setting Tile Mortar, Ultraflex 1, Ultraflex 2, Ultraflex 2 LT, Ultraflex LFT, Ultraflex LFT Rapid, Ultraflex LHT, Ultraflex LHT SG, Ultraflex RS, Ultraflor, Ultraflor Plus

## **Certification Addendum**

# **MAPEI Corporation**

Certification: Registration # SCS-IAQ-06042 | Valid from: March 23, 2023 to March 22, 2024

### **Indoor Advantage™ Gold**

Addendum Indoor Air Quality Certified to SCS-EC10.3-2014 v4.1  
Conformance: Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for the school classroom, private office, and single-family residence parameters when modeled as Flooring. Also, conforms to the SCAQMD Rule 1168 - Adhesive and Sealants (January 2005). Average Product Application Amount: 45 m<sup>2</sup> per gallon. Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)  
Methylene Chloride and Perchloroethylene are not intentionally added to certified products.

Products: **Specialty Mortars:** Glass Block Mortar, Kerapoxy 410, Kerapoxy SB, Kerapoxy SB Rapid, Planicrete W, Ultrabond ECO GPT  
**Mud Beds, Render Mortars & Repair Systems:** 4 to 1 Mud Bed Mix, Modified Mortar Bed, Planislope RS, Planitop 330 Fast, Scratch Coat Mortar, Topcem Premix  
**Synthetic Landscape Golf Turf Installation:** Ultrabond Landscape Turf CG, Ultrabond Landscape Turf RG  
**Synthetic Turf Installation:** Ultrabond Turf Epoxy Repair, Ultrabond Turf MS, Ultrabond Turf PU 1K-HV, Ultrabond Turf PU 1K, Ultrabond Turf PU 1K-LV, Ultrabond Turf PU 2K, Ultrabond Turf PU 2K Accelerator  
**Sports Flooring:** Ultrabond Sport PU 1K, Ultrabond Track PU 2K, Ultrasport PU 2K  
**Screed Mortar:** Mapecem 100, Mapecem 202 SF  
**Resinous Flooring Epoxy Mortars:** Mapefloor EP 19 NA, Mapefloor EP 20 NA, Mapefloor Patch  
**Resilient-Flooring Coatings:** Mapecoat 4 LVT, Ultrabond ECO 379  
**Strengthening Concrete and Steel Structures:** Planitop HPC Floor 46