Safety Data Sheet ULTRABOND TRACK PU 2K /B

Safety Data Sheet dated: 04/24/2024 - version 2 Date of first edition: 06/30/2023



1. Identification

Product identifier

Mixture identification: Trade name: ULTRABOND TRACK PU 2K /B Trade code: 906UX99999

Recommended use and restrictions on use

Recommended use: Hardener for epoxy products Restrictions on use: Not available

Supplier's details

Company: MAPEI INC. (Canada)

2900 Francis-Hughes Avenue

H7L 3J5 - Laval - QC - CAN

Phone: 1-450-662-1212

Responsable: RDProductSafety@mapei.com

Emergency phone number

Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

2. Hazard identification



Classification of the product

Skin corrosion, Category 1B Serious eye damage, Category 1 Skin Sensitization, Category 1A Chronic (long-term) aquatic hazard - Category 1 Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

Label elements

Hazard pictograms and Signal Word



Hazard statements

hazara statements				
H314	Causes severe skin burns and eye damage.			
H317	May cause an allergic skin reaction.			
H410	Very toxic to aquatic life with long lasting effects.			
Precautionary statements				
P260	Do not breathe mist/vapours/spray.			
P264	Wash skin thoroughly after handling.			
P272	Contaminated work clothing must not be allowed out of the workplace.			
P273	Avoid release to the environment.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P301+P330+P33 1	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.			
P303+P361+P35 3	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305+P351+P33 8	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a doctor.			

Print date

P321	Specific treatment (see supplementary instructions on this label)
1 521	Specific treatment (see supplementary instructions on this laber)
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/container in accordance with applicable regulations.

Other hazards None

Ingredient(s) with unknown acute toxicity

None

3. Composition/information on ingredients

Substances

Not Relevant

Mixtures

Hazardous components within the meaning of WHMIS 2015 and related classification:

List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
50-75 %	isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine	CAS:2855-13-2 EC:220-666-8 Index:612-067- 00-9	H317; Aquatic Chronic 3, H412;	,
25-50 %	diisopropylnaphthalene; Bis(isopropyl)naphthalene	CAS:38640-62-9 EC:254-052-6	9 Asp. Tox. 1, H304; Aquatic Chroni 1, H410	c
10-20 %	2,4,6- tri(dimethylaminomethyl)phenol; Mesitol, alpha2,alpha4,alpha6- tris(dimethylamino)-	CAS:90-72-2 EC:202-013-9 Index:603-069- 00-0	Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Chronic 3, H41:	2
1-2.5 %	bis[(dimethylamino)methyl] phenol;	CAS:71074-89-0 EC:275-162-0) Skin Corr. 1B, H314	

The actual concentration of the components listed above is withheld as a trade secret.

4. First-aid measures

Description of necessary first-aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

Remove contact lenses, if present and easy to do. Continue rinsing.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

Indication of immediate medical attention and special treatment needed, if necessary

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

5. Fire-fighting measures

Suitable and unsuitable extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

Unsuitable extinguishing media:

None in particular.

Specific hazards arising from the hazardous product

Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: Not available Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Retain contaminated washing water and dispose it.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

Wash skin thoroughly after handling.

See also section 8 for recommended protective equipment.

Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

Storage temperature: Not available

8. Exposure controls/personal protection Control parameters

No data available

Appropriate engineering controls

Not available

Individual protection measures, such as personal protective equipment (PPE)

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105: Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min. Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min. Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min. Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min. Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid Appearance and colour: liquid Yellow Odour: ammonia Odour threshold: Not Relevant pH: Not Relevant Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant Flash point: 94 °C (201 °F) (Closed Cup) Evaporation rate: Not Relevant <1.0 Upper/lower flammability or explosive limits: Not Relevant Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 0.94 g/cm3 Solubility in water: partly soluble Solubility in oil: partly soluble Partition coefficient (n-octanol/water): Not Relevant Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant Viscosity: 47.50 mPA-s Kinematic viscosity: > 20,5 mm2/sec (40 °C) mm2/s Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant

Other information

Substance Groups relevant properties Not Relevant Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

10. Stability and reactivity

Reactivity

Stable under normal conditions

Chemical stability

Data not available.

Possibility of hazardous reactions

None.

Conditions to avoid

Stable under normal conditions.

Incompatible materials

None in particular.

Hazardous decomposition products

None.

11. Toxicological information Information on toxicological effects

Likely routes of exposure:

Skin contact, skin absorption, eye contact, inhalation and ingestion.

Toxicological Information of the Preparation

a) acute toxicity	Not classified		
	Based on available data, the classification criteria are not met		
b) skin corrosion/irritation	The product is classified: Skin corrosion, Category 1B(H314)		
c) serious eye damage/irritation	The product is classified: Serious eye damage, Category 1(H318)		
d) respiratory or skin sensitisation	The product is classified: Skin Sensitization, Category 1A(H317)		
e) germ cell mutagenicity	Not classified		
	Based on available data, the classification criteria are not met		
f) carcinogenicity	Not classified		
	Based on available data, the classification criteria are not met		
g) reproductive toxicity	Not classified		
	Based on available data, the classification criteria are not met		
h) STOT-single exposure	Not classified		
	Based on available data, the classification criteria are not met		
i) STOT-repeated exposure	Not classified		
	Based on available data, the classification criteria are not met		
j) aspiration hazard	Not classified		
	Based on available data, the classification criteria are not met		
Toxicological information on main components of the mixture:			
isopherene diamine: $2 = 2$ acute toxisity IDE0 Oral Pat = 1020 mg/kg			

isophorone diamine; 3a) acute toxicity LD50 Oral Rat = 1030 mg/kg aminomethyl-3,5,5trimethylcyclohexylamine LD50 Skin Rat > 2000 mg/kg LD50 Oral Rat = 1030 mg/kg diisopropylnaphthalene; a) acute toxicity LD50 Skin Rat > 4500 mg/kg Bis(isopropyl)naphthalene LC50 Inhalation Rat > 5.64 mg/l 4h LD50 Oral Rat = 3900 mg/kg 2,4,6a) acute toxicity LD50 Skin Rat = 1280 mg/kg tri(dimethylaminomethyl) phenol; Mesitol, alpha2,alpha4,alpha6tris(dimethylamino)-LD50 Oral Rat = 1000 mg/kg LD50 Skin Rat = 1280 mg/kg LD50 Oral Rat = 1200 mg/kg

Substance(s) listed on the IARC Monographs:

None

Substance(s) listed as OSHA Carcinogen(s):

None

Substance(s) listed as NIOSH Carcinogen(s):

None

Substance(s) listed on the NTP report on Carcinogens:

None

12. Ecological information

Ecotoxicity

Adopt good working practices, so that the product is not released into the environment.

List of Eco-Toxicological properties of the product

The product is classified: Chronic (long-term) aquatic hazard - Category 1(H410)

List of Eco-Toxicological properties of the components

Component	Ident. Numb.	Ecotox Data	
isophorone diamine; 3- aminomethyl-3,5,5- trimethylcyclohexylamine	CAS: 2855-13-2 - EINECS: 220- 666-8 - INDEX: 612-067-00-9	a) Aquatic acute toxicity :	EC50 Daphnia Daphnia magna 14.6 mg/L 48h EPA
		a) Aquatic acute toxicity :	EC50 Daphnia magna = 42 mg/L - 24hr
		a) Aquatic acute toxicity: 72h IUCLID	EC50 Algae Desmodesmus subspicatus = 37 mg/L
		a) Aquatic acute toxicity :	EC50 Algae idus = 110 mg/L 96h
diisopropylnaphthalene; Bis(isopropyl)naphthalene	CAS: 38640-62- 9 - EINECS: 254-052-6	a) Aquatic acute toxicity :	LC50 Fish Cyprinus carpio > 1000 mg/L 96h
		a) Aquatic acute toxicity :	LC50 Fish Oryzias latipes > 1000 mg/L 96h
Persistence and degradability			

N.A.

Bioaccumulative potential

N.A.

Mobility in soil

N.A.

Other adverse effects

N.A.

13. Disposal considerations

Safe handling and methods for disposal

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Do not re-use empty containers.

14. Transport information

UN number

TDG-UN number: UN1760 ADR-UN number: 1760 DOT-UN Number: UN1760 IATA-Un number: 1760 IMDG-Un number: 1760

UN proper shipping name

TDG-Shipping Name: CORROSIVE LIQUID, N.O.S. (isophoronediamine - bis(isopropyl)naphthalene) ADR-Shipping Name: CORROSIVE LIQUID, N.O.S. (isophoronediamine - bis(isopropyl)naphthalene) DOT-Proper Shipping Name: Corrosive liquids, n.o.s. (isophoronediamine - bis(isopropyl)naphthalene) IATA-Technical name: CORROSIVE LIQUID, N.O.S. (isophoronediamine - bis(isopropyl)naphthalene) IMDG-Technical name: CORROSIVE LIQUID, N.O.S. (isophoronediamine - bis(isopropyl)naphthalene)

Transport hazard class(es)

TDG-Class: 8

ADR-Class: 8

DOT-Hazard Class: 8

IATA-Class: 8 IMDG-Class: 8 Packing group TDG-Packing Group: III ADR-Packing Group: III DOT Packing Group: III IATA-Packing group: III IMDG-Packing group: III **Environmental hazards** Marine pollutant: Yes Environmental Pollutant: Not Applicable DOT-RQ: No Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code) Not Applicable Special precautions in connection with transport or conveyance TDG: TDG Special provisions: 16 Department of Transportation (DOT): DOT-Special Provision(s): IB3, T7, TP1, TP28 DOT-Label(s): 8 DOT-Symbol: N/A DOT-Cargo Aircraft: N/A DOT-Passenger Aircraft: N/A DOT-Bulk: N/A DOT-Non-Bulk: N/A DOT-Limited Quantity threshold: 5 L Road and Rail (ADR-RID): ADR-Label: 8 ADR-Hazard identification number: 80 ADR-Transport category (Tunnel restriction code): 3 (E) Air (IATA): IATA-Passenger Aircraft: 852 IATA-Cargo Aircraft: 856 IATA-Label: 8 IATA-Subsidiary hazards: -IATA-Erg: 8L IATA-Special Provisions: A3 A803 Sea (IMDG): IMDG-Stowage Code: Category A SW2 IMDG-Stowage Note: -IMDG-Subsidiary hazards: -IMDG-Special Provisions: 223 274 IMDG-EMS: F-A, S-B 15. Regulatory information **Canada - Federal regulations DSL - Domestic Substances List** All the substances are listed in the DSL. **NDSL - Non Domestic Substances List** This product complies with NDSL inventory **NPRI - National Pollutant Release Inventory** NPRI (National Pollutant Release Inventory) - List of substances listed. No substances listed **USA - Federal regulations TSCA - Toxic Substances Control Act** All the components are listed on the TSCA inventory

TSCA listed substances:

isophorone diamine; 3aminomethyl-3,5,5trimethylcyclohexylamine

diisopropylnaphthalene; is listed in TSCA Section 8b Bis(isopropyl)naphthalene

2,4,6- is listed in TSCA Section 8b tri(dimethylaminomethyl)phenol;

Mesitol, alpha2,alpha4,alpha6tris(dimethylamino)-

SARA - Superfund Amendments and Reauthorization Act

Section 302 - Extremely Hazardous Substances:

No substances listed

Section 304 - Hazardous substances:

No substances listed

Section 313 - Toxic chemical list:

No substances listed

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

No substances listed

CAA - Clean Air Act

CAA listed substances:

No substances listed

CWA - Clean Water Act

CWA listed substances:

No substances listed

USA - State specific regulations

California Proposition 65

Substance(s) listed under California Proposition 65:

No substances listed

Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

No substances listed

Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

No substances listed

New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

isophorone diamine; 3-aminomethyl-3,5,5-trimethylcyclohexylamine

16. Other information

Safety Data Sheet dated: 4/24/2024 - version 2

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.

Code	Hazard class and hazard category	Description
A.1/4/Dermal	Acute Tox. 4	Acute toxicity (dermal), Category 4
A.1/4/Oral	Acute Tox. 4	Acute toxicity (oral), Category 4
A.10/1	Asp. Tox. 1	Aspiration hazard, Category 1
A.2/1B	Skin Corr. 1B	Skin corrosion, Category 1B
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1
A.4.2/1A	Skin Sens. 1A	Skin Sensitization, Category 1A
CAN-HAE/C1	Aquatic Chronic 1	Chronic (long-term) aquatic hazard - Category 1
CAN-HAE/C3	Aquatic Chronic 3	Chronic (long-term) aquatic hazard - Category 3

Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION