




CEMENTITIOUS AND RESIN FLOORING SYSTEMS



SYSTEM SOLUTIONS FOR THE CONSTRUCTION INDUSTRY

1

Tile & Stone Installation Systems

2

UltraCare Stone, Tile, Grout Care and Maintenance Solutions

3

Profiles for Floors and Coverings

4

Profiles and Shower Systems

5

Skirting Boards

6

Raised Floors

7

Floor Covering Installation Systems

8

Products for Sports Surfaces

9

Products for Wood Flooring

10

Cementitious and Resin Flooring Systems

11

Waterproofing Systems

12

Concrete Restoration Systems

13

Products for Structural Strengthening

14

Concrete Flooring Solutions

15

Admixtures for Concrete

16

Cement Additives

17

Products for Underground Construction (UTT)

18

Products for the Marine Industry

TABLE OF CONTENTS

CEMENTITIOUS AND RESIN FLOORING SYSTEMS



Introduction..... 2-3

PRODUCT INFORMATION

Cementitious Flooring Systems

Ultratop®	4
Ultratop SP	4
Ultratop Loft W	4
Ultratop Loft F	5
Primer SN™	5
Primer LT™	5
Primer Grip™ White	6
Ultratop Easycolor	6
Ultratop Base Coat	6
Mapecrete® Hard LI	7
Mapecrete Protector FF	7
Mapefloor™ Finish 58 W	7
Mapefloor Finish 59 W TRP	8
Mapelux™ Opaca	8
Mapenet™ 150	8

Resin Flooring Systems

Primer SN™	9
Mapefloor I 900	9
Mapefloor I 302 SL	9
MAPEI Quartz	10
Mapefloor Filler	10
Mapefloor Finish 58 W	10
Mapefloor Finish HTR	11
Mapefloor Finish 59 W TRP	11

Parking Deck Systems

Mapefloor PU 400 FC	11
Mapefloor Finish 415 NA	12
Mapefloor Finish 450	12
Primer SN	12
Mapefloor PU Primer	13
Planiseal Traffic Coat	13
MAPEI Quartz	13



A WORLDWIDE LEADER

Originally established in 1937, today MAPEI is a privately owned global corporation headquartered in Milan, Italy, with 96 subsidiaries in 57 countries and 93 plants in 36 nations. The company specializes in manufacturing chemical products for building, including waterproofing products, specialty mortars and admixtures for concrete, products to restore historic buildings, and decorative and protective coatings for concrete surfaces. In addition, MAPEI is the world leader in the manufacturing of mortars, grouts, adhesives and complementary products for installing all types of floor and wall coverings. MAPEI Corporation, the division responsible for supporting the North American markets, is based in Deerfield Beach, Florida, and employs over 1,530 team members – ranging from Manufacturing and R&D to Technical Services and Sales. MAPEI Caribe, based in Puerto Rico, has more than 65 employees. The Canadian subsidiary MAPEI Inc. supports those efforts with about 410 additional employees.





SUPERIOR PRODUCTS

A Complete Range of Products

MAPEI produces the most innovative products for the construction market. More than 7,700 products globally (adhesives, sealants, mortars, admixtures, latex, etc.) are manufactured in MAPEI's plants, which produce the world's most complete range of building products. Diversified, high-quality chemical products – from powdered adhesives, to liquid and paste products, to polymers – are created to meet the needs of more than 75,000 customers around the world.

Quality Control

MAPEI is an ISO 9001-2000 certified company. Its products are produced according to exacting standards, strictly adhering to process and procedural guidelines with documented compliance. This rigid production format is vigilantly followed to ensure that every product is produced uniformly from batch to batch.



PROFESSIONAL SUPPORT NETWORK

Knowledgeable Sales Force

MAPEI offers the largest, most highly trained sales force within the industry to serve your needs for product application/ installation recommendations.

Its sales representatives are focused on supporting you with product knowledge, product demonstrations, product information, marketing support materials and other relevant tools to help you generate sales.



Technical Expertise

An in-house Technical Services Call Center responds to customers' telephone inquiries with answers to installation challenges in real time. In addition, MAPEI can offer field support for job startups, product training and on-site problem resolution.

Customer Service Plus

MAPEI's standards for customer service are best-in-class. Our leadership includes such service innovations as:

- Customer-friendly, efficient processes.
- One-call resolution.
- Employee commitment to effective customer dialogue.

Innovative Research & Development

We have always been highly committed to this sector. Our research





scientists work within a global network comprising 36 centers, with our Corporate Research Centre in Milan acting as a hub to coordinate the activities of all the other centers and as a central analysis laboratory. The United States has four centers, and Canada has one. All equipped with cutting-edge equipment, the centers collaborate continuously with universities as well as scientific and industrial research institutes.

The research and development laboratories also provide support for our Technical Services Division to help provide solutions for even the most complex requests from our clients. Working alongside these centers are our quality-control laboratories, which are present in all the MAPEI Group's production facilities.

Best-BackedSM Warranty Program

To bring it all together, MAPEI complements the industry's best products with simple, easy-to-understand requirements for a variety of warranty options.





Ultratop® [NA]

High-Performance, Self-Leveling Concrete Topping

Ultratop is a self-leveling, self-curing, sealed or polished topping that is specially formulated for fast-track resurfacing of horizontal wear surfaces.



Ultratop® SP

High-Performance, Polishable, Self-Leveling Topping for a Fine-Aggregate Finish

Ultratop SP is a polishable, self-leveling, cementitious topping that provides a fine-aggregate exposed finish. *Ultratop SP* is engineered for fast-track resurfacing of horizontal wear surfaces.



Ultratop® Loft W [NA]

Fine-Textured, Cement-Based Micro-Topping

Ultratop Loft W is a one-component, cement-based decorative topping that is troweled and applied in two layers 1/16" (1.5 mm) in thickness. It is specially formulated for abrasion resistance in designing non-uniform and non-homogeneous finishes with a broad range of finishing effects on indoor decorative surfaces. *Ultratop Loft W* can be used on a wide variety of substrates and combines excellent versatility with easy application.

	Product Code	Packaging
U.S.	3UT500023	Bag (White): 50 lbs. (22.7 kg)
	3UT500023	Bag (Natural Gray): 50 lbs. (22.7 kg)

	Product Code	Packaging
U.S.	2358723	Bag: Gray, 50 lbs. (22.7 kg)
	2358623	Bag: White, 50 lbs. (22.7 kg)

	Product Code	Packaging
U.S.	3UM500805	Bag (Natural): 11 lbs. (5 kg)
	3UM500010	Bag (White): 11 lbs. (5 kg)



Ultratop® Loft F [NA]

Coarse-Textured, Cement-Based Micro-Topping

Ultratop Loft F is a one-component, cement-based decorative topping that is troweled and applied in two layers 1/16" (1.5 mm) in thickness. It is specially formulated for abrasion resistance in designing non-uniform and non-homogeneous finishes with a broad range of coarse-textured finishing effects on indoor decorative surfaces. *Ultratop Loft F* can be used on a wide variety of substrates and combines excellent versatility with easy application.

	Product Code	Packaging
U.S.	3UL500805 3UL500005	Bag (Natural): 11 lbs. (5 kg) Bag (White): 11 lbs. (5 kg)



Primer SN™ [NA]

Two-Component, Filled, Epoxy Primer

Primer SN is a two-component, filled, epoxy primer specifically designed to enhance adhesion of cementitious flooring systems and multilayer resin flooring, such as MAPEI's *Mapefloor™* products, *Ultratop®* products, *PlaniLevel™* products and *Planitop® EL*.

	Product Code	Packaging
U.S.	0214311 0214411	Part A, Pail: 2.17 U.S. gals. (8.21 L) Part B, Jug: 0.83 U.S. gals. (3.14 L)



Primer LT™ [NA]

Water-Based, Acrylic Primer for Ultratop® Loft Toppings

Primer LT is a low-VOC, water-based acrylic primer that enhances the performance and adhesion between layers of *Ultratop Loft* toppings for walls and floors. *Primer LT* combines excellent versatility with easy, low-odor applications for indoor use.

	Product Code	Packaging
U.S.	1559211	Jug: 1.5 U.S. gals. (5.68 L)



Primer Grip™ White [NA]

Low-VOC, Synthetic, Resin-Based Primer for Ultratop® Loft Toppings

Primer Grip White is a ready-to-use, low-VOC, synthetic resin-based primer with bond-promoting silica aggregates suspended in dispersion. It enhances the performance and adhesion of MAPEI's *Ultratop Loft* toppings to existing ceramic tile and other difficult-to-bond-to substrates in vertical applications. Suitable for a wide variety of substrates, *Primer Grip White* combines excellent versatility with an easy, low-odor application.

	Product Code	Packaging
U.S.	1560706	Pail: 1.5 U.S. gals. (5.68 L)



Ultratop® Easycolor [NA]

Concentrated, Liquid Pigment Solution for Coloring Ultratop Loft Micro-Toppings

Ultratop Easycolor is a one-component, concentrated, liquid pigment solution available in a broad range of hues. It is specially formulated to color MAPEI's trowel-applied, cementitious micro-toppings *Ultratop Loft F* [NA] and *Ultratop Loft W* [NA].

	Product Code	Packaging
U.S.	3UU8XXXX01*	Pail: 1.59 U.S. qts. (1.5 L)

**For the XXXX portion of the product code, use the four-digit number of the desired grout color.*



Ultratop® Base Coat [NA]

One-Component, Clear, Water-Based Acrylic Basecoat for Mapefloor™ Finish Topcoats

Ultratop Base Coat is one-component, acrylic agent in water dispersion is used as a basecoat before applying a *Mapefloor Finish* topcoat over *Ultratop* and *Ultratop Loft* products. *Ultratop Base Coat* used with *Mapefloor Finish* provides a high-performance finish.

	Product Code	Packaging
U.S.	2564810	Pail: 2.6 U.S. gals. (9.84 L)



Mapecrete® Hard LI

Lithium Silicate Densifier and Sealer for Concrete

Mapecrete Hard LI is a water-based, VOC-free, lithium silicate solution used to densify, seal and dustproof horizontal, hard-troweled concrete surfaces. It penetrates the concrete surface, chemically reacts with the free lime and produces a dense, hard matrix within the concrete and a more durable surface on top.

	Product Code	Packaging
U.S.	1797119 1797178	Pail: 5 U.S. gals. (18.9 L) Drum: 55 U.S. gals. (208 L)



Mapecrete™ Protector FF

High-Gloss, Film-Forming, Protective Coating for Concrete

Mapecrete Protector FF is a film-forming, high-gloss protective coating designed to increase the stain resistance of interior, polished or hard-troweled concrete floors.

	Product Code	Packaging
U.S.	1797619	Pail: 5 U.S. gals. (18.9 L)



Mapefloor™ Finish 58 W [NA]

Two-Component, Clear, Matte, Aliphatic Polyurethane Coating

Mapefloor Finish 58 W is a two-component, aliphatic polyurethane coating in water dispersion with a matte finish that is clear or colored. Mapefloor Finish 58 W provides a high-performance finish on general-service resinous flooring products and Ultratop® systems.

	Product Code	Packaging
	6UD092009	Clear base, Part A, Pail: 17.63 lbs. (8 kg)
U.S.	6UD999909	Hardener, Part B, Bottle: 1.77 lbs. (0.8 kg)



Mapefloor™ Finish 59 W TRP [NA]

Two-Component, Clear, Matte, Aliphatic Polyurethane Coating

Mapefloor Finish 59 W TRP provides a high-performance finish on general-service resinous Mapefloor systems flooring and Ultratop® systems.



Mapeflux™ Opaca [NA]

Clear, Matte, Protective Wax for Ultratop® System Floors

Mapeflux Opaca is a one-component, matte wax used as wear protector over MAPEI's Mapefloor™ Finish products for Ultratop systems and Ultratop Loft systems.



Mapenet™ 150 [NA]

Fiberglass Mesh for Reinforcing and Improving Ultratop® Loft Systems

Mapenet 150 is a fiberglass, thin, strong and flexible mesh that enhances the performance of Ultratop Loft systems. When embedded in MAPEI's Primer SN™ [NA] or Primer SN Fast epoxy primer, Mapeenet 150 can be used in horizontal application of the system. Mapeenet 150 can be also used into Ultratop Loft F [NA] or Ultratop Loft W [NA] in vertical application of the system.

	Product Code	Packaging
U.S.	2563506	Kit, Pail: 1.39 U.S. gals. (5.25 L)

	Product Code	Packaging
U.S.	1795110	Pail: 2.6 U.S. gals. (9.84 L)

	Product Code	Packaging
U.S.	1780464	Roll: 38" x 150 ft. (0.97 x 45.7 m)



Primer SN™ [NA]

Two-Component, Filled, Epoxy Primer

Primer SN is a two-component, filled, epoxy primer specifically designed to enhance adhesion of cementitious flooring systems and multilayer resin flooring, such as MAPEI's *Mapefloor™* products, *Ultratop®* products, *PlaniLevel™* products and *Planitop® EL*.

	Product Code	Packaging
U.S.	0214311	Part A, Pail: 2.17 U.S. gals. (8.21 L)
	0214411	Part B, Jug: 0.83 U.S. gals. (3.14 L)



Mapefloor™ I 900 [NA]

Two-Component, Epoxy Resin for Industrial Flooring

Mapefloor I 900 is a two-component, low-viscosity, epoxy resin that is used as a primer for resinous flooring systems and as a binder to blend and adhere large aggregates for the *Ultratop®* Terrazzo System.

	Product Code	Packaging
U.S.	2578614	Part A, Pail: 2.38 U.S. gals. (9 L)
	2578714	Part B, Pail: 1.32 U.S. gals. (5 L)



Mapefloor I 302 SL [NA]

Two-Component, Multipurpose, Epoxy Resin for Industrial Flooring

Mapefloor I 302 SL is a two-component, epoxy resin for industrial flooring. It is suitable for both self-leveling and textured coatings, as well as for multilayered broadcast systems and seal coats for epoxy mortar screeds. *Mapefloor I 302 SL* offers excellent chemical and abrasion resistance in both wet and dry processing areas, which makes it particularly suitable for the food and beverage industry, shopping centers and industrial warehouses. *Mapefloor I 302 SL* creates surfaces that are flat and seamless, with a highly attractive finish.

Product Code	Packaging
Part A, Pail (pre-tinted), 1.93 U.S. gals. (7.31 L)	
U.S.	5HX200110 RAL 1001, Beige
	5HX201410 RAL 1018, Zinc Yellow
	5HX203410 RAL 3009, Oxide Red
	5HX204210 RAL 3020, Traffic Red
	5HX206510 RAL 5007, Brilliant Blue
	5HX207410 RAL 5017, Traffic Blue
	5HX211110 RAL 6028, Pine Green
	5HX212910 RAL 7012, Basalt Grey
	5HX213810 RAL 7030, Stone Grey
	5HX214610 RAL 7038, Agate Grey
	5HX215310 RAL 7046, Telegrey
	5HX217710 RAL 9003, Signal White
5HX099910	Part B, Pail: 0.71 U.S. gal. (2.69 L)



MAPEI Quartz

Quartz Aggregate for Epoxy and Polyurethane Flooring Systems

MAPEI Quartz broadcast aggregates are intended for use in the epoxy and polyurethane resin flooring systems. They are also recommended for epoxy mortars.

	Product Code	Packaging
U.S.	4723423	MAPEI Quartz 10 bag: 50 lbs. (22.7 kg)
	4723323	MAPEI Quartz 16 bag: 50 lbs. (22.7 kg)
	4723223	MAPEI Quartz 35 bag: 50 lbs. (22.7 kg)
	4723123	MAPEI Quartz 60 bag: 50 lbs. (22.7 kg)



Mapefloor™ Filler

Microcrystalline, Anti-Slip Additive

Mapefloor Filler is a dry powder additive that is easily dispersed into select resinous flooring products and coatings to improve slip resistance of the resulting finish.

	Product Code	Packaging
U.S.	245633	Pail: 0.66 lbs. (0.30 kg)



Mapefloor™ Finish 58 W [NA]

Two-Component, Clear, Matte, Aliphatic Polyurethane Coating

Mapefloor Finish 58 W is a two-component, aliphatic polyurethane coating in water dispersion with a matte finish that is clear or colored. Mapefloor Finish 58 W provides a high-performance finish on general-service resinous flooring products and Ultratop® systems.

	Product Code	Packaging
U.S.	6UD092009	Clear base, Part A, Pail: 17.63 lbs. (8 kg)
	6UD999909	Hardener, Part B, Bottle: 1.77 lbs. (0.8 kg)



Mapefloor™ Finish HTR [NA]

Two-Component, Clear, Aliphatic Polyurethane Coating

Mapefloor Finish HTR is a two-component, aliphatic polyurethane coating with a clear, semi-gloss finish. Mapefloor Finish HTR provides a high-performance hot-tire and chemical resistance on resinous flooring systems.

	Product Code	Packaging
U.S.	2563710	Part A, Pail: 1.76 U.S. gals. (6.66 L)
	2563810	Part B, Pail: 0.72 U.S. gal. (2.73 L)



Mapefloor™ Finish 59 W TRP [NA]

Two-Component, Clear, Matte, Aliphatic Polyurethane Coating

Mapefloor Finish 59 W TRP provides a high-performance finish on general-service resinous Mapefloor systems flooring and Ultratop® systems.

	Product Code	Packaging
U.S.	2563506	Kit, Pail: 1.39 U.S. gals. (5.25 L)



Mapefloor™ PU 400 FC

Two-Component, Fast-Curing Polyurethane Basecoat for Mapefloor Parking Deck System

Mapefloor PU 400 FC is a two-component, fast-curing, polyurethane basecoat specifically designed for use as a waterproofing membrane for elevated concrete surfaces where the Mapefloor parking deck system is utilized. With its high elongation and crack-bridging properties, Mapefloor PU 400 FC is suited as a basecoat layer on concrete substrates subject to vibration.

	Product Code	Packaging
U.S.	6QM1529420	Part A, Pail: 1.08 U.S. gals. (4.09 L)
	6QM999920	Part B, Pail: 3.9 U.S. gals. (14.8 L)





Mapefloor™ Finish 415 NA

Two-Component, Polyurethane Topcoat for Mapefloor Parking Deck System

Mapefloor Finish 415 NA is a two-component, solvent-free, aromatic polyurethane topcoat specifically designed to provide a protective wear coat for elevated concrete surfaces where the Mapefloor parking deck system is utilized.



Mapefloor™ Finish 450

Two-Component, Aliphatic Polyurethane Topcoat

Mapefloor Finish 450 is a two-component, solvent-free, aliphatic polyurethane topcoat specifically designed to provide a protective wear coat for elevated concrete surfaces in areas that are exposed to direct sunlight.



Primer SN™ [NA]

Two-Component, Filled, Epoxy Primer

Primer SN is a two-component, filled, epoxy primer specifically designed to enhance adhesion of cementitious flooring systems and multilayer resin flooring, such as MAPEI's Mapefloor™ products, Ultratop® products, PlaniLevel™ products and Planitop® EL.

Product Code	Packaging
	Part A, Pail: 3.75 U.S. gals. (14.2 L)
6UB530119	Light Gray
6UB1536919	Red
6UB530619	Tan
6UB530519	Black
6UB530419	Charcoal
6UB530319	Concrete Gray
6UB530919	Dark Maple
6UB530819	Green
6UB530219	Medium Gray
6UB999919	Part B, Jug: 1.25 U.S. gals. (4.73 L)

U.S.

Product Code	Packaging
6QM999920	Kit: 2 U.S. gals. (7.57 L) Light Gray
	Kit: 5 U.S. gals. (18.9 L) Part A, Pail: 3.52 U.S. gals. (13.3 L)
6UA530119	#001 Light Gray
6UA530219	#002 Medium Gray
6UA530319	#003 Concrete Gray
6UA530419	#004 Charcoal
6UA530519	#005 Black
6UA530619	#006 Tan
6UA531019	#007 Red
6UA530819	#008 Green
6UA530919	#009 Dark Maple
6UA999919	Part B, Jug: 1.4 U.S. gals. (5.30 L)

U.S.

Product Code	Packaging
0214311	Part A, Pail: 2.17 U.S. gals. (8.21 L)
0214411	Part B, Jug: 0.83 U.S. gals. (3.14 L)

U.S.



Mapefloor™ PU Primer

Two-Component Polyurethane Primer

Mapefloor PU Primer is a two-component, polyurethane-based primer that can be used for initial application of Mapefloor parking deck systems or as a recoat primer for already installed polyurethane deck systems.

	Product Code	Packaging
U.S.	2582614	Part A, Pail: 1.79 U.S. gals. (6.78 L)
	2582714	Part B, Pail: 1.82 U.S. gals. (6.89 L)



Planiseal® Traffic Coat

Epoxy Overlay for Vehicular and Pedestrian Traffic

Planiseal Traffic Coat is a moisture-tolerant, 100%-solids, low-modulus, two-part, epoxy binder engineered for providing a skid-resistant overlay on elevated concrete decks.

	Product Code	Packaging
U.S.	2436619	Part A, Pail: 5 U.S. gals. (18.9 L)
	2436719	Part B, Pail: 5 U.S. gals. (18.9 L)
	2436678	Part A, Drum: 55 U.S. gals. (208 L)
	2436778	Part B, Drum: 55 U.S. gals. (208 L)
	2436685	Part A, Tote: 275 U.S. gals. (1 041 L)
	2436785	Part B, Tote: 275 U.S. gals. (1 041 L)



MAPEI Quartz

Quartz Aggregate for Epoxy and Polyurethane Flooring Systems

MAPEI Quartz broadcast aggregates are intended for use in the epoxy and polyurethane resin flooring systems. They are also recommended for epoxy mortars.

	Product Code	Packaging
U.S.	4723423	MAPEI Quartz 10 bag: 50 lbs. (22.7 kg)
	4723323	MAPEI Quartz 16 bag: 50 lbs. (22.7 kg)
	4723223	MAPEI Quartz 35 bag: 50 lbs. (22.7 kg)
	4723123	MAPEI Quartz 60 bag: 50 lbs. (22.7 kg)



**MAPEI Headquarters
of North America**

1144 East Newport Center Drive
Deerfield Beach, Florida 33442
1-888-US-MAPEI (1-888-876-2734) /
(954) 246-8888

Technical Services

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction:
1-888-365-0614

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Copyright ©2025 by MAPEI Corporation ("MAPEI") and all rights are reserved. All intellectual property rights and other information contained in this document are the exclusive property of MAPEI (or its parent or related companies), unless otherwise noted. No part of this document may be reproduced or transmitted in any form without the prior written consent of MAPEI.

Printed in the USA.



— MAPEI USA • MAPEI Caribe —