



Ultracoat[®]
Systems for Finishing Wood Flooring



Ultracoat Products



Due to high-solids content and film-build properties, MAPEI's *Ultracoat* 2-coat system is equal to the 3-coat build using a competitor's products. And that saves you time, money and effort. Talk about a sweet deal!

No matter how you slice it... **2 = 3 with MAPEI's *Ultracoat*®** wood-floor finishing system

Ultracoat HT 2K
finish

Ultracoat Premium Base
basecoat

Competitor's followup
finish layer

Competitor's initial
finish layer

Competitor's
basecoat



Ultracoat Aqua Plus




	Product Code	Packaging
U.S.	9690153	Jug: 1 U.S. gal. (3.79 L)

Sawdust Admixture for Crack Filling of Wood Flooring

Ultracoat Aqua Plus is a single-component binder that is mixed with sawdust produced during the final sanding process of preparing wood floors, and used to fill voids and cracks before the final application of water-based wood-floor finishing systems. *Ultracoat Aqua Plus* has extremely high wetting properties, is low in viscosity and forms a high-solids paste with excellent adhesion and workability. After application, the mixture dries quickly and can be sanded easily. The remaining mixture can be stored in a sealed plastic container.

- Accepts finishes like the original wood flooring
- Easy to mix and apply; low in VOCs
- Can be sanded easily and dries quickly

Ultracoat Universal Base



	Product Code	Packaging
U.S.	9690653	Jug: 1 U.S. gal. (3.79 L)

One-Component Sanding Sealer

Ultracoat Universal Base is a one-component, rapid-drying, water-based sanding sealer for solid, engineered and exotic wood flooring. Specifically designed to work with *Ultracoat* water-based finishes, *Ultracoat Universal Base* seals freshly sanded wood flooring and creates a base layer that isolates the finish coat from penetrating into the open wood surface.

- Improves flow and build of finish coats
- Easy to apply and fast-drying
- Non-yellowing and low in VOCs

Ultracoat Premium Base



Two-Component, High-Performance Sanding Sealer

Ultracoat Premium Base is a two-component, high-performance, water-based sanding sealer for all types of wood flooring – including exotic species – and is specifically designed to work with *Ultracoat* water-based finishes in high-traffic areas. *Ultracoat Premium Base* seals freshly sanded wood flooring and creates a base layer that isolates the finish coat from penetrating into the open wood surface.

- Improves flow and build of finish coats
- Will not darken wood flooring and is non-yellowing
- High-solids content and low in VOCs

	Product Code	Packaging
U.S.	9690453	Kit: 1 U.S. gal. (3.79 L) Part A: 106.7 U.S. oz. (3.16 L) Part B: 21.3 U.S. oz. (630 mL)



Ultracoat Toning Base



Two-Component, Deep-Tone Sanding Sealer


Ultracoat Toning Base is a two-component, deep-tone, water-based sanding sealer for all types of wood flooring – including exotic species – and is designed to enhance the natural color of wood without causing it to darken or redden. *Ultracoat Toning Base* provides a deep look similar to what solvent-based sealers offer and is specifically designed to work with *Ultracoat* water-based finishes. *Ultracoat Toning Base* seals freshly sanded wood flooring and creates a base layer that isolates the finish coat from penetrating into the open wood surface.

- Enhances the natural color of wood flooring
- Improves flow and build of finish coats
- Will not cause wood to darken or redden

	Product Code	Packaging
U.S.	9690553	Kit: 1 U.S. gal. (3.79 L) Part A: 106.7 U.S. oz. (3.16 L) Part B: 21.3 U.S. oz. (630 mL)



Ultracoat Easy Plus



	Product Code	Packaging
U.S.		Jug: 1 U.S. gal. (3.79 L)
	9690253	10 gloss (matte)
	9693253	30 gloss (satin)
	9696253	60 gloss (semi-gloss)

One-Component, Water-Based, Polyurethane Wood-Flooring Finish


Ultracoat Easy Plus is a one-component, water-based wood-flooring finish that is available in the gloss levels of matte, satin and semi-gloss. Suitable for use in interior residential and light commercial applications, *Ultracoat Easy Plus* is a self-crosslinking, aliphatic polyurethane resin system with excellent abrasion resistance for solid, pre-sanded wood floors. *Ultracoat Easy Plus* adds a warm color to the wood and is non-yellowing.

- Excellent resistance to residential and light commercial traffic
- Fast-drying
- Easy application

Ultracoat Easy


Standard-Performance, Water-Based, Polyurethane Wood-Flooring Finish

Ultracoat Easy is an economical, one-component, water-based wood-flooring finish that is available in the gloss levels of matte, satin and semi-gloss. Suitable for use in interior residential applications, *Ultracoat Easy* is a self-crosslinking, aliphatic polyurethane resin base with excellent abrasion resistance for solid, pre-sanded wood floors.



	Product Code	Packaging
U.S.		Pail: 5 U.S. gals. (18.9 L)
	7369719	10 gloss (matte)
	7369819	30 gloss (satin)
	7369919	60 gloss (semi-gloss)

Ultracoat HT 2K



	Product Code	Packaging
U.S.		Kit: 1 U.S. gal. (3.79 L) – Part A: 116.4 U.S. oz. (3.44 L) Part B: 11.6 U.S. oz. (343 mL)
	7443704	0 gloss (natural)
	7373804	10 gloss (matte)
	7373604	30 gloss (satin)
	9696353	60 gloss (semi-gloss)

Two-Component, Water-Based, Polyurethane Wood-Flooring Finish

Ultracoat HT 2K is a two-component, water-based wood-flooring finish that is available in the gloss levels of natural, matte, satin and semi-gloss. Suitable for use in interior residential and heavy commercial applications where extreme traffic is expected, *Ultracoat HT 2K* is an aliphatic polyurethane resin system with excellent abrasion resistance for solid, pre-sanded wood floors. *Ultracoat HT 2K* adds a warm color to the wood and is non-yellowing.

- Superior resistance to traffic and abrasion
- UV-resistant
- High build with excellent flow properties

Ultracoat Gym



One-Component, Water-Based, Polyurethane, Gym Wood-Flooring Finish

Ultracoat Gym is a one-part, water-based formula designed to provide a high gloss finish for professional gym floors. It is a self-crosslinking, aliphatic polyurethane resin system with excellent abrasion resistance and slip resistance suitable for solid, pre-sanded, wood sports floors.

- Non-yellowing even after multiple coats
- Resistant to moisture and perspiration
- Easy to maintain and recoat
- 90 gloss finish



Product Code Packaging

U.S. 7370519 Pail: 5 U.S. gals. (18.9 L)

Ultracoat Gym Pro



High-Performance, Cross-Linked, Water-Based, Polyurethane, Gym Wood-Flooring Finish

Ultracoat Gym Pro is a two-part, aziridine cross-linked, water-based, high-performance formula designed to provide a high-gloss finish for professional, wood sports floors.

- Crystal clear and non-yellowing even after multiple coats
- Superior resistance to moisture and perspiration
- Excellent traction and abrasion resistance
- 90 gloss finish



Product Code Packaging

U.S. 7370619 Pail, Part A: 5 U.S. gals. (18.9 L)
7370755 Bottle, Part B: 15 U.S. oz. (444 mL)



DON'T SAND IT.



DON'T REPLACE IT.



DON'T HIDE IT.



ReNewIt

Foot traffic, pet scratches, sunlight, routine maintenance and other damaging influences gradually reduce the overall gloss and appearance of a wood or bamboo floor. To restore life to your floor, you have another option besides sanding, replacing or just covering the wood.

Try MAPEI's new **Ultracoat® ReNewIt™** products, which make up a sanding-free refinishing system for pre-finished and site-finished hardwood floors. The *ReNewIt* system allows you to recoat a floor in a simple 4-step process:

STEP 1



ReNewIt Remove removes all previous polishes and protectants.

STEP 2



ReNewIt Cleaner leaves the floor clean and ready to recoat.

STEP 3



ReNewIt Primer makes a strong bond between the cleaned floor and the new coating.

STEP 4



Ultracoat HT 2K wood-floor finish can bring back a floor's luster and gloss.

MAPEI's *Ultracoat ReNewIt* system will not correct deep scratches or gouges, nor will it allow you to change the color of the floor. However, it will provide a new, well-bonded finish that quickly and easily brings back that new-floor look without the hassle of a full sand-and-recoat process.

Ultracoat ReNewIt Remover

Step 1



Product Code Packaging

U.S. 7382904 1 U.S. gal. (3.79 L)



Cleaner and Polish Remover

Ultracoat ReNewIt Remover is a high-performance cleaning solution and polish remover. It is designed to remove polishes, stubborn dirt, oil and debris as the first step in preparing LVT, VCT, resilient, hardwood or bamboo flooring to be recoated with floor finish. After flooring is treated with *Ultracoat ReNewIt Remover*, it can be cleaned with *Ultracoat ReNewIt Cleaner* and then coated with *Ultracoat ReNewIt Primer* in preparation for a new floor finish.

- Works quickly to remove polish and contaminants
- Ready to use, with no dilution required
- Fresh scent and a light green color

Ultracoat ReNewIt Cleaner

Step 2



Product Code Packaging

U.S. 7382704 1 U.S. gal. (3.79 L)



Spot-Free Cleaner and Rinsing Solution

Ultracoat ReNewIt Cleaner is a high-performance, spot-free cleaning and rinsing solution designed to remove any remaining *Ultracoat ReNewIt Remover* and dirt as the second step in preparing LVT, VCT, resilient, wood or bamboo flooring to be recoated with floor finish. It can also be used as a general cleaner for all flooring types.

- Removes contaminants on the surface
- Ready to use, with no dilution required
- Leaves no residue

Ultracoat ReNewIt Primer

Step **3**



Product Code	Packaging
U.S. 7383104	Kit: 1 U.S. gal. (3.79 L) Part A, Jug: 108.8 U.S. oz. (3.22 L) Part B, F-style can: 19.2 U.S. oz. (0.57 L)



Two-Component Primer and Bonding Agent

Ultracoat ReNewIt Primer is a proprietary, high-performance, two-component, water-based primer and bonding agent designed as the third step in preparing LVT, VCT, resilient, wood or bamboo flooring to be resurfaced with *Ultracoat HT 2K*.

- Enhances bond of recoat finishing systems for wood or bamboo flooring
- Eliminates the traditional sanding required for recoating of existing flooring
- Dries quickly and does not change the floor color

Ultracoat HT 2K

Step **4**



Product Code	Packaging
U.S.	Kit: 1 U.S. gal. (3.79 L) – Part A: 116.4 U.S. oz. (3.44 L) Part B: 11.6 U.S. oz. (343 mL)
7443704	0 gloss (natural)
7373804	10 gloss (matte)
7373604	30 gloss (satin)
9696353	60 gloss (semi-gloss)



Two-Component, Water-Based, Polyurethane Wood-Flooring Finish

Ultracoat HT 2K is a two-component, water-based wood-flooring finish that is available in the gloss levels of natural, matte, satin and semi-gloss. Suitable for use in interior residential and heavy commercial applications where extreme traffic is expected, *Ultracoat HT 2K* is an aliphatic polyurethane resin system with excellent abrasion resistance for solid, pre-sanded wood floors. *Ultracoat HT 2K* adds a warm color to the wood and is non-yellowing.

- Superior resistance to traffic and abrasion
- UV-resistant
- High build with excellent flow properties

Ultracoat Protective Systems



The *Ultracoat* range of products can be combined in various combinations depending on the desired performance requirements. From basic two-coat, fast-drying finishing systems to high-performance, two-component two- and three-coat systems, MAPEI's *Ultracoat* protective systems for wood flooring offer solutions for any application or budget.

Quick, 2-coat, 4-hour system for fast protection of wood floors

Ultracoat Aqua Plus

Ultracoat Universal Base – 1 coat

Ultracoat Easy Plus – 1 coat



High-performance, 3-coat, 6-hour system for fast protection of wood floors

Ultracoat Aqua Plus

Ultracoat Universal Base – 1 coat

Ultracoat Easy Plus – 2 coats



Ultracoat Protective Systems

Ultra high- protection, 3-coat system for high-traffic areas

Ultracoat Aqua Plus

Ultracoat Premium Base – 1 coat

Ultracoat HT 2K – 2 coats



Enhanced-image, 3-coat, high- protection system for exotic wood floors

Ultracoat Aqua Plus

Ultracoat Toning Base – 1 coat

Ultracoat HT 2K – 2 coats





— MAPEI USA • MAPEI Caribe —

**MAPEI Headquarters
of North America**

1144 East Newport Center Drive
Deerfield Beach, Florida 33442
1-888-US-MAPEI (1-888-876-2734) /
(954) 246-8888

Technical Services

U.S. and Puerto Rico:

Flooring: 1-800-992-6273

Concrete and heavy construction:
1-888-365-0614

Customer Service

1-800-42-MAPEI (1-800-426-2734)

Copyright ©2025 by MAPEI Corporation ("MAPEI") and all rights are reserved. All intellectual property rights and other information contained in this document are the exclusive property of MAPEI (or its parent or related companies), unless otherwise noted. No part of this document may be reproduced or transmitted in any form without the prior written consent of MAPEI.

Printed in the USA.